DAFTAR PUSTAKA

Aban, S.M., Argente, F.A.T., Raguindin, R.S., Garcia, A.C., Ibarra, C.E. & DeVera, R.B., (2017). Length-weight relationships of the asian green mussel, *Perna viridis* (Linnaeus 1758) (Bivalvia: Mytilidae) population in Bolinao Bay, Pangasinan. *PSU Journal of Natural and Allied Sciences*, 1(1):1-6.

Abel P, D. 1989. Water Pollution Biology. London: John Wiley and Sons Ltd.

Andriyani, S. (2019). Studi Kualitas Air dan Struktur Komunitas Plankton terhadap Laju Pertumbuhan Kerang Hijau *(Perna viridis*) di Desa Banyuurip Ujungpangkah Gresik (Doctoral dissertation, UIN Sunan Ampel Surabaya).

Apdy, R. A. (2016). Kadar Pencemaran Logam Berat Timbal (Pb),. *Skripsi Fakultas Sains dan Teknologi*, 38-43.

Cappenberg, H. A. W. (2008). Beberapa Aspek Biologi Kerang Hijau *Perna viridis* Linnaeus 1758 Oleh. XXXIII(1), 33–40.

Diniarti, N., & Cokrowati, N. (2017). Budidaya Kerang Hijau sebagai Agen Biofilter pada Perairan Desa Batu Nampar, Lombok Timur. *Jurnal Abdi Insani*, *4*(2), 84-86.

Fauzi, R., Farikhah., dan Safitri, N. M. (2022). Analisis Biometri dan Struktur Populasi Kerang Hijau *(Perna Viridis)* dalam Bagan Tancap di Pantai Banyuurip Kecamatan Ujungpangkah Kabupaten Gresik. *Jurnal Techno-Fish*. 4 (1) :67-82

Freeman, K.R. 1974. Growth, mortality and seasonal cycle of Mytilus edulis in two Nova Scotian embayments. Departament of the Environment, Fisheries and Marine Service, Canada, Technical Report N° 500: 1- 112.

Hutami, F. E., Supriharyono, & Haeruddin. (2015). Laju Filtrasi Kerang Hijau (Perna viridis) Terhadap Skeletonema costatum. *Diponegoro Journal of Maquares*, 125-130.

Jalius, Setiyanto, D., Sumantadinata, K., Riani, E., & Ernawati, &. Y. (2008). Akumulasi Logam Berat Dan Pengaruhnya Terhadap Spermatogenesis Kerang Hijau (Perna Viridis). *Jurnal Ilmu-Ilmu Perairan dan Perikanan Indonesia*, 77-83.

Mabuat, J. C., Maddusa, S. S., & Boky, d. H. (2017). Analisis Kandungan Logam Berat Arsen (As) Pada Air, Ikan, Kerang, Dan Sedimen Di Daerah Aliran Sungai Tondano Tahun 2017. *Fakultas Kesehatan Masyarakat Universitas Sam Ratulangi*, 1-11.

Permanawati, Y., Zuraida, R., & Ibrahim, d. A. (2013). Kandungan Logam Berat (Cu, Pb, Zn, Cd, dan Cr) Dalam Air Dan Sedimen. *Jurnal Geologi Kelautan*, 9-16.

Liu, J., Cao, L., & Dou, S. (2017). Bioaccumulation of heavy metals and health risk assessment in three benthic bivalves along the coast of Laizhou Bay, China. Marine Pollution Bulletin, 08362, 1-13.

Lundebye A.K., A.W. Langston &M.H. Depledge. 1997. Stress Proteins and Condition Index as Biomarkers as Tributyltin Exposure and Effect in Mussels.Ecotoxicology. 6: 127-136.

Sami, M., K Ibrahim, N., & A Mohammad, D. (2020). Impact of the size of commercial bivalves on bioaccumulation and depuration of heavy metals. *Egyptian Journal of Aquatic Biology and Fisheries*, *24*(7-Special issue), 553-573.

Setiawan, R., Sudarmadji, S., Mulyadi, B. P., & Hamdani, R. H. (2019). Preferensi Habitat Spesies Kerang Laut (Moluska: Bivalvia) Di Ekosistem Intertidal Tanjung Bilik Taman Nasional Baluran. *Natural Science: Journal of Science and Technology*, *8*(3), 165-170.

Simbolon, A. R. (2019). Bioakumulasi kadmium dan merkuri pada kerang hijau, serta analisis multi medium risiko kesehatan di kawasan pemukiman pesisir. *Jurnal Riset Akuakultur*, *14*(2), 119-126.

Soon, T. K., & Ransangan, J. (2014). *A Review of Feeding Behavior , Growth , Reproduction and Aquaculture Site Selection for Green-Lipped Mussel , Perna viridis*. *April*, 462–469.

Suprapti, N. H., Bambang, A. N., Swastawati, F., & Kurniasih, R. A. (2016). Removal of heavy

metals from a contaminated green mussel [Perna viridis (Linneaus, 1758)] using acetic acid as chelating agents. *Aquatic Procedia, 7,* 154-159.

Szefer, P., Ali, A.A., Ba-Haroon, A.A., Rajeh, A.A., Geldon, J., & Nabrzyski, M. (1999). Distribution and relationships of selected trace metals in molluscs and associated sedimentsfrom the Gulf of Aden, Yemen. Environmental. Pollution, 106, 299-314.

Velez, C., Figueira, E., Soares, A., & Freitas, R. (2015). Spatial distribution and bioaccumulation patterns in three Veneridae clam populations from a low contaminated ecosystem. Estuarine, Coastal and Shelf Science, 155, 114-125

Walne, P.R., 1976. Experiments on the culture in the sea of the Butterfish Venerupis decussate L. Aquaculture 8, 371–381.

Yaqin, K., Fachruddin, L., Rahim, N.F. (2015). Studi Kandungan Logam Timbal (Pb) Kerang Hijau, Perna viridis Terhadap Indeks Kondisinya. Jurnal Lingkungan Indonesia, 3(6):309-317.

Župan, I. (2014). Growth and condition index–two important factors in mussel farming. *MESO: Prvi hrvatski časopis o mesu*, *16*(3), 255-259.