


UJI ASUMSI KLASIK

1. UJI NORMALITAS

Normal P-P Plot of Regression Standardized Residual



2. UJI MULTI KOLENIARITAS

Model		Collinearity Statistics	
		Tolerance	VIF
1	(Constant)		
	CR	.666	1.501
	DER	.666	1.501

3. Uji Autokorelasi

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics					Durbin-Watson
					R Square Change	F Change	df1	df2	Sig. F Change	
1	.470 ^a	.221	.197	9.50549	.221	9.222	2	65	.000	1.746

4. Uji Heteroskedastisitas

Uji Glejser

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Correlations			Collinearity Statistics		
		B	Std. Error	Beta			Zero-order	Partial	Part	Tolerance	VIF	
1	(Constant)	1.698	.484		3.507	.001						
	Ln_X2	.099	.103	.140	.971	.335	.169	.120	.119	.713	1.403	
	Ln_X3	-.054	.146	-.054	-.372	.711	-.129	-.046	-.045	.713	1.403	

Regresi Linier Berganda

Model		Unstandardized Coefficients		Standardized Coefficients	T	Sig.
		B	Std. Error	Beta		
1	(Constant)		-2.199		-5.27	.600
	CR		.026	.279	2.080	.041
	DER		11.750	.573	4.269	.000

KOEFISIEN DETERMINASI (R^2)

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.470 ^a	.221	.197	9.50549	1.746

UJI SIGNIFIKANSI PARAMETEER UJI T

Model		Unstandardized Coefficients		Standardized Coefficients	T	Sig.
		B	Std. Error	Beta		
1	(Constant)	-2.199	4.172		-.527	.600
	CR	.026	.012	.279	2.080	.041
	DER	11.750	2.753	.573	4.269	.000