

KUESIONER

Yth. Bapak/Ibu/Saudara

Di tempat

Sehubungan dengan diadakannya penelitian mengenai “PENGARUH PERSEPSI KONSUMEN ATAS LEAFLET DAN CITRA MEREK GIANT TERHADAP KEPUTUSAN PEMBELIAN DI GIANT HYPERMARKET GKB GRESIK” yang saya lakukan, maka dengan segala hormat saya memohon kesediaan Bapak/Ibu/Saudara untuk meluangkan waktu sejenak mengisi kuesioner ini dengan sebenar-benarnya. Identitas serta jawaban Bapak/Ibu/Saudara terjaga kerahasiaannya.

Atas kesediaan Bapak/Ibu/Saudara untuk mengisi kuesioner ini, saya ucapkan terima kasih.

Hormat Saya,

Peneliti

IDENTITAS RESPONDEN

Nama : (boleh tidak diisi)

Jenis Kelamin : L / P

A. KARAKTERISTIK RESPONDEN

1. Usia anda saat ini adalah :
 - a. < 25 tahun
 - b. 26 – 30 tahun
 - c. 31 – 35 tahun
 - d. 36 – 40 tahun
 - e. > 40 tahun
2. Pekerjaan Anda sekarang:
 - a. Pelajar/ Mahasiswa
 - b. Wiraswasta
 - c. Karyawan/ Pegawai
 - d. Ibu Rumah Tangga
 - e. Lainnya
3. Rata-rata pengeluaran per bulan :
 - a. < Rp 2,5 juta
 - b. Rp 2,5 juta – Rp 5 juta
 - c. Rp 5 juta – Rp 10 juta
 - d. > Rp 10 juta
4. Frekuensi anda berbelanja di Giant Hypermarket GKB Gresik dalam 1 minggu rata-rata berapa kunjungan :
 - a. < 2 kali
 - b. 2 – 4 kali
 - c. > 4 kali

B. Berilah jawaban pertanyaan berikut sesuai dengan pendapat anda, dengan cara memberi tanda (√) pada kolom yang tersedia !

Keterangan jawaban :

Angka 1 = Sangat Tidak Setuju

Angka 2 = Tidak Setuju

Angka 3 = Netral (ragu-ragu)

Angka 4 = Setuju

Angka 5 = Sangat Setuju

| No | Pernyataan | Persepsi | | | | |
|-----------|---|----------|----------|----------|----------|----------|
| | | STS | TS | N | S | SS |
| A | Persepsi terhadap Leaflet | 1 | 2 | 3 | 4 | 5 |
| 1. | Konsumen tertarik pada model dan bentuk dari leaflet. | | | | | |
| 2. | Konsumen dengan mudah membawa leaflet kemana saja. | | | | | |
| 3. | Konsumen dapat mengetahui berbagai informasi dari isi leaflet. | | | | | |
| B. | Citra Merek Giant | | | | | |
| 1. | Harga produk yang bermerek Giant lebih murah | | | | | |
| 2. | Produk yang bermerek Giant memiliki kualitas bagus | | | | | |
| 3. | Produk yang bermerek Giant beraneka macam bentuk. | | | | | |
| C. | Keputusan Membeli | | | | | |
| 1. | Membeli di Giant Hypermarket berdasarkan kebutuhan dan keinginan konsumen. | | | | | |
| 2. | Membeli di Giant Hypermarket berdasarkan lokasi yang nyaman akan kebersihannya | | | | | |
| 3. | Membeli di Giant Hypermarket berdasarkan pelayanan yang diberikan sangat memuaskan. | | | | | |

Lampiran 3

Hasil Rekapitulasi jawaban Responden

| No | PERSEPSI LEFLET (X1) | | | | CITRA GIANT (X2) | | | | K. PEMEMBELIAN(Y) | | | |
|----|----------------------|------|------|-------|------------------|------|------|-------|-------------------|----|----|-------|
| | X1.1 | X1.2 | X1.3 | TOTAL | X2.1 | X2.2 | X2.3 | TOTAL | Y1 | Y2 | Y3 | TOTAL |
| 1 | 4 | 4 | 4 | 12 | 5 | 3 | 4 | 12 | 4 | 4 | 4 | 12 |
| 2 | 4 | 4 | 4 | 12 | 4 | 4 | 4 | 12 | 4 | 5 | 4 | 13 |
| 3 | 4 | 4 | 5 | 13 | 4 | 3 | 4 | 11 | 4 | 4 | 4 | 12 |
| 4 | 4 | 4 | 5 | 13 | 4 | 4 | 5 | 13 | 5 | 4 | 5 | 14 |
| 5 | 4 | 4 | 3 | 11 | 4 | 4 | 4 | 12 | 4 | 4 | 4 | 12 |
| 6 | 3 | 4 | 3 | 10 | 4 | 3 | 4 | 11 | 3 | 4 | 4 | 11 |
| 7 | 5 | 5 | 4 | 14 | 5 | 3 | 5 | 13 | 5 | 4 | 5 | 14 |
| 8 | 3 | 4 | 3 | 10 | 5 | 3 | 4 | 12 | 4 | 4 | 4 | 12 |
| 9 | 4 | 4 | 4 | 12 | 5 | 4 | 5 | 14 | 4 | 4 | 5 | 13 |
| 10 | 4 | 3 | 4 | 11 | 4 | 3 | 4 | 11 | 5 | 4 | 4 | 13 |
| 11 | 3 | 4 | 5 | 12 | 4 | 3 | 4 | 11 | 4 | 4 | 4 | 12 |
| 12 | 3 | 4 | 4 | 11 | 4 | 3 | 4 | 11 | 4 | 4 | 4 | 12 |
| 13 | 4 | 4 | 4 | 12 | 3 | 5 | 3 | 11 | 4 | 5 | 3 | 12 |
| 14 | 4 | 5 | 5 | 14 | 4 | 5 | 4 | 13 | 5 | 4 | 4 | 13 |
| 15 | 3 | 4 | 5 | 12 | 5 | 5 | 4 | 14 | 3 | 5 | 4 | 12 |
| 16 | 5 | 3 | 4 | 12 | 4 | 5 | 4 | 13 | 4 | 5 | 4 | 13 |
| 17 | 3 | 4 | 3 | 10 | 5 | 2 | 5 | 12 | 4 | 4 | 5 | 13 |
| 18 | 5 | 3 | 5 | 13 | 5 | 4 | 4 | 13 | 4 | 4 | 4 | 12 |
| 19 | 3 | 4 | 5 | 12 | 3 | 4 | 4 | 11 | 3 | 4 | 4 | 11 |
| 20 | 3 | 4 | 5 | 12 | 4 | 3 | 4 | 11 | 4 | 4 | 4 | 12 |
| 21 | 4 | 3 | 4 | 11 | 5 | 5 | 4 | 14 | 4 | 4 | 4 | 12 |
| 22 | 5 | 4 | 3 | 12 | 5 | 4 | 5 | 14 | 3 | 4 | 5 | 12 |
| 23 | 3 | 5 | 3 | 11 | 4 | 4 | 5 | 13 | 4 | 5 | 5 | 14 |
| 24 | 3 | 3 | 4 | 10 | 4 | 3 | 4 | 11 | 4 | 5 | 4 | 13 |
| 25 | 4 | 4 | 4 | 12 | 4 | 3 | 4 | 11 | 5 | 4 | 4 | 13 |
| 26 | 5 | 5 | 4 | 14 | 5 | 3 | 5 | 13 | 5 | 5 | 5 | 15 |
| 27 | 4 | 5 | 3 | 12 | 5 | 3 | 3 | 11 | 4 | 4 | 3 | 11 |
| 28 | 4 | 3 | 4 | 11 | 3 | 4 | 3 | 10 | 4 | 4 | 3 | 11 |
| 29 | 3 | 3 | 4 | 10 | 4 | 5 | 3 | 12 | 4 | 4 | 3 | 11 |
| 30 | 4 | 4 | 3 | 11 | 4 | 4 | 4 | 12 | 4 | 3 | 4 | 11 |
| 31 | 4 | 5 | 3 | 12 | 4 | 4 | 4 | 12 | 3 | 4 | 4 | 11 |
| 32 | 3 | 4 | 5 | 12 | 4 | 3 | 4 | 11 | 4 | 3 | 4 | 11 |
| 33 | 4 | 3 | 4 | 11 | 4 | 4 | 3 | 11 | 4 | 4 | 3 | 11 |
| 34 | 3 | 4 | 4 | 11 | 4 | 4 | 4 | 12 | 3 | 4 | 4 | 11 |
| 35 | 3 | 4 | 4 | 11 | 4 | 4 | 3 | 11 | 3 | 4 | 3 | 10 |
| 36 | 4 | 4 | 5 | 13 | 4 | 5 | 4 | 13 | 4 | 4 | 4 | 12 |
| 37 | 5 | 4 | 4 | 13 | 4 | 5 | 5 | 14 | 5 | 4 | 5 | 14 |
| 38 | 3 | 4 | 3 | 10 | 5 | 4 | 4 | 13 | 4 | 4 | 4 | 12 |
| 39 | 4 | 3 | 4 | 11 | 3 | 4 | 4 | 11 | 4 | 5 | 4 | 13 |
| 40 | 4 | 4 | 4 | 12 | 4 | 5 | 5 | 14 | 4 | 5 | 5 | 14 |

| No | PERSEPSI LEFLET (X1) | | | | CITRA GIANT (X2) | | | | K. PEMEMBELIAN(Y) | | | |
|----|----------------------|------|------|-------|------------------|------|------|-------|-------------------|----|----|-------|
| | X1.1 | X1.2 | X1.3 | TOTAL | X2.1 | X2.2 | X2.3 | TOTAL | Y1 | Y2 | Y3 | TOTAL |
| 41 | 4 | 4 | 5 | 13 | 4 | 4 | 3 | 11 | 3 | 4 | 3 | 10 |
| 42 | 4 | 4 | 2 | 10 | 4 | 3 | 3 | 10 | 3 | 4 | 3 | 10 |
| 43 | 4 | 3 | 4 | 11 | 4 | 4 | 3 | 11 | 4 | 3 | 3 | 10 |
| 44 | 3 | 5 | 5 | 13 | 4 | 5 | 5 | 14 | 4 | 5 | 5 | 14 |
| 45 | 4 | 5 | 5 | 14 | 4 | 4 | 4 | 12 | 4 | 5 | 4 | 13 |
| 46 | 4 | 4 | 5 | 13 | 4 | 4 | 5 | 13 | 5 | 4 | 5 | 14 |
| 47 | 4 | 5 | 3 | 12 | 4 | 5 | 4 | 13 | 3 | 3 | 4 | 10 |
| 48 | 4 | 5 | 4 | 13 | 4 | 4 | 3 | 11 | 4 | 5 | 3 | 12 |
| 49 | 5 | 5 | 4 | 14 | 5 | 4 | 5 | 14 | 5 | 4 | 5 | 14 |
| 50 | 4 | 3 | 5 | 12 | 5 | 2 | 3 | 10 | 4 | 4 | 3 | 11 |
| 51 | 4 | 3 | 4 | 11 | 4 | 4 | 4 | 12 | 4 | 4 | 4 | 12 |
| 52 | 4 | 4 | 4 | 12 | 2 | 2 | 3 | 7 | 4 | 4 | 3 | 11 |
| 53 | 4 | 5 | 4 | 13 | 4 | 4 | 5 | 13 | 5 | 4 | 5 | 14 |
| 54 | 3 | 4 | 4 | 11 | 5 | 5 | 3 | 13 | 4 | 4 | 3 | 11 |
| 55 | 3 | 5 | 3 | 11 | 4 | 4 | 3 | 11 | 3 | 4 | 3 | 10 |
| 56 | 3 | 4 | 2 | 9 | 5 | 4 | 4 | 13 | 4 | 5 | 4 | 13 |
| 57 | 3 | 4 | 5 | 12 | 4 | 4 | 4 | 12 | 4 | 4 | 4 | 12 |
| 58 | 4 | 3 | 5 | 12 | 4 | 3 | 3 | 10 | 3 | 4 | 3 | 10 |
| 59 | 3 | 4 | 2 | 9 | 4 | 4 | 5 | 13 | 3 | 4 | 5 | 12 |
| 60 | 4 | 4 | 4 | 12 | 4 | 4 | 3 | 11 | 4 | 3 | 3 | 10 |
| 61 | 5 | 4 | 3 | 12 | 4 | 4 | 3 | 11 | 4 | 4 | 3 | 11 |
| 62 | 4 | 3 | 4 | 11 | 4 | 5 | 5 | 14 | 4 | 5 | 5 | 14 |
| 63 | 4 | 4 | 3 | 11 | 4 | 4 | 5 | 13 | 4 | 4 | 5 | 13 |
| 64 | 4 | 4 | 3 | 11 | 4 | 5 | 4 | 13 | 5 | 4 | 4 | 13 |
| 65 | 4 | 4 | 4 | 12 | 3 | 4 | 5 | 12 | 4 | 4 | 5 | 13 |
| 66 | 5 | 4 | 5 | 14 | 4 | 3 | 4 | 11 | 4 | 4 | 4 | 12 |
| 67 | 4 | 5 | 5 | 14 | 4 | 3 | 4 | 11 | 3 | 4 | 4 | 11 |
| 68 | 4 | 3 | 4 | 11 | 3 | 4 | 4 | 11 | 5 | 3 | 4 | 12 |
| 69 | 4 | 3 | 5 | 12 | 4 | 3 | 3 | 10 | 4 | 5 | 3 | 12 |
| 70 | 3 | 4 | 4 | 11 | 4 | 3 | 4 | 11 | 4 | 4 | 4 | 12 |
| 71 | 4 | 4 | 4 | 12 | 4 | 3 | 3 | 10 | 4 | 4 | 3 | 11 |
| 72 | 4 | 4 | 5 | 13 | 5 | 3 | 5 | 13 | 4 | 4 | 5 | 13 |
| 73 | 3 | 4 | 5 | 12 | 5 | 3 | 4 | 12 | 3 | 4 | 4 | 11 |
| 74 | 4 | 5 | 5 | 14 | 5 | 3 | 5 | 13 | 5 | 4 | 5 | 14 |
| 75 | 3 | 4 | 4 | 11 | 4 | 5 | 4 | 13 | 4 | 5 | 4 | 13 |
| 76 | 4 | 4 | 4 | 12 | 4 | 5 | 5 | 14 | 4 | 5 | 5 | 14 |
| 77 | 4 | 4 | 4 | 12 | 5 | 4 | 4 | 13 | 5 | 4 | 4 | 13 |
| 78 | 2 | 3 | 2 | 7 | 4 | 4 | 5 | 13 | 4 | 4 | 5 | 13 |
| 79 | 4 | 3 | 5 | 12 | 4 | 5 | 4 | 13 | 4 | 3 | 4 | 11 |
| 80 | 4 | 4 | 3 | 11 | 4 | 4 | 4 | 12 | 3 | 4 | 4 | 11 |

| No | PERSEPSI LEFLET (X1) | | | | CITRA GIANT (X2) | | | | K. PEMEMBELIAN(Y) | | | |
|-----|----------------------|------|------|-------|------------------|------|------|-------|-------------------|----|----|-------|
| | X1.1 | X1.2 | X1.3 | TOTAL | X2.1 | X2.2 | X2.3 | TOTAL | Y1 | Y2 | Y3 | TOTAL |
| 81 | 3 | 4 | 3 | 10 | 4 | 4 | 4 | 12 | 4 | 3 | 4 | 11 |
| 82 | 3 | 4 | 1 | 8 | 4 | 3 | 3 | 10 | 4 | 2 | 3 | 9 |
| 83 | 4 | 3 | 5 | 12 | 5 | 3 | 3 | 11 | 4 | 5 | 3 | 12 |
| 84 | 5 | 4 | 3 | 12 | 5 | 5 | 4 | 14 | 4 | 5 | 4 | 13 |
| 85 | 3 | 4 | 3 | 10 | 4 | 4 | 3 | 11 | 3 | 4 | 3 | 10 |
| 86 | 4 | 4 | 2 | 10 | 4 | 4 | 4 | 12 | 4 | 5 | 4 | 13 |
| 87 | 4 | 4 | 3 | 11 | 4 | 4 | 4 | 12 | 5 | 3 | 4 | 12 |
| 88 | 4 | 5 | 4 | 13 | 5 | 4 | 4 | 13 | 4 | 4 | 4 | 12 |
| 89 | 3 | 4 | 4 | 11 | 2 | 4 | 4 | 10 | 4 | 4 | 4 | 12 |
| 90 | 3 | 4 | 4 | 11 | 4 | 4 | 5 | 13 | 3 | 3 | 5 | 11 |
| 91 | 4 | 3 | 3 | 10 | 5 | 5 | 4 | 14 | 5 | 4 | 4 | 13 |
| 92 | 4 | 4 | 4 | 12 | 4 | 4 | 4 | 12 | 3 | 4 | 4 | 11 |
| 93 | 3 | 4 | 3 | 10 | 4 | 3 | 3 | 10 | 4 | 4 | 3 | 11 |
| 94 | 4 | 4 | 3 | 11 | 4 | 5 | 4 | 13 | 4 | 3 | 4 | 11 |
| 95 | 4 | 3 | 3 | 10 | 4 | 4 | 3 | 11 | 4 | 4 | 3 | 11 |
| 96 | 3 | 5 | 4 | 12 | 4 | 5 | 4 | 13 | 3 | 4 | 4 | 11 |
| 97 | 4 | 3 | 4 | 11 | 4 | 4 | 4 | 12 | 3 | 4 | 4 | 11 |
| 98 | 4 | 4 | 5 | 13 | 4 | 5 | 5 | 14 | 4 | 5 | 5 | 14 |
| 99 | 5 | 4 | 4 | 13 | 5 | 4 | 5 | 14 | 5 | 4 | 5 | 14 |
| 100 | 4 | 5 | 4 | 13 | 4 | 5 | 5 | 14 | 4 | 4 | 5 | 13 |

Hasil Uji Data Responden

1. Hasil Uji Validitas dan Uji Reabilitas

a. Persepsi Konsumen atas Leaflet (X1)

Correlations

| | | x1.a | x1.b | x1.c | X1.abc |
|--------|---------------------|--------|--------|--------|--------|
| x1.a | Pearson Correlation | 1 | .003 | .152 | .594** |
| | Sig. (2-tailed) | | .977 | .132 | .000 |
| | N | 100 | 100 | 100 | 100 |
| x1.b | Pearson Correlation | .003 | 1 | -.044 | .454** |
| | Sig. (2-tailed) | .977 | | .665 | .000 |
| | N | 100 | 100 | 100 | 100 |
| x1.c | Pearson Correlation | .152 | -.044 | 1 | .727** |
| | Sig. (2-tailed) | .132 | .665 | | .000 |
| | N | 100 | 100 | 100 | 100 |
| X1.abc | Pearson Correlation | .594** | .454** | .727** | 1 |
| | Sig. (2-tailed) | .000 | .000 | .000 | |
| | N | 100 | 100 | 100 | 100 |

** . Correlation is significant at the 0.01 level (2-tailed).

Scale: ALL VARIABLES

Case Processing Summary

| | | N | % |
|-------|-----------------------|-----|-------|
| Cases | Valid | 100 | 100.0 |
| | Excluded ^a | 0 | .0 |
| | Total | 100 | 100.0 |

Reliability Statistics

| Cronbach's Alpha | N of Items |
|------------------|------------|
| .691 | 4 |

a. Listwise deletion based on all variables in the procedure.

b. Citra Merek Giant (X2)

Correlations

| | | x2.a | x2.b | x2.c | X2.abc |
|--------|---------------------|--------|--------|--------|--------|
| x2.a | Pearson Correlation | 1 | -.074 | .185 | .512** |
| | Sig. (2-tailed) | | .465 | .065 | .000 |
| | N | 100 | 100 | 100 | 100 |
| x2.b | Pearson Correlation | -.074 | 1 | .185 | .653** |
| | Sig. (2-tailed) | .465 | | .066 | .000 |
| | N | 100 | 100 | 100 | 100 |
| x2.c | Pearson Correlation | .185 | .185 | 1 | .722** |
| | Sig. (2-tailed) | .065 | .066 | | .000 |
| | N | 100 | 100 | 100 | 100 |
| X2.abc | Pearson Correlation | .512** | .653** | .722** | 1 |
| | Sig. (2-tailed) | .000 | .000 | .000 | |
| | N | 100 | 100 | 100 | 100 |

** . Correlation is significant at the 0.01 level (2-tailed).

Scale: ALL VARIABLES

Case Processing Summary

| | | N | % |
|-------|-----------------------|-----|-------|
| Cases | Valid | 100 | 100.0 |
| | Excluded ^a | 0 | .0 |
| | Total | 100 | 100.0 |

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

| Cronbach's Alpha | N of Items |
|------------------|------------|
| .722 | 4 |

c. Keputusan Pembelian (Y)

Correlations

| | | y.a | y.b | y.c | y.abc |
|-------|---------------------|--------|--------|--------|--------|
| y.a | Pearson Correlation | 1 | .009 | .280** | .648** |
| | Sig. (2-tailed) | | .931 | .005 | .000 |
| | N | 100 | 100 | 100 | 100 |
| y.b | Pearson Correlation | .009 | 1 | .142 | .555** |
| | Sig. (2-tailed) | .931 | | .158 | .000 |
| | N | 100 | 100 | 100 | 100 |
| y.c | Pearson Correlation | .280** | .142 | 1 | .759** |
| | Sig. (2-tailed) | .005 | .158 | | .000 |
| | N | 100 | 100 | 100 | 100 |
| y.abc | Pearson Correlation | .648** | .555** | .759** | 1 |
| | Sig. (2-tailed) | .000 | .000 | .000 | |
| | N | 100 | 100 | 100 | 100 |

** . Correlation is significant at the 0.01 level (2-tailed).

Scale: ALL VARIABLES

Case Processing Summary

| | | N | % |
|-------|-----------------------|-----|-------|
| Cases | Valid | 100 | 100.0 |
| | Excluded ^a | 0 | .0 |
| | Total | 100 | 100.0 |

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

| Cronbach's Alpha | N of Items |
|------------------|------------|
| .743 | 4 |

2. Hasil Uji Asumsi Klasik

Model Summary^b

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate | Durbin-Watson |
|-------|-------------------|----------|-------------------|----------------------------|---------------|
| 1 | .639 ^a | .409 | .397 | .984 | 1.820 |

a. Predictors: (Constant), X2.abc, X1.abc

b. Dependent Variable: y.abc

3. Hasil Uji Multikolinieritas

Variables Entered/Removed^b

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | X2.abc, X1.abc | . | Enter |

a. All requested variables entered.

b. Dependent Variable: y.abc

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1 | .639 ^a | .409 | .397 | .984 |

a. Predictors: (Constant), X2.abc, X1.abc

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|--------|-------------------|
| 1 | Regression | 64.886 | 2 | 32.443 | 33.527 | .000 ^a |
| | Residual | 93.864 | 97 | .968 | | |
| | Total | 158.750 | 99 | | | |

a. Predictors: (Constant), X2.abc, X1.abc

b. Dependent Variable: y.abc

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Collinearity Statistics | |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|-------------------------|-------|
| | | B | Std. Error | Beta | | | Tolerance | VIF |
| 1 | (Constant) | 3.109 | 1.150 | | 2.702 | .008 | | |
| | X1.abc | .224 | .077 | .233 | 2.927 | .004 | .963 | 1.038 |
| | X2.abc | .525 | .076 | .552 | 6.945 | .000 | .963 | 1.038 |

a. Dependent Variable: y.abc

Collinearity Diagnostics^a

| Model | Dimension | Eigenvalue | Condition Index | Variance Proportions | | |
|-------|-----------|------------|-----------------|----------------------|--------|--------|
| | | | | (Constant) | X1.abc | X2.abc |
| 1 | 1 | 2.985 | 1.000 | .00 | .00 | .00 |
| | 2 | .010 | 17.378 | .00 | .63 | .56 |
| | 3 | .005 | 24.755 | 1.00 | .37 | .44 |

a. Dependent Variable: y.abc

Residuals Statistics^a

| | Minimum | Maximum | Mean | Std. Deviation | N |
|-----------------------------------|---------|---------|-------|----------------|-----|
| Predicted Value | 9.48 | 13.60 | 12.05 | .810 | 100 |
| Std. Predicted Value | -3.180 | 1.915 | .000 | 1.000 | 100 |
| Standard Error of Predicted Value | .103 | .401 | .162 | .052 | 100 |
| Adjusted Predicted Value | 9.17 | 13.58 | 12.04 | .817 | 100 |
| Residual | -2.627 | 1.925 | .000 | .974 | 100 |
| Std. Residual | -2.670 | 1.957 | .000 | .990 | 100 |
| Stud. Residual | -2.691 | 2.002 | .003 | 1.007 | 100 |
| Deleted Residual | -2.667 | 2.014 | .007 | 1.008 | 100 |
| Stud. Deleted Residual | -2.783 | 2.034 | .003 | 1.014 | 100 |
| Mahal. Distance | .089 | 15.488 | 1.980 | 2.346 | 100 |
| Cook's Distance | .000 | .192 | .012 | .026 | 100 |
| Centered Leverage Value | .001 | .156 | .020 | .024 | 100 |

a. Dependent Variable: y.abc

4. Hasil Uji Hedroskedastisitas

Variables Entered/Removed^b

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | X2.abc, X1.abc | . | Enter |

a. All requested variables entered.

b. Dependent Variable: y.abc

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1 | .639 ^a | .409 | .397 | .984 |

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|--------|-------------------|
| 1 | Regression | 64.886 | 2 | 32.443 | 33.527 | .000 ^a |
| | Residual | 93.864 | 97 | .968 | | |
| | Total | 158.750 | 99 | | | |

a. Predictors: (Constant), X2.abc, X1.abc

b. Dependent Variable: v.abc

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Collinearity Statistics | |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|-------------------------|-------|
| | | B | Std. Error | Beta | | | Tolerance | VIF |
| 1 | (Constant) | 3.109 | 1.150 | | 2.702 | .008 | | |
| | X1.abc | .224 | .077 | .233 | 2.927 | .004 | .963 | 1.038 |
| | X2.abc | .525 | .076 | .552 | 6.945 | .000 | .963 | 1.038 |

a. Dependent Variable: y.abc

Residuals Statistics^a

| | Minimum | Maximum | Mean | Std. Deviation | N |
|-----------------------------------|---------|---------|-------|----------------|-----|
| Predicted Value | 9.48 | 13.60 | 12.05 | .810 | 100 |
| Std. Predicted Value | -3.180 | 1.915 | .000 | 1.000 | 100 |
| Standard Error of Predicted Value | .103 | .401 | .162 | .052 | 100 |
| Adjusted Predicted Value | 9.17 | 13.58 | 12.04 | .817 | 100 |
| Residual | -2.627 | 1.925 | .000 | .974 | 100 |
| Std. Residual | -2.670 | 1.957 | .000 | .990 | 100 |
| Stud. Residual | -2.691 | 2.002 | .003 | 1.007 | 100 |
| Deleted Residual | -2.667 | 2.014 | .007 | 1.008 | 100 |
| Stud. Deleted Residual | -2.783 | 2.034 | .003 | 1.014 | 100 |
| Mahal. Distance | .089 | 15.488 | 1.980 | 2.346 | 100 |
| Cook's Distance | .000 | .192 | .012 | .026 | 100 |
| Centered Leverage Value | .001 | .156 | .020 | .024 | 100 |

a. Dependent Variable: y.abc

5. Hasil Uji Regresi Linier Berganda (Uji t dan Uji F)

Variables Entered/Removed^a

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | X2.abc, X1.abc | . | Enter |

a. All requested variables entered.

b. Dependent Variable: v.abc

Model Summary

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1 | .639 ^a | .409 | .397 | .984 |

a. Predictors: (Constant), X2.abc, X1.abc

ANOVA^b

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|--------|-------------------|
| 1 | Regression | 64.886 | 2 | 32.443 | 33.527 | .000 ^a |
| | Residual | 93.864 | 97 | .968 | | |
| | Total | 158.750 | 99 | | | |

a. Predictors: (Constant), X2.abc, X1.abc

b. Dependent Variable: v.abc

Coefficients^a

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Collinearity Statistics | |
|-------|------------|-----------------------------|------------|---------------------------|-------|------|-------------------------|-------|
| | | B | Std. Error | Beta | | | Tolerance | VIF |
| 1 | (Constant) | 3.109 | 1.150 | | 2.702 | .008 | | |
| | X1.abc | .224 | .077 | .233 | 2.927 | .004 | .963 | 1.038 |
| | X2.abc | .525 | .076 | .552 | 6.945 | .000 | .963 | 1.038 |

a. Dependent Variable: y.abc


Residuals Statistics^a

| | Minimum | Maximum | Mean | Std. Deviation | N |
|-----------------------------------|---------|---------|-------|----------------|-----|
| Predicted Value | 9.48 | 13.60 | 12.05 | .810 | 100 |
| Std. Predicted Value | -3.180 | 1.915 | .000 | 1.000 | 100 |
| Standard Error of Predicted Value | .103 | .401 | .162 | .052 | 100 |
| Adjusted Predicted Value | 9.17 | 13.58 | 12.04 | .817 | 100 |
| Residual | -2.627 | 1.925 | .000 | .974 | 100 |
| Std. Residual | -2.670 | 1.957 | .000 | .990 | 100 |
| Stud. Residual | -2.691 | 2.002 | .003 | 1.007 | 100 |
| Deleted Residual | -2.667 | 2.014 | .007 | 1.008 | 100 |
| Stud. Deleted Residual | -2.783 | 2.034 | .003 | 1.014 | 100 |
| Mahal. Distance | .089 | 15.488 | 1.980 | 2.346 | 100 |
| Cook's Distance | .000 | .192 | .012 | .026 | 100 |
| Centered Leverage Value | .001 | .156 | .020 | .024 | 100 |

a. Dependent Variable: y.abc


Charts

Histogram




Normal P-P Plot of Regression Standardized Residual

Dependent Variable: y.abc



Scatterplot

Dependent Variable: y.abc



Tabel r Product Moment

| N | Taraf Signif | | N | Taraf Signif | | N | Taraf Signif | |
|----|--------------|-------|----|--------------|-------|------|--------------|-------|
| | 5% | 1% | | 5% | 1% | | 5% | 1% |
| 3 | 0,997 | 0,999 | 26 | 0,388 | 0,496 | 50 | 0,279 | 0,361 |
| 4 | 0,950 | 0,990 | 27 | 0,381 | 0,487 | 55 | 0,266 | 0,345 |
| 5 | 0,878 | 0,959 | 28 | 0,374 | 0,478 | 60 | 0,254 | 0,330 |
| 6 | 0,811 | 0,917 | 29 | 0,367 | 0,470 | 65 | 0,244 | 0,317 |
| 7 | 0,754 | 0,874 | 30 | 0,361 | 0,463 | 70 | 0,235 | 0,306 |
| 8 | 0,707 | 0,834 | 31 | 0,355 | 0,456 | 75 | 0,227 | 0,296 |
| 9 | 0,666 | 0,798 | 32 | 0,349 | 0,449 | 80 | 0,220 | 0,286 |
| 10 | 0,632 | 0,765 | 33 | 0,344 | 0,442 | 85 | 0,213 | 0,278 |
| 11 | 0,602 | 0,735 | 34 | 0,339 | 0,436 | 90 | 0,207 | 0,270 |
| 12 | 0,576 | 0,708 | 35 | 0,334 | 0,430 | 95 | 0,202 | 0,263 |
| 13 | 0,553 | 0,684 | 36 | 0,329 | 0,424 | 100 | 0,195 | 0,256 |
| 14 | 0,532 | 0,661 | 37 | 0,325 | 0,418 | 125 | 0,176 | 0,230 |
| 15 | 0,514 | 0,641 | 38 | 0,320 | 0,413 | 150 | 0,159 | 0,210 |
| 16 | 0,497 | 0,623 | 39 | 0,316 | 0,408 | 175 | 0,148 | 0,194 |
| 17 | 0,482 | 0,606 | 40 | 0,312 | 0,403 | 200 | 0,138 | 0,181 |
| 18 | 0,468 | 0,590 | 41 | 0,308 | 0,398 | 300 | 0,113 | 0,148 |
| 19 | 0,456 | 0,575 | 42 | 0,304 | 0,393 | 400 | 0,098 | 0,128 |
| 20 | 0,444 | 0,561 | 43 | 0,301 | 0,389 | 500 | 0,088 | 0,115 |
| 21 | 0,433 | 0,549 | 44 | 0,297 | 0,384 | 600 | 0,080 | 0,105 |
| 22 | 0,423 | 0,537 | 45 | 0,294 | 0,380 | 700 | 0,074 | 0,097 |
| 23 | 0,413 | 0,526 | 46 | 0,291 | 0,376 | 800 | 0,070 | 0,091 |
| 24 | 0,404 | 0,515 | 47 | 0,288 | 0,372 | 900 | 0,065 | 0,086 |
| 25 | 0,396 | 0,505 | 48 | 0,284 | 0,368 | 1000 | 0,062 | 0,081 |
| | | | 49 | 0,281 | 0,364 | | | |

Tabel Durbin Watson

| N | k=1 | | k=2 | | k=3 | | k=4 | | k=5 | |
|-----|------|------|------|------|------|------|------|------|------|------|
| | Dl | du | Dl | Du | Dl | Du | Dl | du | dl | Du |
| 15 | 1.08 | 1.63 | 0.95 | 1.54 | 0.82 | 1.75 | 0.69 | 1.97 | 0.56 | 2.21 |
| 16 | 1.10 | 1.37 | 0.98 | 1.54 | 0.86 | 1.73 | 0.74 | 1.93 | 0.62 | 2.15 |
| 17 | 1.13 | 1.38 | 1.02 | 1.54 | 0.90 | 1.71 | 0.78 | 1.90 | 0.67 | 2.10 |
| 18 | 1.16 | 1.39 | 1.05 | 1.53 | 0.93 | 1.69 | 0.82 | 1.87 | 0.71 | 2.02 |
| 19 | 1.18 | 1.40 | 1.08 | 1.53 | 0.97 | 1.68 | 0.86 | 1.85 | 0.75 | 2.02 |
| 20 | 1.20 | 1.41 | 1.10 | 1.54 | 1.00 | 1.68 | 0.90 | 1.83 | 0.79 | 1.99 |
| 21 | 1.22 | 1.42 | 1.13 | 1.54 | 1.03 | 1.67 | 0.93 | 1.81 | 0.83 | 1.96 |
| 22 | 1.24 | 1.43 | 1.15 | 1.54 | 1.05 | 1.66 | 0.96 | 1.80 | 0.86 | 1.94 |
| 23 | 1.26 | 1.44 | 1.17 | 1.54 | 1.08 | 1.66 | 0.99 | 1.79 | 0.90 | 1.92 |
| 24 | 1.27 | 1.45 | 1.19 | 1.55 | 1.10 | 1.66 | 1.01 | 1.78 | 0.93 | 1.90 |
| 25 | 1.29 | 1.45 | 1.21 | 1.55 | 1.12 | 1.66 | 1.04 | 1.77 | 0.95 | 1.89 |
| 26 | 1.30 | 1.46 | 1.22 | 1.55 | 1.14 | 1.66 | 1.06 | 1.76 | 0.98 | 1.88 |
| 27 | 1.32 | 1.47 | 1.24 | 1.56 | 1.16 | 1.65 | 1.08 | 1.76 | 1.01 | 1.86 |
| 28 | 1.33 | 1.48 | 1.26 | 1.56 | 1.18 | 1.65 | 1.10 | 1.75 | 1.03 | 1.85 |
| 29 | 1.34 | 1.48 | 1.27 | 1.56 | 1.20 | 1.65 | 1.12 | 1.74 | 1.05 | 1.84 |
| 30 | 1.35 | 1.49 | 1.28 | 1.57 | 1.21 | 1.65 | 1.14 | 1.74 | 1.07 | 1.83 |
| 31 | 1.36 | 1.50 | 1.30 | 1.57 | 1.23 | 1.65 | 1.16 | 1.74 | 1.09 | 1.83 |
| 32 | 1.37 | 1.50 | 1.31 | 1.57 | 1.24 | 1.65 | 1.18 | 1.73 | 1.11 | 1.82 |
| 33 | 1.38 | 1.51 | 1.32 | 1.58 | 1.26 | 1.65 | 1.19 | 1.73 | 1.13 | 1.81 |
| 34 | 1.39 | 1.51 | 1.33 | 1.58 | 1.27 | 1.65 | 1.21 | 1.73 | 1.15 | 1.81 |
| 35 | 1.40 | 1.52 | 1.34 | 1.58 | 1.28 | 1.65 | 1.22 | 1.73 | 1.16 | 1.80 |
| 36 | 1.41 | 1.52 | 1.35 | 1.59 | 1.29 | 1.65 | 1.24 | 1.73 | 1.18 | 1.80 |
| 37 | 1.42 | 1.53 | 1.36 | 1.59 | 1.31 | 1.66 | 1.25 | 1.72 | 1.19 | 1.80 |
| 38 | 1.43 | 1.54 | 1.37 | 1.59 | 1.32 | 1.66 | 1.26 | 1.72 | 1.21 | 1.79 |
| 39 | 1.43 | 1.54 | 1.38 | 1.60 | 1.33 | 1.66 | 1.27 | 1.72 | 1.22 | 1.79 |
| 40 | 1.44 | 1.54 | 1.39 | 1.60 | 1.34 | 1.66 | 1.29 | 1.72 | 1.23 | 1.79 |
| 45 | 1.48 | 1.57 | 1.43 | 1.62 | 1.38 | 1.67 | 1.34 | 1.72 | 1.29 | 1.79 |
| 50 | 1.50 | 1.59 | 1.46 | 1.63 | 1.42 | 1.67 | 1.38 | 1.72 | 1.34 | 1.77 |
| 55 | 1.53 | 1.60 | 1.49 | 1.64 | 1.45 | 1.68 | 1.41 | 1.72 | 1.38 | 1.77 |
| 60 | 1.55 | 1.62 | 1.51 | 1.65 | 1.48 | 1.69 | 1.44 | 1.73 | 1.41 | 1.77 |
| 65 | 1.57 | 1.63 | 1.54 | 1.66 | 1.50 | 1.70 | 1.47 | 1.73 | 1.44 | 1.77 |
| 70 | 1.58 | 1.64 | 1.55 | 1.67 | 1.52 | 1.70 | 1.49 | 1.74 | 1.46 | 1.77 |
| 75 | 1.60 | 1.65 | 1.57 | 1.68 | 1.54 | 1.71 | 1.51 | 1.74 | 1.49 | 1.77 |
| 80 | 1.61 | 1.66 | 1.59 | 1.69 | 1.56 | 1.72 | 1.53 | 1.74 | 1.51 | 1.77 |
| 85 | 1.62 | 1.67 | 1.60 | 1.70 | 1.57 | 1.72 | 1.55 | 1.75 | 1.52 | 1.77 |
| 90 | 1.63 | 1.68 | 1.61 | 1.70 | 1.59 | 1.73 | 1.57 | 1.75 | 1.54 | 1.78 |
| 95 | 1.64 | 1.69 | 1.62 | 1.71 | 1.60 | 1.73 | 1.58 | 1.75 | 1.56 | 1.78 |
| 100 | 1.65 | 1.69 | 1.63 | 1.72 | 1.61 | 1.74 | 1.59 | 1.76 | 1.57 | 1.78 |

Tabel Distribusi t

| Df | Alfa = 2,5% | Alfa = 5% | Alfa = 10% |
|----|-------------|-----------|------------|
| 1 | 12,7062 | 6,3138 | 2,0777 |
| 2 | 4,3027 | 2,9200 | 1,8856 |
| 3 | 3,1824 | 2,3534 | 1,6377 |
| 4 | 2,7764 | 2,1318 | 1,5332 |
| 5 | 2,5706 | 2,0150 | 1,4759 |
| 6 | 2,4469 | 1,9432 | 1,4398 |
| 7 | 2,3646 | 1,8946 | 1,4149 |
| 8 | 2,3060 | 1,8595 | 1,3968 |
| 9 | 2,2622 | 1,8331 | 1,3830 |
| 10 | 2,2281 | 1,8125 | 1,3722 |
| 11 | 2,2010 | 1,7959 | 1,3634 |
| 12 | 2,1788 | 1,7823 | 1,3562 |
| 13 | 2,1604 | 1,7709 | 1,3502 |
| 14 | 2,1448 | 1,7613 | 1,3450 |
| 15 | 2,1314 | 1,7531 | 1,3406 |
| 16 | 2,1199 | 1,7459 | 1,3368 |
| 17 | 2,1098 | 1,7396 | 1,3334 |
| 18 | 2,1009 | 1,7341 | 1,3304 |
| 19 | 2,0930 | 1,7291 | 1,3277 |
| 20 | 2,0860 | 1,7247 | 1,3253 |
| 21 | 2,0796 | 1,7207 | 1,3232 |
| 22 | 2,0739 | 1,7171 | 1,3212 |
| 23 | 2,0687 | 1,7139 | 1,3195 |
| 24 | 2,0639 | 1,7109 | 1,3178 |
| 25 | 2,0595 | 1,7081 | 1,3163 |
| 26 | 2,0555 | 1,7056 | 1,3150 |
| 27 | 2,0518 | 1,7033 | 1,3137 |
| 28 | 2,0484 | 1,7011 | 1,3125 |
| 29 | 2,0457 | 1,6991 | 1,3114 |
| 30 | 2,0423 | 1,6973 | 1,3104 |
| 31 | 2,0395 | 1,6955 | 1,3095 |
| 32 | 2,0369 | 1,6939 | 1,3086 |
| 33 | 2,0345 | 1,6924 | 1,3077 |
| 34 | 2,0322 | 1,6909 | 1,3070 |
| 35 | 2,0301 | 1,6896 | 1,3062 |
| 36 | 2,0281 | 1,6883 | 1,3055 |
| 37 | 2,0262 | 1,6871 | 1,3049 |
| 38 | 2,0244 | 1,6860 | 1,3042 |
| 39 | 2,0227 | 1,6849 | 1,3036 |
| 40 | 2,0211 | 1,6839 | 1,3031 |

Tabel Distribusi t

| Df | Alfa = 2,5% | Alfa = 5% | Alfa = 10% |
|-----------|--------------------|------------------|-------------------|
| 41 | 2,0195 | 1,6829 | 1,3025 |
| 42 | 2,0181 | 1,6820 | 1,3020 |
| 43 | 2,0167 | 1,6811 | 1,3016 |
| 44 | 2,0154 | 1,6802 | 1,3011 |
| 45 | 2,0141 | 1,6794 | 1,3006 |
| 46 | 2,0129 | 1,6787 | 1,3002 |
| 47 | 2,0117 | 1,6779 | 1,2998 |
| 48 | 2,0106 | 1,6772 | 1,2994 |
| 49 | 2,0096 | 1,6766 | 1,2991 |
| 50 | 2,0086 | 1,6759 | 1,2987 |
| 51 | 2,0076 | 1,6753 | 1,2984 |
| 52 | 2,0066 | 1,6747 | 1,2980 |
| 53 | 2,0057 | 1,6741 | 1,2977 |
| 54 | 2,0049 | 1,6736 | 1,2974 |
| 55 | 2,0040 | 1,6730 | 1,2971 |
| 56 | 2,0032 | 1,6725 | 1,2969 |
| 57 | 2,0025 | 1,6720 | 1,2966 |
| 58 | 2,0017 | 1,6716 | 1,2963 |
| 59 | 2,0010 | 1,6711 | 1,2961 |
| 60 | 2,0003 | 1,6706 | 1,2958 |
| 61 | 1,9996 | 1,6702 | 1,2956 |
| 62 | 1,9990 | 1,6698 | 1,2954 |
| 63 | 1,9983 | 1,6694 | 1,2951 |
| 64 | 1,9977 | 1,6690 | 1,2949 |
| 65 | 1,9971 | 1,6686 | 1,2947 |
| 66 | 1,9966 | 1,6683 | 1,2945 |
| 67 | 1,9960 | 1,6679 | 1,2943 |
| 68 | 1,9955 | 1,6676 | 1,2941 |
| 69 | 1,9949 | 1,6672 | 1,2939 |
| 70 | 1,9944 | 1,6669 | 1,2938 |
| 71 | 1,9939 | 1,6666 | 1,2936 |
| 72 | 1,9935 | 1,6663 | 1,2934 |
| 73 | 1,9930 | 1,6660 | 1,2933 |
| 74 | 1,9925 | 1,6657 | 1,2931 |
| 75 | 1,9921 | 1,6654 | 1,2929 |
| 76 | 1,9917 | 1,6652 | 1,2928 |
| 77 | 1,9913 | 1,6649 | 1,2926 |
| 78 | 1,9908 | 1,6646 | 1,2925 |
| 79 | 1,9905 | 1,6644 | 1,2924 |
| 80 | 1,9901 | 1,6641 | 1,2922 |

Tabel Distribusi t

| Df | Alfa = 2,5% | Alfa = 5% | Alfa = 10% |
|-----------|--------------------|------------------|-------------------|
| 81 | 1,9897 | 1,6639 | 1,2921 |
| 82 | 1,9893 | 1,6636 | 1,2920 |
| 83 | 1,9890 | 1,6634 | 1,2918 |
| 84 | 1,9886 | 1,6632 | 1,2917 |
| 85 | 1,9883 | 1,6630 | 1,2916 |
| 86 | 1,9879 | 1,6628 | 1,2915 |
| 87 | 1,9876 | 1,6626 | 1,2914 |
| 88 | 1,9873 | 1,6624 | 1,2912 |
| 89 | 1,9870 | 1,6622 | 1,2911 |
| 90 | 1,9867 | 1,6620 | 1,2910 |
| 91 | 1,9864 | 1,6618 | 1,2909 |
| 92 | 1,9861 | 1,6616 | 1,2908 |
| 93 | 1,9858 | 1,6614 | 1,2907 |
| 94 | 1,9855 | 1,6612 | 1,2906 |
| 95 | 1,9853 | 1,6611 | 1,2905 |
| 96 | 1,9850 | 1,6609 | 1,2904 |
| 97 | 1,9847 | 1,6607 | 1,2903 |
| 98 | 1,9845 | 1,6606 | 1,2902 |
| 99 | 1,9842 | 1,6604 | 1,2902 |
| 100 | 1,9840 | 1,6602 | 1,2901 |
| 110 | 1,9818 | 1,6588 | 1,2893 |
| 120 | 1,9799 | 1,6577 | 1,2887 |
| 130 | 1,9784 | 1,6567 | 1,2881 |
| 140 | 1,9771 | 1,6558 | 1,2876 |
| 150 | 1,9759 | 1,6551 | 1,2872 |
| 160 | 1,9749 | 1,6544 | 1,2869 |
| 170 | 1,9740 | 1,6539 | 1,2866 |
| 180 | 1,9732 | 1,6534 | 1,2863 |
| 190 | 1,9725 | 1,6529 | 1,2860 |
| 200 | 1,9719 | 1,6525 | 1,2893 |

Tabel Pengujian Nilai F

| No df | df 2 | | | | |
|-------|---------|-------|---------|---------|---------|
| | 1 | 2 | 3 | 4 | 5 |
| 1 | 161.448 | 199.5 | 215.707 | 224.583 | 230.162 |
| 2 | 18.513 | 19 | 19.164 | 19.247 | 19.296 |
| 3 | 10.128 | 9.552 | 9.277 | 9.117 | 9.013 |
| 4 | 7.709 | 6.944 | 6.591 | 6.388 | 6.256 |
| 5 | 6.608 | 5.786 | 5.409 | 5.192 | 5.05 |
| 6 | 5.987 | 5.143 | 4.757 | 4.534 | 4.387 |
| 7 | 5.591 | 4.737 | 4.347 | 4.12 | 3.972 |
| 8 | 5.318 | 4.459 | 4.066 | 3.838 | 3.687 |
| 9 | 5.117 | 4.256 | 3.863 | 3.633 | 3.482 |
| 10 | 4.965 | 4.103 | 3.708 | 3.478 | 3.326 |
| 11 | 4.844 | 3.982 | 3.587 | 3.357 | 3.204 |
| 12 | 4.747 | 3.885 | 3.49 | 3.259 | 3.106 |
| 13 | 4.667 | 3.806 | 3.411 | 3.179 | 3.025 |
| 14 | 4.6 | 3.739 | 3.344 | 3.112 | 2.958 |
| 15 | 4.543 | 3.682 | 3.287 | 3.056 | 2.901 |
| 16 | 4.494 | 3.634 | 3.239 | 3.007 | 2.852 |
| 17 | 4.451 | 3.592 | 3.197 | 2.965 | 2.81 |
| 18 | 4.414 | 3.555 | 3.16 | 2.928 | 2.773 |
| 19 | 4.381 | 3.522 | 3.127 | 2.895 | 2.74 |
| 20 | 4.351 | 3.493 | 3.098 | 2.866 | 2.711 |
| 21 | 4.325 | 3.467 | 3.072 | 2.84 | 2.685 |
| 22 | 4.301 | 3.443 | 3.049 | 2.817 | 2.661 |
| 23 | 4.279 | 3.422 | 3.028 | 2.796 | 2.64 |
| 24 | 4.26 | 3.403 | 3.009 | 2.776 | 2.621 |
| 25 | 4.242 | 3.385 | 2.991 | 2.759 | 2.603 |
| 26 | 4.225 | 3.369 | 2.975 | 2.743 | 2.587 |
| 27 | 4.21 | 3.354 | 2.96 | 2.728 | 2.572 |
| 28 | 4.196 | 3.34 | 2.947 | 2.714 | 2.558 |
| 29 | 4.183 | 3.328 | 2.934 | 2.701 | 2.545 |
| 30 | 4.171 | 3.316 | 2.922 | 2.69 | 2.534 |
| 40 | 4.085 | 3.232 | 2.839 | 2.606 | 2.449 |
| 50 | 4.034 | 3.183 | 2.79 | 2.557 | 2.4 |
| 60 | 4.001 | 3.15 | 2.758 | 2.525 | 2.368 |
| 70 | 3.978 | 3.128 | 2.736 | 2.503 | 2.346 |
| 80 | 3.96 | 3.111 | 2.716 | 2.486 | 2.329 |

Tabel Pengujian Nilai F

| No df | Df 2 | | | | |
|-------|-------|-------|-------|-------|-------|
| | 1 | 2 | 3 | 4 | 5 |
| 81 | 3.959 | 3.109 | 2.717 | 2.484 | 2.327 |
| 82 | 3.957 | 3.108 | 2.716 | 2.483 | 2.326 |
| 83 | 3.956 | 3.107 | 2.715 | 2.482 | 2.324 |
| 84 | 3.955 | 3.105 | 2.713 | 2.48 | 2.323 |
| 85 | 3.953 | 3.104 | 2.712 | 2.479 | 2.322 |
| 86 | 3.952 | 3.103 | 2.711 | 2.478 | 2.321 |
| 87 | 3.951 | 3.101 | 2.709 | 2.476 | 2.319 |
| 88 | 3.949 | 3.1 | 2.708 | 2.475 | 2.318 |
| 89 | 3.948 | 3.099 | 2.707 | 2.474 | 2.317 |
| 90 | 3.947 | 3.098 | 2.706 | 2.473 | 2.316 |
| 91 | 3.946 | 3.097 | 2.705 | 2.472 | 2.315 |
| 92 | 3.945 | 3.095 | 2.704 | 2.471 | 2.313 |
| 93 | 3.943 | 3.094 | 2.703 | 2.47 | 2.312 |
| 94 | 3.942 | 3.093 | 2.701 | 2.469 | 2.311 |
| 95 | 3.941 | 3.092 | 2.7 | 2.467 | 2.31 |
| 96 | 3.94 | 3.091 | 2.699 | 2.466 | 2.309 |
| 97 | 3.939 | 3.09 | 2.698 | 2.465 | 2.308 |
| 98 | 3.938 | 3.089 | 2.697 | 2.465 | 2.307 |
| 99 | 3.937 | 3.088 | 2.626 | 2.464 | 2.306 |
| 100 | 3.936 | 3.087 | 2.696 | 2.463 | 2.305 |