

## LAMPIRAN

### Lampiran 1

Berikut *source code* index.php

```
<?
session_start();
$tanggal = date("Y-m-d");
?>
<html>
<head>
<head>
<style>
body{font-family:arial;}
table{font-size:90%;background:white;}
a{color:black;text-decoration:none;font:bold}
a:hover{color:#606060}
td.menu
    {
        background:lightblue
    }
td.menu1
    {
        background:lightblue
    }
table.menu
{
font-size:100%;
position:absolute;
visibility:hidden;
margin-left: 115;
margin-top:-18.5 ;
}
table.menu2
{
font-size:100%;
position:absolute;
visibility:hidden;
margin-left: 50;
margin-top:-18.5 ;
}
table.menu1
{
font-size:100%;
position:absolute;
visibility:hidden;
}
</style>
<script type="text/javascript">
function showmenu(elmnt)
{
document.getElementById(elmnt).style.
visibility="visible"
}
function hidemenu(elmnt)
{
document.getElementById(elmnt).style.
```

```

visibility="hidden"
}
</script>
</head>
</head>
<body>

<TABLE height=100% width=100% border="0" bordercolor="#990000"
cellpadding=0 cellspacing=0>
<TR>
<TD height=20%><A HREF="index.php?pilih=home"></A></TD>
</TR>
<TR>
<TD height=3% align=right bgcolor="#990000"><FONT SIZE=""
COLOR="#990000">d</FONT></TD>
</TR>
<TR>
<TD height=70% width=18% valign=top background="">
<table width="100%" border="0" bordercolor="#990000" cellspacing=0
cellpadding=0>
<tr>
<td bgcolor="#F15068" width=25%>
<FONT SIZE="" COLOR="" onMouseOver="showmenu('master') "
onMouseOut="hidemenu('master') ">
<B>Data Master</B>
<table class="menu1" id="master" width="145">
<tr>
<td class="menu">
<a href="index.php?pilih=karyawan">Data Karyawan</a>
</td>
</tr>
<tr>
<td class="menu">
<a href="index.php?pilih=barang">Data Barang</a>
</td>
</tr>
<tr>
<td class="menu">
<a href="index.php?pilih=dhut">Data Hutang</a>
</td>
</tr>
<tr>
<td class="menu">
<a href="index.php?pilih=dpiut">Data Piutang</a>
</td>
</tr>
<tr>
<td class="menu">
<a href="index.php?pilih=trans">Data Transaksi Hari
Ini</a>
</td>
</tr>
</table>
</FONT>
</td>
<td bgcolor="#F15068" width=25%>
<FONT SIZE="" COLOR=""
onMouseOver="showmenu('pemasukkan') " onMouseOut="hidemenu('pemasukkan') "
>
<B>Pemasukan</B>
<table class="menu1" id="pemasukkan" width="130">
<tr>

```

```
 <I>Penjualan |
```

Tunai</I></a>

```


```

Pembelian</I></a>

```


```

Kredit</I></a>

```


```

Baku</I></a>

```


```

Karyawan</I></a>

```


```

Lain</I></a>

```


```

Penjualan</I></a>

```


```

```

        <FONT SIZE="" COLOR="" onMouseOver="showmenu('laporan') "
onMouseOut="hidemenu('laporan')">
        <B>Laporan Keuangan</B>
        <table class="menul" id="laporan" width="125">
        <tr>
                <td class="menu">
                <a
href="index.php?pilih=laporan_global"><I>Bulanan</I></a>
                </td>
        </tr>
        <tr>
                <td class="menu">
                <a href="index.php?pilih=tahunan"><I>Tahunan</I></a>
                </td>
        </tr>
        <tr>
                <td class="menu">
                <a href="index.php?pilih=grafik"><I>Grafik</I></a>
                </td>
        </tr>
        </table>
</FONT>
</td>
<td bgcolor="#F15068" align=right>
<A
href="index.php?pilih=info"><B><FONT>Info</FONT></B></A></CENTER>
</td>
</tr>
</table>
</CENTER>
<?
if($del='del')
{
        mysql_connect("localhost","root","");
        mysql_select_db("laporan");
        mysql_query("delete          from          barang          where
id_barang='$id_barang'");
}
$pilih=$_GET['pilih'];
if($pilih=="transaksi"){
$titel="<h2><CENTER>TRANSAKSI PENJUALAN TUNAI</CENTER></h2>";
include('transaksi.php');}
else if($pilih=="hutang"){
$titel="<h2><CENTER>TRANSAKSI HUTANG</CENTER></h2>";
include('hutang.php');}
else if($pilih=="transaksik"){
$titel="<h2><CENTER>TRANSAKSI PENJUALAN KREDIT</CENTER></h2>";
include('transaksik.php');}
else if($pilih=="baku"){
$titel="<h2><CENTER>TRANSAKSI PEMBELIAN BAHAN BAKU</CENTER></h2>";
include('baku.php');}
else if($pilih=="piutang"){
$titel="<h2><CENTER>TRANSAKSI PIUTANG</CENTER></h2>";
include('piutang.php');}
else if($pilih=="gaji"){
$titel="<h2><CENTER>TRANSAKSI PENGGAJIAN KARYAWAN</CENTER></h2>";
include('gaji.php');}
else if($pilih=="lain"){
$titel="<h2><CENTER>TRANSAKSI          PENGELUARAN          LAIN          -
LAIN</CENTER></h2>";
include('lain.php');}
else if($pilih=="laporan_global"){
$titel="<h2><CENTER>LAPORAN KEUANGAN</CENTER></h2>";

```

```

include('global.php');}
else if($pilih=="karyawan"){
$titel="<h2><CENTER>DATA KARYAWAN</CENTER></h2>";
include('karyawan.php');}
else if($pilih=="barang"){
$titel="<h2><CENTER>DATA BARANG</CENTER></h2>";
include('barang.php');}
else if($pilih=="dhut"){
$titel="<h2><CENTER>DATA HUTANG</CENTER></h2>";
include('dhut.php');}
else if($pilih=="dpiut"){
$titel="<h2><CENTER>DATA PIUTANG</CENTER></h2>";
include('dpiut.php');}
else if($pilih=="dpk"){
$titel="<h2><CENTER>DATA PENJUALAN KREDIT</CENTER></h2>";
include('dpk.php');}
else if($pilih=="hpp"){
$titel="<h2><CENTER>HPP</CENTER></h2>";
include('hpp.php');}
else if($pilih=="labarugi"){
$titel="<h2><CENTER>DATA LABA RUGI</CENTER></h2>";
include('labarugi.php');}
else if($pilih=="tahunan"){
$titel="<h2><CENTER>LAPORAN AKHIR TAHUN</CENTER></h2>";
include('tahunan.php');}
else if($pilih=="grafik"){
$titel="<h2><CENTER>GAMBAR GRAFIK</CENTER></h2>";
include('grafik.php');}
else if($pilih=="retur_pembelian"){
$titel="<h2><CENTER>RETUR PEMBELIAN</CENTER></h2>";
include('retur_pembelian.php');}
else if($pilih=="retur_penjualan"){
$titel="<h2><CENTER>RETUR PENJUALAN</CENTER></h2>";
include('retur_penjualan.php');}
else if($pilih=="trans"){
$titel="<h2><CENTER>DAFTAR TRANSAKSI HARI INI</CENTER></h2>";
include('trans.php');}
else if($pilih=="info"){
$titel="<h2><CENTER>SISTEM      INFORMASI      KEUANGAN<br>UD.      IKBAL
VIP</CENTER></h2>";
include('info.php');}
else{
include('home.php');}
?>
</TD>
</TR>
<TR>
<TD height=5%>
</TD>
</TR>
</TABLE>
</body>
</html>

```

## Lampiran 2

Berikut *source code* laporan.php

```
<CENTER>
    <?php
        include('connect.php');
        $adjacents = 1;
        $query = "SELECT COUNT(*) as num FROM kas ";
        $total_pages =
@mysql_fetch_array(mysql_query($query));
        $total_pages = $total_pages[num];
        $targetpage = $_SERVER["PHP_SELF"].'?adminside=11';
        $limit = 10;

        $page = $_GET['page'];
        if($page)
            $start = ($page - 1) * $limit;
        else
            $start = 0;

        $sql = "SELECT * FROM kas LIMIT $start, $limit";
        $result = mysql_query($sql);
        if ($page == 0) $page = 1;
        $prev = $page - 1;

        $next = $page + 1;

        $lastpage = ceil($total_pages/$limit);
        $lpml = $lastpage - 1;

        $pagination = "";
        if($lastpage > 1)
        {
            $pagination .= "<div class=\"pagination\">";
            if ($page > 1)
                $pagination.= "<a
href=\"index_transaksi.php?pilih=input_kas&jenis=masuk&bagian=".$bagian."
&$targetpage&page=$prev\">< ".TEXT['prev']."</a>";
            else
                $pagination.= "<span
class=\"disabled\">< ".TEXT['prev']."</span>";
            if ($lastpage < 7 + ($adjacents * 2))
            {
                for ($counter = 1; $counter <=
$lastpage; $counter++)
                {
                    if ($counter == $page)
                        $pagination.= "<span
class=\"current\">$counter</span>";
                    else
                        $pagination.= "<a
href=\"index_transaksi.php?pilih=input_kas&jenis=masuk&bagian=".$bagian."
&$targetpage&page=$counter\">$counter</a>";
                }
            }
            elseif($lastpage > 5 + ($adjacents * 2))
            {
                if($page < 1 + ($adjacents * 2))
                {
                    for ($counter = 1; $counter < 4 +
($adjacents * 2); $counter++)
```

```

        {
            if ($counter == $page)
                $pagination.= "<span
class=\"current\">$counter</span>";
            else
                $pagination.= "<a
href=\"index_transaksi.php?pilih=input_kas&jenis=masuk&bagian=".$bagian."
&$targetpage&page=$counter\">$counter</a>";
        }
        $pagination.= "...";
        $pagination.= "<a
href=\"index_transaksi.php?pilih=input_kas&jenis=masuk&bagian=".$bagian."
&$targetpage&page=$lpml\">$lpml</a>";
        $pagination.= "<a
href=\"index_transaksi.php?pilih=input_kas&jenis=masuk&bagian=".$bagian."
&$targetpage&page=$lastpage\">$lastpage</a>";
    }
    elseif($lastpage - ($adjacents * 2) >
$page && $page > ($adjacents * 2))
    {
        $pagination.= "<a
href=\"index_transaksi.php?pilih=input_kas&jenis=masuk&bagian=".$bagian."
&$targetpage&page=1\">1</a>";
        $pagination.= "<a
href=\"index_transaksi.php?pilih=input_kas&jenis=masuk&bagian=".$bagian."
&$targetpage&page=2\">2</a>";
        $pagination.= "...";
        for ($counter = $page -
$adjacents; $counter <= $page + $adjacents; $counter++)
        {
            if ($counter == $page)
                $pagination.= "<span
class=\"current\">$counter</span>";
            else
                $pagination.= "<a
href=\"index_transaksi.php?pilih=input_kas&jenis=masuk&bagian=".$bagian."
&$targetpage&page=$counter\">$counter</a>";
        }
        $pagination.= "...";
        $pagination.= "<a
href=\"index_transaksi.php?pilih=input_kas&jenis=masuk&bagian=".$bagian."
&$targetpage&page=$lpml\">$lpml</a>";
        $pagination.= "<a
href=\"index_transaksi.php?pilih=input_kas&jenis=masuk&bagian=".$bagian."
&$targetpage&page=$lastpage\">$lastpage</a>";
    }
    else
    {
        $pagination.= "<a
href=\"index_transaksi.php?pilih=input_kas&jenis=masuk&bagian=".$bagian."
&$targetpage&page=1\">1</a>";
        $pagination.= "<a
href=\"index_transaksi.php?pilih=input_kas&jenis=masuk&bagian=".$bagian."
&$targetpage&page=2\">2</a>";
        $pagination.= "...";
        for ($counter = $lastpage - (2 +
($adjacents * 2)); $counter <= $lastpage; $counter++)
        {
            if ($counter == $page)
                $pagination.= "<span
class=\"current\">$counter</span>";
            else

```

```

$pagination.= "<a
href=\"index_transaksi.php?pilih=input_kas&jenis=masuk&bagian=\".$bagian.\"
&$targetpage&page=$counter\">$counter</a>";
}
}
if ($page < $counter - 1)
$pagination.= "<a
href=\"index_transaksi.php?pilih=input_kas&jenis=masuk&bagian=\".$bagian.\"
&$targetpage&page=$next\">".$TEXT['next']." ></a>";
else
$pagination.= "<span
class=\"disabled\">".$TEXT['next']." ></span>";
$pagination.= "</div>\n";
}
?>
<?php

```

```

$no = $_GET['page'];
if($no==1){
$no = 1;
}
else if($no>1){
$no = ($no*$limit)-
($limit-1);
}
else $no=1;

```

```

echo "
<table cellpadding=1 cellspacing=2 class='klienn' width=100%>
<tr >
<td align='center'
bgcolor='#990000' COLSPAN=6><FONT SIZE='3'
COLOR=' #FFFFFF'><B>PEMASUKKAN</B></FONT></td>
</tr>
<tr >
<td align='center'
bgcolor='#F8273D' ><FONT SIZE=' ' COLOR=' #FFFFFF'>No</FONT></td>
<td align='center'
bgcolor='#F8273D' ><FONT SIZE=' ' COLOR=' #FFFFFF'>Tanggal</FONT></td>
<td align='center'
bgcolor='#F8273D' ><FONT SIZE=' ' COLOR=' #FFFFFF'>Uraian</FONT></td>
<td align='center'
bgcolor='#F8273D' ><FONT SIZE=' ' COLOR=' #FFFFFF'>Debit</FONT></td>
<td align='center'
bgcolor='#F8273D' ><FONT SIZE=' ' COLOR=' #FFFFFF'>Kredit</FONT></td>
<td align='center'
bgcolor='#F8273D' ><FONT SIZE=' ' COLOR=' #FFFFFF'>Saldo</FONT></td>
</tr>";

```

```

$counter=mysql_num_rows($result);
while($row =
@mysql_fetch_array($result))
{
if ($counter%2==0){?>
<tr bgcolor="#D4D4D4"><?>
else{?>
<tr bgcolor="#F0F0F0" ><?>
}??
}
}

```



```

echo $no?></CENTER></td>
echo $row[9] ?></CENTER></td>
$row[10] ?></td>
"&nbsp;&nbsp;&nbsp;Rp. &nbsp;&nbsp;&nbsp;". $row[11] ?></td>
"&nbsp;&nbsp;&nbsp;Rp. &nbsp;&nbsp;&nbsp;". $row[11] ?></td>
"&nbsp;&nbsp;&nbsp;Rp. &nbsp;&nbsp;&nbsp;". $row[11] ?></td>
</tr>
<?php
$no++;
$counter++;
}
echo "</table>";
?>
<CENTER><?=$pagination?></CENTER>
</CENTER>

```

```

<td ><CENTER><?php
<td ><CENTER><?php
<td ><?php echo
<td ><?php echo
<td ><?php echo
<td ><?php echo
<td ><?php echo

```

### Lampiran 3

Berikut *source code* transaksi.php

```
<style>

.ratakanan { text-align : right; }

.tengah { text-align : center; }

</style>

<script>

    function checknota() {

        var Pall = document.getElementById("nilai").value;

        var disableButton = false;

        if (Pall == "") disableButton = true;

        document.forms['frm'].elements['input'].disabled =
disableButton;

    }

    function checksubmit() {

        var jl = document.getElementById("jenis").value;

        var nama = document.getElementById("nama").value;

        var uk = document.getElementById("ukuran").value;

        var ha = document.getElementById("harga").value;

        var ju = document.getElementById("jumlah").value;

        var ti = document.getElementById("tinggi").value;

        var disableButton = false;

        if (nama == "" || uk == "" || ha =="" || ju =="" || ti ==""
|| jl == '||||--Pilih Jenis--') disableButton = true;

        document.forms['frm'].elements['input'].disabled =
disableButton;

    }

    function check() {
```

```

        var j1 = document.getElementById("jenis").value;

        var n1 = document.getElementById("nama").value;

        var disableButton = false;

        if ( n1 == "" || j1 == '||||--Pilih Jenis--' || j1 == '')
        disableButton = true;

        document.forms['frm'].elements['ukuran'].disabled =
        disableButton;

        document.forms['frm'].elements['tinggi'].disabled =
        disableButton;

        document.forms['frm'].elements['jumlah1'].disabled =
        disableButton;

        document.forms['frm'].elements['harga1'].disabled =
        disableButton;

    }

function AjaxFunction(nama){

var xmlhttp;

try {

    // Firefox, Opera 8.0+, Safari

    xmlhttp=new XMLHttpRequest();

}

catch (e) {

    // Internet Explorer

        try

            {

                xmlhttp=new ActiveXObject("Msxml2.XMLHTTP");

            }

        catch (e)

            {

                try

                    {


```

```

        xmlhttp=new ActiveXObject("Microsoft.XMLHTTP");
    }
    catch (e)
    {
        alert("Your browser does not support AJAX!");
        return false;
    }
}

function stateck()
{
    if(xmlhttp.readyState==4)
    {
        var myarray=eval(xmlhttp.responseText);
        // Before adding new we must remove previously loaded elements
        for(j=document.frm.jenis.options.length-1;j>=0;j--)
        {
            document.frm.jenis.remove(j);
        }
        for (i=0;i<myarray.length;i++)
        {
            var optn = document.createElement("OPTION");
            var pecah=myarray[i].split("||");
            optn.text = pecah[2];
            optn.value = myarray[i];
            document.frm.jenis.options.add(optn);
        }
    }
}

```

```

    }
}

var url="dd.php";

url=url+"?nama="+nama;

url=url+"&sid="+Math.random();

httpxml.onreadystatechange=stateck;

httpxml.open("GET",url,true);

httpxml.send(null);

}

function replaceChars(entry) {

    out = "."; // replace this

    add = ""; // with this

    temp = "" + entry; // temporary holder

    while (temp.indexOf(out)>-1) {

        pos= temp.indexOf(out);

        temp = "" + (temp.substring(0, pos) + add +

            temp.substring((pos + out.length), temp.length));

    }

    document.frm.harga.value = temp;

}

function trimNumber(s) {

    while (s.substr(0,1) == '0' && s.length>1) { s = s.substr(1,9999); }

    while (s.substr(0,1) == '.' && s.length>1) { s = s.substr(1,9999); }

    return s;

}

function formatangka(objek) {

```

```

a = objek.value;
b = a.replace(/[\^\d]/g, "");
c = "";
panjang = b.length;
j = 0;
for (i = panjang; i > 0; i--) {
j = j + 1;
if (((j % 3) == 1) && (j != 1)) {
c = b.substr(i-1,1) + "." + c;
} else {
c = b.substr(i-1,1) + c;
}
}
objek.value = trimNumber(c);
}

function replaceChars1(entry) {
    out = "."; // replace this
    add = ""; // with this
    temp = "" + entry; // temporary holder
    while (temp.indexOf(out)>-1) {
        pos= temp.indexOf(out);
        temp = "" + (temp.substring(0, pos) + add +
temp.substring((pos + out.length), temp.length));
    }
    document.frm.jumlah.value = temp;
}

```

```

function trimNumber1(s) {
    while (s.substr(0,1) == '0' && s.length>1) { s = s.substr(1,9999); }
    while (s.substr(0,1) == '.' && s.length>1) { s = s.substr(1,9999); }
    return s;
}

function formatangka1(objek) {
    a = objek.value;
    b = a.replace(/[\^d]/g,"");
    c = "";
    panjang = b.length;
    j = 0;
    for (i = panjang; i > 0; i--) {
        j = j + 1;
        if (((j % 3) == 1) && (j != 1)) {
            c = b.substr(i-1,1) + "." + c;
        } else {
            c = b.substr(i-1,1) + c;
        }
    }
    objek.value = trimNumber1(c);
}

function checknumberuk(s)
{
    var i;
    s = s.toString();
    for (i = 0; i < s.length; i++)
    {

```

```

        var c = s.charAt(i);

        if (isNaN(c))

            {

                frm.ukuran.value='';

                return false;

            }

    }

    return true;
}

function checknumberti(s)
{

    var i;

    s = s.toString();

    for (i = 0; i < s.length; i++)

        {

            var c = s.charAt(i);

            if (isNaN(c))

                {

                    frm.tinggi.value='';

                    return false;

                }

        }

    return true;

}

```

```

function ubah(a) {

```



```

        var pecah=a.split("||");

        pecah = pecah[1];

        document.getElementById('hanggar').value = "Rp. "+pecah+" ,-";
    }

function kosongkan(a) {

    if(a=='1') {

        document.getElementById('hanggar').value = "Rp. ,-";

        document.forms['frm'].elements['ukuran'].disabled = true;

        document.forms['frm'].elements['tinggi'].disabled = true;

        document.forms['frm'].elements['jumlah1'].disabled = true;

        document.forms['frm'].elements['harga1'].disabled = true;

    }

    document.frm.total.value    = "Rp. ,-";

    document.frm.total1.value   = "";

    document.frm.ukuran.value   = "";

    document.frm.tinggi.value   = "";

    document.frm.jumlah1.value   = "";

    document.frm.jumlah.value    = "";

    document.frm.harga.value     = "";

    document.frm.harga1.value    = "";

    document.frm.potongan.value  = "Rp. ,-";

}

```

```

function formattotal() {

    var harga = document.getElementById("jenis").value;

    var jumlah1 = document.getElementById("jumlah").value;

    var potongan = document.getElementById("harga").value;

```

```

    pecah = harga.split("|");
    pecah1 = pecah[0];
    harga = parseInt(pecah1);
    jumlah = parseInt(jumlah1);
    a = harga * jumlah;
    a = String(a);
    b = a.replace(/[^\d]/g, "");
    c = "";
    panjang = b.length;
    j = 0;
    for (i = panjang; i > 0; i--) {
        j = j + 1;
        if ((j % 3) == 1) && (j != 1) {
            c = b.substr(i-1,1) + "." + c;
        } else {
            c = b.substr(i-1,1) + c;
        }
    }
    document.getElementById('total').value = "Rp. "+c+" ,-";
    document.getElementById('total1').value = a;
}

function formatpotongan(){
    var total1 = document.getElementById("total1").value;
    var harga = document.getElementById("harga").value;
    total1 = parseInt(total1);
    harga = parseInt(harga);
    a = total1 - harga;

```

```

a = String(a);
b = a.replace(/[\^\d]/g, "");
if(harga>total1){
    d = "-";
}
if(harga<total1){
    d = "";
}
c = "";
panjang = b.length;
j = 0;
for (i = panjang; i > 0; i--) {
    j = j + 1;
    if (((j % 3) == 1) && (j != 1)) {
        c = b.substr(i-1,1) + "." + c;
    } else {
        c = b.substr(i-1,1) + c;
    }
}
document.getElementById('potongan').value = "Rp. "+d+""+c+" ,-";
document.getElementById('pot').value = a;
}
</script>
<body onLoad="document.frm.nota.focus()">
    <?
ECHO $titel;
include('connect.php');

```

```

$input=$_POST['input'];

$nota=$_POST['nota'];

$notalama=$_POST['notalama'];

$pilih=$_GET['pilih'];

$nama=$_POST['nama'];

$jenis=$_POST['jenis'];

$jenis=explode('||',$jenis);

$jenis=$jenis[2];

$ukuran=$_POST['ukuran'];

$pot=$_POST['pot'];

$tinggi=$_POST['tinggi'];

$jumlah=$_POST['jumlah'];

$harga=$_POST['harga'];

$trans=$_POST['trans'];

$query=mysql_query("select * from transaksi where nota='$nota'");

$hitungnota=mysql_num_rows($query);

/*if(isset($trans) && $trans!=""){

    $query=mysql_query("select * from transaksi ");

    $jml = mysql_num_rows('$query');

    if(){

    }

    else{

        $id = substr($row[0],0,3);

```

```

        $id = str_replace("tr", "", $row[0]);

        $query=mysql_query("insert            into            transaksi
values('$nota','$nama','$jenis','$ukuran','$tinggi','$jumlah','$harga')")
;
    }

else*/

if(isset($trans) && $hitungnota!=1){

    $total=mysql_query("select * from det_trans where nota='$nota'");

    while($supdstk=mysql_fetch_array($total)){

        $jumlah=$supdstk[jumlah];

        $nama=$supdstk[nama_barang];

        $jenis=$supdstk[jenis];

        $update_stok=mysql_query("update barang set stok=stok-
$jumlah where nama='$nama' and jenis='$jenis'");

        $ambilstok=mysql_query("select * from barang where
nama='$nama' and jenis='$jenis'");

        $ambilstok=mysql_fetch_array($ambilstok);

        $ro_n_ri=mysql_query("insert into stok (id_barang, tanggal,
stok)
        values('".$ambilstok[id_barang]."',
        '$tanggal',
        '".$ambilstok[stok]."'");

    }

    $query=mysql_query("insert            into            transaksi(tanggal, nota)
values('$tanggal','$nota')");

    $query=mysql_query("select * from transaksi order by id desc");

    $query=mysql_fetch_array($query);

    $id_trans="TRT".$query[id];

    $gantiid=mysql_query("update transaksi set id_trans='$id_trans'
where id='$query[id]'");

    $tambah =mysql_query("SELECT SUM(harga) FROM det_trans where
nota='$nota'");

    $tambah=mysql_fetch_array($tambah);

```

```

    $saldo =mysql_query("SELECT saldo FROM kas order by id desc");

    $saldo=mysql_fetch_array($saldo);

    $total=($tambah[0])+($saldo[0]);

    $kas=mysql_query("insert      into      kas(id,id_trans,jenis,
saldo,tanggal,                nilai,keterangan,nota)
values ('','$id_trans','1','$total','$tanggal','$tambah[0]','Penjualan
barang secara tunai','$nota')");

    ?>

<SCRIPT LANGUAGE="JavaScript">

<!--

        alert("Data berhasil disimpan.");

//-->

</SCRIPT>

<TABLE align="center" onLoad="document.frm.nota.focus()">

<TR>

<TD>

<FORM name='frm' METHOD=POST ACTION="index.php?pilih=transaksi">

        <B>No. Nota : </B><INPUT TYPE="text" NAME="nota" id="nilai"
onKeyUp="checknota()"> <INPUT TYPE="submit" name=input id="input"
value="cetak" disabled>

</FORM>

</TD>

</TR>

</TABLE>

    <?

}

elseif(!isset($input) || $nota== ""){

    ?>

<TABLE align="center" onLoad="document.frm.nota.focus()">

<TR>

```

```

<TD>

<FORM name='frm' METHOD=POST ACTION="index.php?pilih=transaksi">

<?

if(isset($_GET['nota'])){

$nota=$_GET['nota'];

?>

<INPUT TYPE="hidden" NAME="notalama" value="<?echo $nota?>">

<?

}

?>

        <B>No. Nota : </B><INPUT TYPE="text" NAME="nota" id="nilai"
onKeyUp="checknota()" value="<?echo $nota?>"> <INPUT TYPE="submit"
name=input id="input" value="cetak" <?if(!isset($_GET['nota'])) {echo
'disabled';}??>>

</FORM>

</TD>

</TR>

</TABLE>

<?

}

elseif($hitungnota>=1){

        if(isset($_POST['notalama'])){

                echo "<script>alert('No. Nota sudah ada.');"
document.location.href='index.php?pilih=transaksi&nota=".$notalama."'</s
cript>\n";

                }else{

                echo "<script>alert('No. Nota sudah ada.');"
document.location.href='index.php?pilih=transaksi'</script>\n";

                }

}

}

```

```

else{

    $id_del=$_POST['id_del'];

    $del=$_GET['del'];

    if($del=="del"){

        mysql_query("delete from det_trans where id='$id_del'");

    }

    $query=mysql_query("select * from det_trans where nota = '$nota'
and nama_barang='$nama' and jenis='$jenis' and ukuran='$ukuran' and
tinggi='$tinggi' and jumlah='$jumlah' and harga='$harga'");

    $sada=mysql_num_rows($query);

    if($sada<1 and isset($nama)and isset($nota) and isset($jenis) and
isset($ukuran) and isset($tinggi) and isset($jumlah) and isset($harga)){

        $query=mysql_query("insert into det_trans
values('','$nota','$nama','$jenis','$ukuran','$tinggi','$jumlah','$harga'
,'$spot')");

    }

    if(isset($_POST['notalama'])){

        $query=mysql_query("update det_trans set nota='$nota' where
nota='$notalama'");

    }

    ?>

<TABLE width=100%>

<TR>

<TD>

<FONT SIZE="3" ><B><I><U>No. Nota : <?echo
$nota?></U></I></B></FONT><br><br><INPUT TYPE="button"
onclick="javascript:location.href='index.php?pilih=transaksi&nota=<?echo
$nota?>' value="Ubah No. Nota">

</TD>

</TR>

<TR>

<TD align=center>

```



```

<TABLE>

<tr>

<td
                                bgcolor="#990000"><CENTER><FONT
COLOR="#ffffff"><B>Nama</B></FONT></CENTER></td>

<td
                                bgcolor="#990000"><CENTER><FONT
COLOR="#ffffff"><B>Jenis</B></FONT></CENTER></td>

<td
                                bgcolor="#990000"><CENTER><FONT
COLOR="#ffffff"><B>Ukuran</B></FONT></CENTER></td>

<td
                                bgcolor="#990000"><CENTER><FONT
COLOR="#ffffff"><B>Tinggi</B></FONT></CENTER></td>

<td
                                bgcolor="#990000"><CENTER><FONT
COLOR="#ffffff"><B>Harga Satuan</B></FONT></CENTER></td>

<td
                                bgcolor="#990000"><CENTER><FONT
COLOR="#ffffff"><B>Jumlah</B></FONT></CENTER></td>

<td
                                bgcolor="#990000"><CENTER><FONT
COLOR="#ffffff"><B>Harga Total</B></FONT></CENTER></td>

<td
                                bgcolor="#990000"><CENTER><FONT
COLOR="#ffffff"><B>Harga Yang Dibayar</B></FONT></CENTER></td>

<td
                                bgcolor="#990000"><CENTER><FONT
COLOR="#ffffff"><B>Potongan Harga</B></FONT></CENTER></td>

</tr>

<TR>

<FORM
                                name="frm"
                                METHOD=POST
ACTION="index.php?pilih=transaksi">

<INPUT
                                TYPE="hidden"
                                NAME="nota"
                                VALUE="<?ECHO
$nota?>">

<TD valign=top>

<?

$nama=mysql_query("select * from barang group by
nama");

?>

<SELECT
                                NAME="nama"
                                id=nama
onchange="checkboxsubmit();AjaxFunction(this.value);check();kosongkan(1);" >

<OPTION VALUE="" selected>-- pilih merk --</OPTION>

```

```

        <?
        While($row=mysql_fetch_array($nama)) {
        ?>
        <OPTION VALUE="<?echo $row[nama]?>"><?echo
$row[nama]?></OPTION>
        <?
        }
        ?>
        </SELECT>
        </TD>
        <TD>
        <?
        $nama=mysql_query("select * from barang group by
jenis");
        ?>
        <select name="jenis" id='jenis'
onchange="checkboxsubmit();check();ubah(this.value);formattotal();kosongkan(
2);">
        <OPTION VALUE="">--Pilih Jenis--</OPTION>
        <?
        While($row=mysql_fetch_array($nama)) {
        ?>
        <OPTION VALUE="<?echo $row[jenis]?>"><?echo
$row[jenis]?></OPTION>
        <?
        }
        ?>
        </select>
        </TD>
        <td>

```

```

                <INPUT    TYPE="text"    NAME="ukuran"    id='ukuran'
onKeyUp="checknumberuk(this.value);checksubmit();" size='4' disabled>

                </td>

                <td>

                <INPUT    TYPE="text"    NAME="tinggi"    id='tinggi'
onKeyUp="checknumberti(this.value);checksubmit();" size='4' disabled>

                </td>

                <td>

                <INPUT    TYPE="text"    name="hanggar"    id="hanggar"
value="Rp. ,- " size='12' readonly class="tengah">

                </td>

                <td>

                <input    type="text"    name="jumlah1"    id='jumlah1'
onkeyup="formatangka(this);replaceChars1(document.frm.jumlah1.value);che
cksubmit();formattotal();formatpotongan();" class="ratakanaan" size='6'
disabled>

                <INPUT    TYPE="hidden"    NAME="jumlah"    id='jumlah'
readonly>

                </td>

                <td>

                <INPUT    TYPE="text"    name="total"    id="total" value="Rp.
,- " size='17' readonly class="tengah">

                <INPUT    TYPE="hidden"    name="total1"    id="total1"
value="" size='17' readonly>

                </td>

                <td>

                <input    type="text"    name="harga1"    id='harga1'
onkeyup="formatangka(this);replaceChars(document.frm.harga1.value);checks
ubmit();formatpotongan();" class="ratakanaan" size='19' disabled>

                <INPUT    TYPE="hidden"    NAME="harga"    id='harga'
readonly>

                </td>

                <td>

```

```

                <INPUT TYPE="text" name="potongan" id="potongan"
value="Rp. ,- " size='17' readonly class="tengah">

                <INPUT TYPE="hidden" name="pot" id="pot" value="">

        </td>

</TR>

<tr>

        <td colspan=9 align="right">

                <INPUT TYPE="submit" NAME="input" id='input'
value="simpan" disabled>

        </FORM>

</td>

</tr>

</TABLE>

<BR><TABLE width="100%">

<TR>

        <TD

                bgcolor="#990000"><CENTER><FONT
COLOR="#ffffff"><B>NO</B></FONT></CENTER></TD>

        <TD

                bgcolor="#990000"><CENTER><FONT
COLOR="#ffffff"><B>Nama</B></FONT></CENTER></TD>

        <TD

                bgcolor="#990000"><CENTER><FONT
COLOR="#ffffff"><B>Jenis</B></FONT></CENTER></TD>

        <TD

                bgcolor="#990000"><CENTER><FONT
COLOR="#ffffff"><B>Ukuran</B></FONT></CENTER></TD>

        <TD

                bgcolor="#990000"><CENTER><FONT
COLOR="#ffffff"><B>Tinggi</B></FONT></CENTER></TD>

        <TD

                bgcolor="#990000"><CENTER><FONT
COLOR="#ffffff"><B>Jumlah</B></FONT></CENTER></TD>

        <TD

                bgcolor="#990000"><CENTER><FONT
COLOR="#ffffff"><B>harga</B></FONT></CENTER></TD>

        <TD

                bgcolor="#990000"><CENTER><FONT
COLOR="#ffffff"><B>Hapus</B></FONT></CENTER></TD>

</TR>

```



```

$nota?>">
                                <INPUT TYPE="hidden" NAME="nota" VALUE="<?ECHO
value="delete">
                                <INPUT TYPE="submit" name="input"

                                </CENTER>
                                </TD>
                                </FORM>
</TR>
<?
$no++;
$totti=$totti + $row[harga];
}
?>
<TR>
<td colspan=6 align=right>
<FONT COLOR="#990000"><H2>JUMLAH HARGA</H2></FONT>
</td>
<td align=right>
<FONT COLOR="#990000"><H2>Rp.
number_format($totti,0,',','.')?>,-&nbsp; &nbsp;   </H2></FONT>
                                <?echo
</td>
<td></td>
</tr>
<tr>
<td align=right colspan=8>
<?
$baris=mysql_num_rows($query);
if($baris>=1){

```

```

?>
<BR><FORM METHOD=POST ACTION="">
$nota?>">
<INPUT TYPE="hidden" NAME="nota" value="<?echo
Transaksi">
<INPUT TYPE="submit" name="trans" value="Simpan
</FORM>
<?
}
?></td>
</tr>
</TABLE>
</TD>
</TR>
</TABLE>
</body>
<?
}
?>

```