

LAMPIRAN

LAMPIRAN LISTING PROGRAM

1. Listing program menu login :

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<!-- saved from url=(0014)about:internet -->
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<title>simdist-login.jpg</title>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<style type="text/css">td img {display: block;}</style>
<!-- Fireworks CS3 Dreamweaver CS3 target. Created Sat, Dec 27 07:21:31
GMT+0700 (SE Asia Standard Time) 2008-->
</head>
<body bgcolor="#ffffff">
<table bgcolor="#ffffff" border="0" cellpadding="0" cellspacing="0" width="660">
<!-- fwtable fwsrc="simdist-login-crop.png" fwpage="Page 1" fwbase="simdist-
login.jpg" fwstyle="Dreamweaver" fwwidth="660" fwhheight="82" fwnested="0" -->
<tr>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
<tr>
<tr>
<td colspan="9" bgcolor="#ffffff"></td>
<td></td>
</tr>
<tr>

```

```

<td rowspan="7" bgcolor="#ffffff"></td>
<td></td>
<td></td>
<td></td>
<td></td>
<td colspan="2"></td>
<td></td>
<td></td>
<td></td>
<td></td>
<td colspan="2"></td>
<td></td>
<td></td>
</tr>
<tr>
<td></td>
<td></td>
<td></td>
<td></td>
<td colspan="2"></td>
<td></td>

```

```

<td></td>
</tr>
<tr>
<td></td>
<td></td>
<td></td>
<td></td>
<td colspan="2"></td>
</tr>
<tr>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
</tr>
<tr>
<td></td>
<td></td>
<td></td>
<td></td>

```

```

<td></td>
<td></td>
<td></td>
<td></td>
</tr>
<tr>
<td colspan="7" bgcolor="#ffffff"></td>
<td></td>
</tr>
</table>
</body>
</html>

```

2. Listing program menu utama :

```

<?
ob_start();
include "inc/conn.php";
include "inc/ceksession.php";
include "inc/fungsi.php";
if($_GET['menu']=="logout"){
include "logout.php";
}
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<title>SIMDist PuMa</title>
<script language="javascript" src="inc/dtree.js"></script>
<script language="javascript" src="inc/global.js"></script>
<script language="javascript" src="inc/calender_date_picker.js"></script>
<link href="inc/style.css" rel="stylesheet" type="text/css" />
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
</head>
<body bgcolor="#ffffff">
<table bgcolor="#ffffff" border="0" cellpadding="0" cellspacing="0" width="790"
align="center">
<tr>


```

```

<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
</tr>
<tr>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
</tr>
<tr>
<td background="images/simdist_r3_c1.jpg"></td>
<td colspan="7" background="images/simdist_r3_c2.jpg">
<!-- Main Page Start -->
<table border="0" width="98%" align="center">
<tr>
<td width="26%" valign="top">
<table width="100%" valign="top" align="center" cellpadding="0"
cellspacing="0">
<tr>
<td background="images/tepi_kiri.jpg" height="32" width="14"></td>

```

```
<td background="images/menu_explorer.jpg" height="32"
width="160">&nbsp;&nbsp;&nbsp;<strong>Menu Explorer </strong></td>
<td background="images/tepi_kanan.jpg" height="32" width="15"></td>
</tr>
<tr>
<td colspan="3">&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td colspan="3">
<?
include("inc/menukiri.php");
?>
</td>
</tr>
</table>
</td>
<td width="3" background="images/dotted.jpg"></td>
<td width="74%" valign="top">
<?
if($_GET['menu']=='master'){
if($_GET['sub']!='kend_sopir'){
include "kend_sopir.php";
}
else if($_GET['sub']=="m_kota"){
include "m_kota.php";
}
else if($_GET['sub']=="m_account"){
include "m_account.php";
}
else if($_GET['sub']=="m_harga"){
include "m_harga.php";
}
else {
include "master.php";
}
}
else if($_GET['menu']=="transaksi"){
if($_GET['sub']=="order"){
if($_GET['mod']=="customer"){
include "customer.php";
}
else if($_GET['mod']=="penerima"){
include "penerima.php";
```



```

}
else if($_GET['mod']=="barang"){
include "barang.php";
}
else if($_GET['mod']=="order_kirim"){
include "order_kirim.php";
}
else {
include "order.php";
}
}
else if($_GET['sub']=="pengiriman"){
include "pengiriman.php";
}
else if($_GET['sub']=="pembayaran"){
include "pembayaran.php";
}
else if($_GET['sub']=="pengeluaran"){
if($_GET['mod']=="rutin"){
include "keluar_rutin.php";
}
else if($_GET['mod']=="komplain"){
include "keluar_komplain.php";
}
else {
include "pengeluaran.php";
}
}
else {
include "transaksi.php";
}
}
else if($_GET['menu']=="laporan"){
include "laporan.php";
}
else {
include "home.php";
}
?>
</td>
</tr>
</table>
<br>

```



```

<!-- Main Page End -->
</td>
<td background="images/simdist_r3_c9.jpg">&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
</tr>
</table>
</body>
</html>

```

3. Listing program master kendaraan dan sopir

```

<script language="javascript">
function select_nopol(){
location.href = "?menu=master&sub=kend_sopir&act=<? echo
$_GET['act'];?>&id=<? echo $_GET['id'];?>&kend_nopol=" +
document.kend_sopir.kend_nopol.value + "&kend_berat_kosong=" +
document.kend_sopir.kend_berat_kosong.value + "&kend_berat_muatan=" +
document.kend_sopir.kend_berat_muatan.value + "&kend_jenis=" +
document.kend_sopir.kend_jenis.value + "&kend_tahun_beli=" +
document.kend_sopir.kend_tahun_beli.value + "&spr_nama=" +
document.kend_sopir.spr_nama.value + "&spr_alamat=" +
document.kend_sopir.spr_alamat.value + "&spr_telpon=" +
document.kend_sopir.spr_telpon.value + """;
}
</script>
<?
$menu=$_GET['menu'];
$act = $_GET['act'];
$id = $_GET['id'];
$url = "menu=master&sub=kend_sopir";

```



```

$page = $_GET['page'];
if($page==""){ $page='1';}
if ($page!=""){
    $hlm = "&page=" . $page . "";
}

if ($act==" " || $act=="add"){
    $url = $url."&act=add";
    if($_POST){
        $kend_nopol=$_POST['kend_nopol'];
        $kend_berat_kosong=$_POST['kend_berat_kosong'];
        $kend_berat_muatan=$_POST['kend_berat_muatan'];
        $kend_jenis=$_POST['kend_jenis'];
        $kend_tahun_beli=$_POST['kend_tahun_beli'];
        $spr_nama=$_POST['spr_nama'];
        $spr_alamat=$_POST['spr_alamat'];
        $spr_telpon=$_POST['spr_telpon'];

        $cek = "select count(*)as jum from m_kendaraan where KEND_NOPOL =
        '$kend_nopol' ";
        $ada = @mysql_result(@mysql_query($cek),0,jum);
        if($ada >= 1){
            echo "
            <script language='javascript'>
            alert("Maaf Data Sudah Ada.");
            location.href='?menu=master&sub=kend_sopir&act=add';
            </script>";
        }
        else {
            $str_kend = "insert into m_kendaraan values
            (null,','$spr_id','$kend_nopol','$kend_jenis','$kend_berat_kosong','$kend_berat_muatan','$kend_tahun_beli')";
            //echo $str_kend;
            $qry_kend = @mysql_query($str_kend);
            if($qry_kend){
                $max_kend = "select max(KEND_ID)as max_kend from m_kendaraan";
                $kend_id = @mysql_result(@mysql_query($max_kend),0,max_kend);

                $str_spr = "insert into m_sopir values
                (null, '$kend_id','$spr_nama','$spr_alamat','$spr_telpon')";
                //echo $str_spr;
                $qry_spr = @mysql_query($str_spr);
            }
        }
    }
}

```

```

echo          "<meta          http-equiv='refresh'          content          =
'1;URL=?menu=master&sub=kend_sopir'>";
}
if ($_POST){
$kend_nopol=$_POST['kend_nopol'];
$kend_berat_kosong=$_POST['kend_berat_kosong'];
$kend_berat_muatan=$_POST['kend_berat_muatan'];
$kend_jenis=$_POST['kend_jenis'];
$kend_tahun_beli=$_POST['kend_tahun_beli'];
$spr_nama=$_POST['spr_nama'];
$spr_alamat=$_POST['spr_alamat'];
$spr_telpon=$_POST['spr_telpon'];

$str_kend = "update m_kendaraan set KEND_NOPOL ='".$kend_nopol."',
KEND_BERAT_KOSONG ='".$kend_berat_kosong."', KEND_BERAT_MUATAN
='".$kend_berat_muatan"', KEND_JENIS ='".$kend_jenis."', KEND_TAHUN_BELI
='".$kend_tahun_beli.'" where KEND_ID='".$sid.'";";
//echo $str_kend;
$query_kend = @mysql_query($str_kend);
if ($query_kend){
$str_spr="update m_sopir set SPR_NAMA='".$spr_nama."',
SPR_ALAMAT='".$spr_alamat."', SPR_TELPON='".$spr_telpon.'" where
SPR_ID='".$sid.'";";
$query_spr = @mysql_query($str_spr);
}
echo          "<meta          http-equiv=refresh          content          =
'1;URL=?menu=master&sub=kend_sopir'>";
$cek = "select count(*) as jum from t_kirim where KEND_ID = '".$sid.'";";
$sada = @mysql_result(@mysql_query($cek),0,jum);
if($sada >= 1){
echo "
<script language='javascript'>
alert(\"Maaf Data Masih Digunakan.\");
location.href=?menu=master&sub=kend_sopir&act=add';
</script>";
}
else {
$strdel = "delete from m_kendaraan where KEND_ID = '".$sid.'";";
$querydel = @mysql_query($strdel);
if($querydel){
@mysql_query("delete from m_sopir where SPR_ID='".$sid.'");";
echo          "<meta          http-equiv='refresh'          content          =
'1;URL=?menu=master&sub=kend_sopir'>";

```

```

<table width="100%" valign="top" align="center" cellpadding="0" cellspacing="0"
border="0">
<tr>
<td background="images/tepi_kiri.jpg" height="32" width="14"></td>
<td background="images/menu_explorer.jpg" height="32"
width="550">&nbsp;&nbsp;&nbsp;<strong>Kendaraan / Sopir </strong></td>
<td background="images/tepi_kanan.jpg" height="32" width="15"></td>
</tr>
<tr>
<td colspan="3">&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td colspan="3" style="padding-left:8px">
<b>Form Insert/Update Data Kendaraan/Sopir</b>
<div class="garis_horiz">&nbsp;&nbsp;&nbsp;</div><br>
<?
echo "
<table width='94%' border='0' align='center'>
<form name='kend_sopir' method='post' action='?'.Suri.">
<tr>
<td width='20%' colspan='3' align='left'><b></b></td>
</tr>
<tr>
<td>Nomor Polisi:</td>
<td></td>
<td><input type='text' name='kend_nopol' class='input'
value='".$GET['kend_nopol']."' onBlur="select_nopol();">
</td>
</tr>
<tr>
<td width='20%'>Berat Kosong *</td>
<td></td>
<td><input type='text' name='kend_berat_kosong' class='input'
value='".$GET['kend_berat_kosong']."'>&nbsp;&nbsp;&nbsp;Kg
</td>
</tr>
<tr>
<td width='20%'>Berat Muat *</td>
<td></td>
<td><input type='text' name='kend_berat_muatan' class='input'
value='".$GET['kend_berat_muatan']."'>&nbsp;&nbsp;&nbsp;Kg

```



```

</td>
<td width='20%'>Jenis</td>
<td>:</td>
<td>
<select name='kend_jenis' class='input'>
<option value="" selected>[ Pilih ]</option>;
if($_GET['kend_jenis']=="1")$tbuka="selected";
else if($_GET['kend_jenis']=="2")$tbox="selected";
echo "
<option value='1' $tbuka>Truk Terbuka</option>
<option value='2' $tbox>Truk Box</option>
</select>
<td width='20%'>Tahun Pembuatan</td>
<td>:</td>
<td>
<input type='text' name='kend_tahun_beli' class='input'
value='".$_GET['kend_tahun_beli']."'>
</td>
</tr>
<tr>
<td colspan='4'>&nbsp;&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td colspan='3' align='left'><b><li>Sopir</li></b></td>
</tr>
<tr>
<td>Nama *</td>
<td>:</td>
<td><input type='text' name='spr_nama' class='input'
value='".$_GET['spr_nama']."'>
</td>
<td width='20%'>Alamat *</td>
<td>:</td>
<td>
<input type='text' name='spr_alamat' class='input'
value='".$_GET['spr_alamat']."'>
</td>
</tr>
<tr>
<td width='20%'>Nomor Telepon *</td>
<td>:</td>
<td>

```

```

<input type='text' name='spr_telpon' class='input'
value='".$_GET['spr_telpon']."'>
</td>
</tr>
<tr>
<td>&nbsp;&nbsp;&nbsp;&nbsp;</td>
<td>&nbsp;&nbsp;&nbsp;&nbsp;</td>
<td>
<input type='submit' value='Proses' class='input' onClick='return
cek_input_kendsopir()'><input type='reset' value='Reset' class='input'
onClick='\"location.href=?menu=master&sub=kend_sopir&act=\\\">
</td>
<td>&nbsp;&nbsp;&nbsp;&nbsp;</td>
</tr>
</form>
<tr>
<td colspan=4>&nbsp;&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td colspan=4>\"
$str = \"select * from m_kendaraan a,m_sopir b where a.KEND_ID = b.KEND_ID\";
if ($_GET['kend_nopol'] != \"\") {
$str .= \" and a.KEND_NOPOL = '\".$_GET['kend_nopol']."'\";
}
$str .= \" order by b.SPR_NAMA\";
$p = new Pager;
$limit = 5;
$start = $p->findStart($limit);
$count = @mysql_num_rows(@mysql_query($str));
$pages = $p->findPages($count, $limit);
$result = @mysql_query($str.\" LIMIT \". $start.\", \". $limit),

echo\"
<table width='98%' border='0' align='center' cellpadding='0' cellspacing='1'
class='huruf'>
<tr height='32'>
<td background='images/menu_explorer.jpg' width='25'
align='center'><strong>No</strong></td>
<td background='images/menu_explorer.jpg' width='225'
align='center'><strong>Nama Sopir</strong></td>
<td background='images/menu_explorer.jpg' width='100'
align='center'><strong>Nopol Kendaraan</strong></td>

```

```

<td background='images/menu_explorer.jpg' width='75' colspan='3'
align='center'><strong>Action</strong></td>
</tr>";
$url.= "&";
echo "<tr><td colspan='6' class='data' align='center'><strong>Data
Kosong</strong></td></tr>";
}
else {
<td class='garis_horiz' align='center' width='25'>".$no."</td>
<td class='garis_horiz' width='225'>".$data['SPR_NAMA']."</td>
<td class='garis_horiz' width='100' align='center'>".$data['KEND_NOPOL']."</td>
<td class='garis_horiz' align='center' width='25'><a
href='detail_kendsopir.php?id=".$data['KEND_ID']." onclick =
\"NewWindow(this.href,'name','450','350','yes');return false;'\" class='menu'><img
src='images/detail.png' border='0' title='Detail'></a></td>
<td class='garis_horiz' align='center' width='25'><a
href='?menu=master&sub=kend_sopir&act=edit&id=".$data['KEND_ID']. "&kend_
nopol=".$data['KEND_NOPOL']"&kend_berat_kosong=".$data['KEND_BERAT_KO
SONG']"&kend_berat_muatan=".$data['KEND_BERAT_MUATAN']"&kend_jenis="
.$data['KEND_JENIS']"&kend_tahun_beli=".$data['KEND_TAHUN BELI']"&spr_na
ma=".$data['SPR_NAMA']"&spr_alamat=".$data['SPR_ALAMAT']"&spr_telpon="
.$data['SPR_TELPON']"><img src='images/edit.png' border='0'
title='Update'></a></td>
<td class='garis_horiz' align='center' width='25'><a href="#"><img
src='images/delete.png' border='0' title='Delete' onclick =
\"CheckDel(?menu=master&sub=kend_sopir&act=hapus&id=".$data['KEND_ID'].
"\""></a>
</td>
</tr>";
$no++;
}
}
echo "
</table>
$pagelist = $p->pageList($_GET['page'], $pages, $url);
echo " | Halaman : ";
echo $pagelist;}
echo "
</div>
</td>
</tr>
</table>";
?>

```

```

</td>
</tr>
</table>

```

4. Listing program master kota :

```

<script language="javascript">
function select_kota(){
location.href = "?menu=master&sub=m_kota&act=<? echo $_GET['act'];?>&id=<?
echo $_GET['id'];?>&kota_nama=" + document.m_kota.kota_nama.value +
"&kota_jarak=" + document.m_kota.kota_jarak.value + """;
document.m_kota.kota_jarak.focus();
}
</script>
<?
$menu=$_GET['menu']
$act = $_GET['act'];
$id = $_GET['id'];
$url = "menu=master&sub=m_kota";
$page = $_GET['page'];
if($page==""){ $page='1';}
if ($page!=""){
$hlm = "&page=" . $page;
}
if ($act==" " || $act=="add"){
$url = $url."&act=add";
if($_POST){
$cek = "select count(*)as jum from m_kota where KOTA_NAMA =
'".$_POST['kota_nama']."'";
$jumlah = @mysql_result(@mysql_query($cek),0,jum);
if($jumlah >= 1){
echo "
<script language='javascript\'">
alert(\"Maaf Data Sudah Ada\");
location.href='?menu=master&sub=m_kota&act=add';
</script>";
}
else {
$str_max= "select max(KOTA_ID)as max_id form m_kota";
$max = @mysql_result(@mysql_query($str_max),0,max_id);
if($max=="")$max=0;
$str_kota= "insert into m_kota values
('".$max."','".$_POST['kota_nama']."','".$_POST['kota_jarak'].")";
//echo $str_kota;
$qry_kota= @mysql_query($str_kota);

```

```

echo          "<meta          http-equiv='refresh'          content          =
'1;URL=?menu=master&sub=m_kota'>";
}
else if ($act=="edit"){
$url = "".$url."&act=edit&id=".$id.""";
if ($_POST){
$kota_nama=$_POST['kota_nama'];
$kota_jarak=$_POST['kota_jarak'];

$str_kota = "update m_kota set KOTA_NAMA ="".$kota_nama."",KOTA_JARAK
="".$kota_jarak."" where KOTA_ID="".$id.""";
//echo $str_kota;
$qry_kota = @mysql_query($str_kota),
echo          "<meta          http-equiv='refresh'          content          =
'1;URL=?menu=master&sub=m_kota'>";
}
else if ($act=="hapus" && isset($id)){
$cek1 = "select count(*) as jum from m_customer where KOTA_ID = "".$id."" ";
$customer = @mysql_result(@mysql_query($cek1),0,jum);
$cek2 = "select count(*) as jum from m_penerima where KOTA_ID = "".$id."" ";
$penerima = @mysql_result(@mysql_query($cek2),0,jum);
if($customer >= 1 || $penerima >= 1){
echo
<script language='javascript'>
alert('Maaf Data Masih Digunakan.');
location.href='?menu=master&sub=m_kota&act=add';
</script>
}
else {
$strdel = "delete from m_kota where KOTA_ID = "".$id.""";
$qrydel = @mysql_query($strdel) or die("Penghapusan Gagal");
}
echo          "<meta          http-equiv='refresh'          content          =
'1;URL=?menu=master&sub=m_kota'>";
}
?>
<table width="100%" valign="top" align="center" cellpadding="0" cellspacing="0"
border="0">
<tr>
<td background="images/tepi_kanan.jpg" height="32" width="15"></td>
</tr>
<tr>
<td colspan="3">&nbsp;&nbsp;&nbsp;</td>

```



```

</tr>
<tr>
<td colspan="3" style="padding-left:8px">
<b>Form Insert/Update Data Kota</b>
<div class="garis_horiz">&nbsp;</div><br>
<?
echo "
<table width='94%' border='0' align='center'>
<form name='m_kota' method ='post' action='?'.\$url.'">
<tr>
<td width='20%'>Nama Kota *</td>
<td></td>
<td><input type='text' name='kota_nama' class='input'
value='".\$_GET['kota_nama']."' onBlur="\select_kota();"
</td>
</tr>
<tr>
<td width='20%'>Jarak Kota *</td>
<td></td>
<td><input type='text' name='kota_jarak' class='input'
value='".\$_GET['kota_jarak']."'>&nbsp;&nbsp;&nbsp;Km
</td>
<td>
<input type='submit' value='Proses' class='input' onClick='return
cek_input_kota()'><input type='reset' value='Reset' class='input'
onClick="location.href='?menu=master&sub=m_kota&act='\">
</td>
<td>&nbsp;&nbsp;&nbsp;</td>
</tr>
</form>
<tr>
<td colspan='4'>&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td colspan='4'>";
\$str = "select * from m_kota where KOTA_ID <> """;
if (\$_GET['kota_nama'] != ""){
\$str .= " and KOTA_NAMA like '%" . \$_GET['kota_nama'] . "%";
}
\$str .= " order by KOTA_NAMA";
\$p = new Pager;
\$limit = 5;
\$start = \$p->findStart(\$limit);

```



```

$count = @mysql_num_rows(@mysql_query($str));
$pages = $p->findPages($count, $limit);
$result = @mysql_query($str." LIMIT ".$start.", ".$limit);
echo "
<table width='98%' border='0' align='center' cellpadding='0' cellspacing='1'
class='huruf">
<tr height='32">
<td background='images/menu_explorer.jpg' width='25'
align='center'><strong>No</strong></td>
<td background='images/menu_explorer.jpg' width='160'
align='center'><strong>Nama Kota</strong></td>
<td background='images/menu_explorer.jpg' width='100'
align='center'><strong>Jarak Kota (km)</strong></td>
<td background='images/menu_explorer.jpg' width='50' colspan='2'
align='center'><strong>Action</strong></td>
</tr">;
$url.= "&";
$no = $start + 1;
else
while $data=@mysql_fetch_array($result)
echo "
<tr>
<td class='garis_horiz' align='center' width='25'>". $no."</td>
<td class='garis_horiz' width='160'>". $data['KOTA_NAMA']."</td>
<td class='garis_horiz' width='100' align='center'>". $data['KOTA_JARAK']."</td>
<td class='garis_horiz' align='center' width='25'><a
href='?menu=master&sub=m_kota&act=edit&id=".$data['KOTA_ID']."&kota_nam
a=".$data['KOTA_NAMA']."&kota_jarak=".$data['KOTA_JARAK']."'><img
src='images/edit.png' border='0' title='Update'></a></td>
<td class='garis_horiz' align='center' width='25'><a href='#'><img
src='images/delete.png' border='0' title='Delete' OnClick =
\"CheckDel('?menu=master&sub=m_kota&act=hapus&id=".$data['KOTA_ID']."'>
</a>
</td>
</tr">;
$no++;
}
}
echo "
</table>
<div align='right'>";
echo "Total : ".$count;
if ($count > $limit){

```

```

$pagelist = $p->pageList($_GET['page'], $pages, $url);
echo " | Halaman : ";
echo $pagelist;
}
echo "
</div>
</td>
</tr>
</table>";
?>
</td>
</tr>
</table>

```

5. **Master program form daftar harga :**

```

<?
$menu=$_GET['menu'];
$act = $_GET['act'];
$id = $_GET['id'];
$url = "menu=master&sub=m_harga";
$page = $_GET['page'];
if($page==""){$page=1;}
if ($page!=""){
$hm = "&page=".$page."";
}

if ($act==" " || $act=="add"){
$url = $url."&act=add";
if($_POST){
$str_max="select max(KOTA_ID) as max_id from m_kota";
$max = @mysql_result(@mysql_query($str_max),0,max_id);
if($max=="")$max=0;
$str_harga= "insert into m_harga values
('".$max."','".$_POST['jarak_awal']."','".$_POST['jarak_akhir']."','".$_POST['kg_pertama'].
"','".$_POST['kg_selanjutnya']."','".$_POST['kg_standard'].")";
//echo $str_harga;
$qry_harga = @mysql_query($str_harga);
echo "<meta http-equiv='refresh' content =
'1;URL=?menu=master&sub=m_harga'>";
else if ($act=="edit"){
$url = "".$url."&act=edit&id=".$id."";
if($_POST){

```

```

$str_harga = "update m_harga set
HRG_JARAK_AWAL='".$_POST['jarak_awal']."',HRG_JARAK_AKHIR='".$_POST['jara
k_akhir']."',HRG_KG_PERTAMA='".$_POST['kg_pertama']."',HRG_KG_SELANJUTNY
A='".$_POST['kg_selanjutnya']."',HRG_KG_STANDARD='".$_POST['kg_standard'].'"
where HRG_ID='".$_id.'";
//echo $str_kota;
$qry_harga = @mysql_query($str_harga);
echo "<meta http-equiv='refresh' content =
'1;URL=?menu=master&sub=m_harga'>";
}
}
//tidak boleh menghapus daftar master harga karena digunakan untuk proses
transaksi//
/*
else if ($act=="hapus" && isset($id)){
$cek1 = "select count(*)as jum from m_customer where KOTA_ID = '".$_id.' " ";
$customer = @mysql_result(@mysql_query($cek1),0,jum);
$cek2 = "select count(*)as jum from m_penerima where KOTA_ID = '".$_id.' " ";
$penerima = @mysql_result(@mysql_query($cek2),0,jum);
if($customer >= 1 || $penerima >= 1){
echo "
<script language='javascript'>
alert(\"Maaf Data Masih Digunakan\");
location.href='?menu=master&sub=m_harga&act=add';
</script>";
}
else{
$strdel = "delete from m_kota where KOTA_ID = '".$_id.'";
$qrydel = @mysql_query($strdel)or die("Penghapusan Gagal");
}
echo "<meta http-equiv='refresh' content =
'1;URL=?menu=master&sub=m_harga'>";
}
*/
?>

```

```

<table width="100%" valign="top" align="center" cellpadding="0" cellspacing="0"
border="0">
<tr>
<td background="images/tepi_kiri.jpg" height="32" width="14"></td>
<td background="images/menu_explorer.jpg" height="32"
width="550">&nbsp;&nbsp;&nbsp;<strong>Harga</strong></td>
<td background="images/tepi_kanan.jpg" height="32" width="15"></td>


```

```

</tr>
<tr>
<td colspan="3">&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td colspan="3" style="padding-left:8px">
<b>Form Insert/Update Data Harga</b>
<div class="garis_horiz">&nbsp;&nbsp;&nbsp;</div><br>
<?
echo "
<table width='94%' border='0' align='center'>
<form name='m_harga' method='post' action='?'. $url "">
<tr>
<td width='35%'>Range Jarak *</td>
<td></td>
<td>Mulai <input type='text' name='jarak_awal' class='input'
value="$_GET['jarak_awal']" size='5'>&nbsp;&nbsp;&nbsp;/d <input type='text'
name='jarak_akhir' class='input' value="$_GET['jarak_akhir']"
size='5'>&nbsp;&nbsp;&nbsp;Km
</td>
</tr>
</tr>
/*
<tr>
<td width='20%'>Berat Standard Per Pengiriman *</td>
<td></td>
<td><input type='text' name='kg_standard' class='input'
value="$_GET['kg_standard']" size='10'>&nbsp;&nbsp;&nbsp;Kg
</td>
</tr>
*/

echo "
<tr>
<td width='20%'>Harga Kg Pertama *</td>
<td></td>
<td><input type='text' name='kg_pertama' class='input'
value="$_GET['kg_pertama']">&nbsp;&nbsp;&nbsp;Rp
</td>
</tr>
<tr>
<td width='20%'>Harga Kg Selanjutnya *</td>
<td></td>

```



```

<td><input      type='text'      name='kg_selanjutnya'      class='input'
value=''._$_GET['kg_selanjutnya'].''>&nbsp;Rp
</td>
</tr>
<tr>
<td colspan='4'>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>
<input      type='submit'      value='Proses'      class='input'      onClick='return
cek_input_harga()'><input      type='reset'      value='Reset'      class='input'
onClick='\"location.href=?menu=master&sub=m_harga&act=\\\">
</td>
<td>&nbsp;</td>
</tr>
</form>
<tr>
<td colspan='4'>&nbsp;</td>
</tr>
<tr>
<td colspan='4'>
$str = "select * from m_harga where HRG_ID <> \"";
$str .= " order by HRG_ID";
$p = new Pager;
$limit = 5;
$start = $p->findStart($limit);
$count = @mysql_num_rows(@mysql_query($str));
$pages = $p->findPages($count, $limit);
$result = @mysql_query($str." LIMIT \" $start \" \" $limit);
echo"
<table width='99%' border='0' align='center' cellpadding='0' cellspacing='1'
class='huruf'>
<tr      height='32'>
<td      background='images/menu_explorer.jpg'      width='25'
align='center'><strong>No</strong></td>
<td      background='images/menu_explorer.jpg'      width='100'
align='center'><strong>Range Jarak (Km)</strong></td>
<td      background='images/menu_explorer.jpg'      width='100'
align='center'><strong>Harga Kg Pertama</strong></td>
<td      background='images/menu_explorer.jpg'      width='100'
align='center'><strong>Harga Kg Selanjutnya</strong></td>

```



```

<td background='images/menu_explorer.jpg' width='50' colspan='2'
align='center'><strong>Action</strong></td>
</tr>";
$url.= "&";
$no = $start + 1;
if($count <= 0){
echo "<tr><td colspan='5' class='data' align='center' width='335'><strong>Data
Kosong</strong></td></tr>";
}
else {
while($data=@mysql_fetch_array($result)){
echo "
<tr>
<td class='garis_horiz' align='center' width='25'>". $no.".</td>
<td class='garis_horiz' width='100' align='center'>". $data[HRG_JARAK_AWAL]."
s/d ". $data[HRG_JARAK_AKHIR]."</td>
<td class='garis_horiz' width='100'
align='right'>". $data[HRG_KG_PERTAMA]."</td>
<td class='garis_horiz' width='100'
align='right'>". $data[HRG_KG SELANJUTNYA]."</td>
<td class='garis_horiz' align='center' width=25><a
href=?menu=master&sub=m_harga&act=edit&id=". $data[HRG_ID]."&jarak_awa
l=". $data[HRG_JARAK_AWAL]."&jarak_akhir=". $data[HRG_JARAK_AKHIR]."&kg
_pertama=". $data[HRG_KG_PERTAMA]."&kg_selanjutnya=". $data[HRG_KG_SEL
ANJUTNYA]."'><img src='images/edit.png' border='0' title='Update'></a></td>
<td class='garis_horiz' align='center' width=25><a href=#><img
src='images/delete.png' border='0' title='Delete' OnClick =
\"CheckDel(?menu=master&sub=m_harga&act=hapus&id=". $data[KOTA_ID].")\"
></a>
</td>
</tr>";
$no++;
}
}
if ($count > $limit){
$pagelist = $p->pageList($_GET['page'], $pages, $url);
echo " | Halaman : ";
echo $pagelist;
}
echo "
</div>
</td>
</tr>

```

```

</table>";
?>
</td>
</tr>
</table>

```

6. Listing program form pengirim/customer :

```

<script language="javascript">
function cari(){
location.href      =      "?menu=transaksi&sub=pengiriman&act=<?      echo
$_GET['act'];?>&id=<?      echo      $_GET['id'];?>&krm_tanggal="      +
document.pengiriman.krm_tanggal.value      +      "&kend_id="      +
document.pengiriman.kend_id.value + "";
}
</script>
<?
include "inc/calender.php";
$menu=$_GET['menu'];
$act = $_GET['act'];
$id = $_GET['id'];
$url = "menu=transaksi&sub=pengiriman";
$page = $_GET['page'];
if($page==""){ $page='1' };
if ($page!=""){
$hlm = "&page=".$page."";
}
$tahun = date("Y");
if ($act==" " || $act=="add")
$url = $url."&act=add";
if($_POST){
$krmtgl=explode("-",$_POST['krm_tanggal']);
$krm_tanggal=$krmtgl[2]."-".$krmtgl[1]."-".$krmtgl[0];
$kend_id=$_POST['kend_id'];

$ada = @mysql_result(@mysql_query("SELECT count(*)as jum FROM
t_detail_kirim a,t_kirim b WHERE a.DET_STATUS_KIRIM='0' and
a.KRM_ID=b.KRM_ID and b.KEND_ID='".$kend_id.'""),0,jum);
if($ada >= 1){
echo "
<script language=\"javascript\">
alert(\"Maaf Kendaraan/Sopir Masih digunakan.\");
location.href='?menu=transaksi&sub=pengiriman&act=add';
</script>";

```



```

}
else {
$str_ord = "insert into t_kirim (KRM_ID,KEND_ID,KRM_TANGGAL)values
(null, ".$kend_id.", ".$krm_tanggal.");
//echo $str_ord;
$qry_ord = @mysql_query($str_ord);
echo "<meta http-equiv='refresh' content =
else if ($act=="edit"){
$url = ".$url."&act=edit&id=".$id."";
if ($_POST){
$krm_tgl=explode("-", $_POST['krm_tanggal']);
$krm_tanggal=$krm_tgl[2]."-".$krm_tgl[1]."-".$krm_tgl[0];
$kend_id=$_POST['kend_id'];

$str_ord = "update t_kirim set KEND_ID = ".$kend_id.", KRM_TANGGAL
= ".$krm_tanggal." where KRM_ID = ".$id."";
//echo $str_ord;
$qry_ord = @mysql_query($str_ord);
echo "<meta http-equiv='refresh' content =
'1;URL=?menu=transaksi&sub=pengiriman'>"
}
}
else if ($act=="hapus" && isset($id)){
$cek1 = "select count(*)as jum from t_pengeluaran where KRM_ID = ".$id."";
$t_detailkirim = @mysql_result(@mysql_query($cek1),0,jum);
if($t_detailkirim >= 1){
echo "
<script language='javascript'>
alert(\"Maaf Data Masih Digunakan.\");
location.href=?menu=transaksi&sub=pengiriman&act=add';
</script>";
}
else {
$strdel = "delete from t_kirim where KRM_ID = ".$id."";
$qrydel = @mysql_query($strdel)or die("Penghapusan Gagal");

$strdel2 = "delete from t_detail_kirim where KRM_ID = ".$id."";
$qrydel2 = @mysql_query($strdel2)or die("Penghapusan Gagal");
}
echo "<meta http-equiv='refresh' content =
'1;URL=?menu=transaksi&sub=pengiriman'>";
}
?>

```

```

<table width="100%" valign="top" align="center" cellpadding="0" cellspacing="0"
border="0">
<tr>
<td background="images/tepi_kiri.jpg" height="32" width="14"></td>
<td background="images/menu_explorer.jpg" height="32"
width="550">&nbsp;&nbsp;&nbsp;<strong>Pengiriman Barang </strong></td>
<td background="images/tepi_kanan.jpg" height="32" width="15"></td>
</tr>
<tr>
<td colspan="3">&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td colspan="3" style="padding-left:8px">
<b>Form Insert/Update Data Pengiriman Barang</b>
<div class="garis_hori">&nbsp;&nbsp;&nbsp;</div><br>
<?
echo "
<table width="94%" border="0" align="center">
<form name="pengiriman" method="post" action="?".$.url.">
<tr>
<td width="30%">Tanggal Kirim *</td>
<td>:</td>
<td>
<input type="text" name="krm_tanggal" id="krm_tanggal" class="input"
size="12" maxlength="10" value="$_GET['krm_tanggal']"
onBlur="cari();" <a href="#" onmouseover="this.style.cursor='hand'"
onClick="setYears($tahun-z, $tahun+1), showCalender(this,
'krm_tanggal');" &nbsp;&nbsp;&nbsp;DD-MM-YYYY *
</td>
</tr>
</tr>
<tr class="huruf bgcolor=#FFFFFF">
<td>Sopir/Kendaraan *</td>
<td>:</td>
<td>
<input type="text" name="kend_id" class="input" size="5"
value="$_GET['kend_id']" onFocus="cari();" &nbsp;&nbsp;&nbsp;<a href="pilihan_sopir.php?nm_form=pengiriman"
onClick="NewWindow(this.href,'name','500','350','yes');return false;" class="menu"> Pilih
</a>]
</td>
</tr>";

```

```

/*
<tr>
<td width='20%'>Sopir/Kendaraan *</td>
<td></td>
<td>
<select name='kend_id' class='input'>
<option value="" selected>[ Pilih ]</option>;
$str_kend="select * from m_kendaraan a,m_sopir b where a.KEND_ID=b.KEND_ID
order by KEND_NOPOL";
$qry_kend=@mysql_query($str_kend);
while($data_kend=@mysql_fetch_array($qry_kend)){
echo "<option value='".$data_kend['KEND_ID']."'";
if($_GET['kend_id']==$data_kend['KEND_ID']){
echo "selected";
}
echo "<option value='".$data_kend['KEND_NOPOL']."'>".$data_kend['SPR_NAMA']</option>";
echo "
</select>
</td>
</tr>
*/
echo "
<tr>
<td colspan='4'>&nbsp;&nbsp;&nbsp;&nbsp;</td>
</tr>
<input type='submit' value='Proses' class='input' onClick='return
cek_input_pengiriman()'><input type='reset' value='Reset' class='input'
onClick='\"location.href=?menu=transaksi&sub=pengiriman&act='\">
</td>
<td>&nbsp;&nbsp;&nbsp;&nbsp;</td>
</tr>
</form>
<tr>
<td colspan='4'>&nbsp;&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td colspan='4'>;
$str = "select * from t_kirim a,m_kendaraan b,m_sopir c where a.KEND_ID =
b.KEND_ID and b.SPR_ID=c.SPR_ID";
if ($_GET['krm_tanggal'] != ""){
$krm_tgl=explode("-",$_GET['krm_tanggal']);
$krm_tanggal=$krm_tgl[2]."-".$krm_tgl[1]."-".$krm_tgl[0];

```

```

$str .= " and a.KRM_TANGGAL = '". $krm_tanggal. "'";
}
if ($_GET['kend_id'] != ""){
$str .= " and a.KEND_ID = '". $_GET['kend_id']. "'";
}
$str .= " order by a.KRM_TANGGAL asc,b.KEND_NOPOL asc,c.SPR_NAMA asc";
$p = new Pager;
$limit = 5;
$start = $p->findStart($limit);
$count = @mysql_num_rows(@mysql_query($str));
$pages = $p->findPages($count, $limit);
$result = @mysql_query($str." LIMIT ". $start. ", ". $limit);
echo "





```

```

<td class='garis_horiz' width='150'>".$data['KEND_NOPOL']."/".$data['SPR_NAMA'].</td>
<td class='garis_horiz' align='center' width='25'><a href='detail_pengiriman.php?id=".$data['KRM_ID']."' onClick = \
\"NewWindow(this.href,'name','650','450','yes');return false;\" class='menu'><img src='images/detail.png' border='0' title='Lihat Detail'></a></td>
<td class='garis_horiz' align='center' width='25'><a href='isi_detail_pengiriman.php?id=".$data['KRM_ID']."' onClick = \
\"NewWindow(this.href,'name','650','450','yes');return false;\" class='menu'><img src='images/add_detail.png' border='0' title='Tambah Detail'></a></td>
<td class='garis_horiz' align='center' width='25'><a href='?menu=transaksi&sub=pengiriman&act=edit&id=".$data['KRM_ID']."&krm_tanggal=".$skrm_tanggal."&kend_id=".$data['KEND_ID']."'><img src='images/edit.png' border='0' title='Update'></a></td>
<td class='garis_horiz' align='center' width='25'><a href='#'><img src='images/delete.png' border='0' title='Delete' onClick = \
\"CheckDel('?menu=transaksi&sub=pengiriman&act=hapus&id=".$data['KRM_ID']\
.'')\"></a>
</td>
<td class='garis_horiz' align='center' width='25'><a href='cetak_spj_perpengeriman.php?id=".$data['KRM_ID']."' target='_blank'><img src='images/print.png' border='0' title='Cetak Surat Jalan'></a>
</td>
</table>
<div align='right'>:
echo "Total : ".$count;
if ($count > $limit){
$pagelist = $p->pageList($_GET['page'], $pages, $url);
echo " | Halaman : ";
echo $pagelist;
}
echo "
</div>
</td>
</tr>
</table>";
?>
</td>
</tr>
</table>

```

7. Listing program form penerima :

```

<script language="javascript">
function select_nama(){
location.href = "?menu=transaksi&sub=order&mod=penerima&act=<? echo
$_GET['act'];?>&id=<? echo $_GET['id'];?>&pnr_nama=" +
document.penerima.pnr_nama.value + "&pnr_alamat=" +
document.penerima.pnr_alamat.value + "&pnr_telpon=" +
document.penerima.pnr_telpon.value + "&pnr_hp=" +
document.penerima.pnr_hp.value + "&pnr_fax=" +
document.penerima.pnr_fax.value + "&pnr_email=" +
document.penerima.pnr_email.value + "&kota_id=" +
document.penerima.kota_id.value + """;
}
</script>
<?
$menu=$_GET['menu'];
$act=$_GET['act'];
$id=$_GET['id'];
$url="menu=transaksi&sub=order&mod=penerima";
$page=$_GET['page'];
if($page==""){ $page=1;}
if ($page!=""){
$hlm="&page=".$page."";
}

if ($act==" || $act=="add"){
$url=$url."&act=add";
if($_POST){
$pnr_id=$_POST['pnr_id'];
$kota_id=$_POST['kota_id'];
$pnr_nama=$_POST['pnr_nama'];
$pnr_alamat=$_POST['pnr_alamat'];
$pnr_telpon=$_POST['pnr_telpon'];
$pnr_hp=$_POST['pnr_hp'];
$pnr_fax=$_POST['pnr_fax'];
$pnr_email=$_POST['pnr_email'];

$cek="select count(*)as jum from m_penerima where PNR_ID = ".$pnr_id." ";
$ada=@mysql_result(@mysql_query($cek),0,jum);
if($ada >= 1){
echo "
<script language=\"javascript\">
alert(\"Maaf Data Sudah Ada.\");

```

```

location.href=?menu=transaksi&sub=order&mod=penerima&act=add';
</script>";
}
else {
$str_pnr = "insert into m_penerima values
('$pnr_id','$kota_id','$pnr_nama','$pnr_alamat','$pnr_telpon','$
pnr_hp','$pnr_fax','$pnr_email.'");
//echo $str_pnr;
$qry_pnr = @mysql_query($str_pnr);
echo "<meta http-equiv='refresh' content =
'1;URL=?menu=transaksi&sub=order&mod=penerima'>";
}
}
}
else if ($act=="edit"){
$url = "$url."&act=edit&id=$id."";
if ($_POST){
$pnr_id=$_POST['pnr_id'];
$kota_id=$_POST['kota_id'];
$pnr_nama=$_POST['pnr_nama'];
$pnr_alamat=$_POST['pnr_alamat'];
$pnr_telpon=$_POST['pnr_telpon'];
$pnr_hp=$_POST['pnr_hp'];
$pnr_fax=$_POST['pnr_fax'];
$pnr_email=$_POST['pnr_email'];

$str_pnr = "update m_penerima set KOTA_ID = '$kota_id.', PNR_NAMA
='$pnr_nama.', PNR_ALAMAT = '$pnr_alamat.', PNR_TELPON
='$pnr_telpon.', PNR_HP = '$pnr_hp.', PNR_FAX = '$pnr_fax.', PNR_EMAIL
='$pnr_email.'" where PNR_ID='$id.'";
//echo $str_pnr;
$qry_pnr = @mysql_query($str_pnr);
echo "<meta http-equiv='refresh' content =
'1;URL=?menu=transaksi&sub=order&mod=penerima'>";
}
}
}
else if ($act=="hapus" && isset($id)){
$cek = "select count(*) as jum from t_order_kirim where PNR_ID = '$id.' ";
$t_order_kirim = @mysql_result(@mysql_query($cek),0,jum);
if($t_order_kirim >= 1){
echo "
<script language='javascript'>
alert(\"Maaf Data Masih Digunakan.\");

```

```

location.href='?menu=transaksi&sub=order&mod=penerima&act=add';
</script>";
}
else {
$strdel = "delete from m_penerima where PNR_ID = '". $id. "'";
$querydel = @mysql_query($strdel) or die("Penghapusan Gagal");
}
echo      "<meta      http-equiv='refresh'      content      =
'1;URL=?menu=transaksi&sub=order&mod=penerima'>";
}
?>

```

```

<table width="100%" valign="top" align="center" cellpadding="0" cellspacing="0"
border="0">
<tr>
<td background="images/tepi_kiri.jpg" height="32" width="14"></td>
<td background="images/menu_explorer.jpg" height="32"
width="550">&nbsp;&nbsp;&nbsp;<strong>Penerima </strong></td>
<td background="images/tepi_kanan.jpg" height="32" width="15"></td>
</tr>
<tr>
<td colspan="3">&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td colspan="3" style="padding-left:8px">
<b>Form Insert/Update Data Penerima</b>
<div class="garis_horiz">&nbsp;&nbsp;&nbsp;</div><br>
<?
echo "
<table width='94%' border='0' align='center'>
<form name='penerima' method='post' action='?'. $url. "'>
<tr>
<td width='20%'>Nama *</td>
<td>:</td>
<td>
<input type='text' name='pnr_nama' class='input' value='". $GET['pnr_nama']. "'
onBlur=\"select_nama();\">
</td>
</tr>
<tr>
<td width='20%'>Alamat *</td>
<td>:</td>
<td>

```




```

<input type='text' name='pnr_alamat' id='pnr_alamat' class='input'
value="".$_GET['pnr_alamat'].>
</td>
</tr>
<tr>
<td width='20%'>Kota *</td>
<td>:</td>
<td>
<select name='kota_id' class='input'>
<option value="" selected>[ Pilih ]</option>";
$str_kota="select * from m_kota order by KOTA_NAMA";
$qry_kota=@mysql_query($str_kota);
while($data_kota=@mysql_fetch_array($qry_kota)){
echo " <option value="".$data_kota['KOTA_ID'].>";
if($_GET['kota_id']==$data_kota['KOTA_ID']){
echo "selected";
}
echo ">".$data_kota['KOTA_NAMA'].</option>";
}
echo "
</select>
</td>
</tr>
<tr>
<td width='20%'>Nomor Telepon *</td>
<td>:</td>
<td>
<input type='text' name='pnr_telpon' class='input'
value="".$_GET['pnr_telpon'].>
</td>
</tr>
<tr>
<td width='20%'>Nomor FAX</td>
<td>:</td>
<td>
<input type='text' name='pnr_fax' class='input' value="".$_GET['pnr_fax'].>
</td>
</tr>
<tr>
<td width='20%'>Nomor HP</td>
<td>:</td>
<td>
<input type='text' name='pnr_hp' class='input' value="".$_GET['pnr_hp'].>

```



```

</td>
</tr>
<tr>
<td width='20%'>Email</td>
<td>:</td>
<td>
<input type='text' name='pnr_email' class='input' value='".$_GET['pnr_email']."'>
</td>
</tr>
<tr>
<td>&nbsp;&nbsp;&nbsp;</td>
<td>&nbsp;&nbsp;&nbsp;</td>
<td>
<input type='submit' value='Proses' class='input' onClick='return
cek_input_penerima()'><input type='reset' value='Reset' class='input'
onClick=\"location.href='?menu=transaksi&sub=order&mod=penerima&act='\">
</td>
<td>&nbsp;&nbsp;&nbsp;</td>
</tr>
</form>
<tr>
<td colspan='4'>&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td colspan='4'>";
$str = "select * from m_penerima a,m_kota b where a.KOTA_ID = b.KOTA_ID";
if ($_GET['pnr_nama'] != ""){
$str .= " and a.PNR_NAMA like '%" . $_GET['pnr_nama'] . "%";
}
$str .= " order by a.PNR_NAMA asc";
$p = new Pager;
$limit = 5;
$start = $p->findStart($limit);
$count = @mysql_num_rows(@mysql_query($str));
$pages = $p->findPages($count, $limit);
$result = @mysql_query($str." LIMIT ".$start.", ".$limit);

echo"
<table width='98%' border='0' align='center' cellpadding='0' cellspacing='1'
class='huruf'>
<tr height='32'>
<td background='images/menu_explorer.jpg' width='25'
align='center'><strong>No</strong></td>

```

```

<td          background='images/menu_explorer.jpg'          width='100'
align='center'><strong>Nama</strong></td>
<td          background='images/menu_explorer.jpg'          width='150'
align='center'><strong>Alamat</strong></td>
<td          background='images/menu_explorer.jpg'          width='100'
align='center'><strong>Kota</strong></td>
<td          background='images/menu_explorer.jpg'          width='75'    colspan='3'
align='center'><strong>Action</strong></td>
</tr>";
$url.= "&";
$no = $start + 1;
if($count <= 0){
echo    "<tr><td          colspan='7'          class='data'          align='center'><strong>Data
Kosong</strong></td></tr>";
}
else {
while($data=@mysql_fetch_array($result)){
echo "
<td>
<td class='garis_horiz' align='center' width='25'>\"$no.\" </td>
<td class='garis_horiz' width='100'>\".$data['PNR_NAMA'].\" </td>
<td class='garis_horiz' width='150'>\".$data['PNR_ALAMAT'].\" </td>
<td class='garis_horiz' width='100'>\".$data['KOTA_NAMA'].\" </td>
<td          class='garis_horiz'          align='center'          width='25'><a
href='detail_penerima.php?id=\".$data['PNR_ID'].\"'          onClick          =
\"New Window(this.href,'name','500','350','yes','return false;\"          class='r_menu'><img
src='images/detail.png' border='0' title='Detail'></a></td>
<td          class='garis_horiz'          align='center'          width='25'><a
href='?menu=transaksi&sub=order&mod=penerima&act=edit&id=\".$data['PNR_I
D'].\"&pnr_nama=\".$data['PNR_NAMA'].\"&pnr_alamat=\".$data['PNR_ALAMAT'].\"
&pnr_telpon=\".$data['PNR_TELPON'].\"&pnr_hp=\".$data['PNR_HP'].\"&pnr_fax=\".$
data['PNR_FAX'].\"&pnr_email=\".$data['PNR_EMAIL'].\"&kota_id=\".$data['KOTA_ID
'].\"'><img src='images/edit.png' border='0' title='Update'></a></td>
<td          class='garis_horiz'          align='center'          width='25'><a          href='#'><img
src='images/delete.png'          border='0'          title='Delete'          onClick          =
\"CheckDel('?menu=transaksi&sub=order&mod=penerima&act=hapus&id=\".$dat
a['PNR_ID'].\"')\"></a>
</td>
</tr>";
$no++;
}
}
echo "

```

```

</table>
<div align='right'>;
echo "Total : ".$count;
if ($count > $limit){
$pagelist = $p->pageList($_GET['page'], $pages, $url);
echo " | Halaman : ";
echo $pagelist;
}
echo "
</div>
</td>
</tr>
</table>";
?>
</td>
</tr>
</table>

```

8. Listing program form order kirim :

```

<script language="javascript">
function cari({
var url_awal = "?menu=transaksi&sub=order&mod=order_kirim&act=<? echo
$_GET['act'];?>";

var url_order = "&id=<? echo $_GET['id'];?>&ord_tanggal=" +
document.order_kirim.ord_tanggal.value + "&cust_kode=" +
document.order_kirim.cust_kode.value + "&pnr_id=" +
document.order_kirim.pnr_id.value + "&ord_jenis_kirim=" +
document.order_kirim.ord_jenis_kirim.value + "&ord_jatuh_tempo=" +
document.order_kirim.ord_jatuh_tempo.value + """;

var url_customer = "&cust_kode=" + document.order_kirim.cust_kode.value +
"&cust_nama=" + document.order_kirim.cust_nama.value + "&cust_alamat=" +
document.order_kirim.cust_alamat.value + "&cust_telpon=" +
document.order_kirim.cust_telpon.value + "&cust_hp=" +
document.order_kirim.cust_hp.value + "&cust_fax=" +
document.order_kirim.cust_fax.value + "&cust_email=" +
document.order_kirim.cust_email.value + "&kota_cust=" +
document.order_kirim.kota_cust.value + """;

var url_penerima = "&pnr_id=<? echo $_GET['pnr_id'];?>&pnr_nama=" +
document.order_kirim.pnr_nama.value + "&pnr_alamat=" +
document.order_kirim.pnr_alamat.value + "&pnr_telpon=" +

```

```

document.order_kirim.pnr_telpon.value      +      "&pnr_hp="      +
document.order_kirim.pnr_hp.value          +      "&pnr_fax="      +
document.order_kirim.pnr_fax.value         +      "&pnr_email="    +
document.order_kirim.pnr_email.value       +      "&kota_pnr="     +
document.order_kirim.kota_pnr.value + """;

```

```

location.href = ""+url_awal+""+url_order+""+url_customer+""+url_penerima+"";
}

```

```

</script>

```

```

<?

```

```

include "inc/calender.php";

```

```

$menu=$_GET['menu'];

```

```

$act = $_GET['act'];

```

```

$id = $_GET['id'];

```

```

$url = "menu=transaksi&sub=order&mod=order_kirim";

```

```

$page = $_GET['page'];

```

```

if($page==""){ $page=1; }

```

```

if ($page!=""){

```

```

    $lim = "&page=" . $page;

```

```

}

```

```

$ahun = date("Y");

```

```

if($act==" " || $act!="add"){

```

```

    $url = $url."&act=add";

```

```

if($_POST){

```

```

    $ord_tgl=explode("-", $_POST['ord_tanggal']);

```

```

    $ord_tanggal=$ord_tgl[2]."-".$ord_tgl[1]."-".$ord_tgl[0];

```

```

    $ord_jenis_kirim=$_POST['ord_jenis_kirim'];

```

```

    $ord_jth_tmp=explode(" ", $_POST['ord_jatuh_tempo']);

```

```

    $ord_jatuh_tempo=$ord_jth_tmp[2]."-".$ord_jth_tmp[1]."-".$ord_jth_tmp[0];

```

```

    $cust_kode=$_POST['cust_kode'];

```

```

    $kota_cust=$_POST['kota_cust'];

```

```

    $cust_nama=$_POST['cust_nama'];

```

```

    $cust_alamat=$_POST['cust_alamat'];

```

```

    $cust_telpon=$_POST['cust_telpon'];

```

```

    $cust_hp=$_POST['cust_hp'];

```

```

    $cust_fax=$_POST['cust_fax'];

```

```

    $cust_email=$_POST['cust_email'];

```

```

    $kota_pnr=$_POST['kota_pnr'];

```

```

    $pnr_nama=$_POST['pnr_nama'];

```

```

    $pnr_alamat=$_POST['pnr_alamat'];

```



```

$pnr_telpon=$_POST['pnr_telpon'];
$pnr_hp=$_POST['pnr_hp'];
$pnr_fax=$_POST['pnr_fax'];
$pnr_email=$_POST['pnr_email'];

$cek = "";
$ada = @mysql_result(@mysql_query($cek),0,jum);
if($ada >= 1){
echo "
<script language=\"javascript\">
alert(\"Maaf Data Sudah Ada.\");
location.href='?menu=transaksi&sub=order&mod=order_kirim&act=add';
</script>";
}
else {
$str_cust = "insert into m_customer values
('".$cust_kode."','".$kota_cust."','".$cust_nama."','".$cust_alamat."','".$cust_telp
on."','".$cust_hp."','".$cust_fax."','".$cust_email"')";
//echo $str_cust;
$qry_cust = @mysql_query($str_cust)or die("Gagal Simpan Customer");

$str_pnr = "insert into m_penerima values
(null, '".$kota_pnr."','".$pnr_nama."','".$pnr_alamat."','".$pnr_telpon."','".$pnr_h
p."','".$pnr_fax."','".$pnr_email"')";
//echo $str_pnr;
$qry_pnr = @mysql_query($str_pnr)or die("Gagal Simpan Penerima");

if($qry_cust && $qry_pnr){
$pnr_max=@mysql_result(@mysql_query("select max(PNR_ID)as id_akhir from
m_penerima"),0,id_akhir);
if($pnr_max==" " || $pnr_max=="0"){
$pnr_id=1;
}
else {
$pnr_id=$pnr_max;
}
$str_ord = "insert into t_order_kirim
(ORD_ID,CUST_KODE,PNR_ID,ORD_TANGGAL,ORD_JENIS_KIRIM,ORD_JATUH_TE
MPO)values
(null, '".$cust_kode."','".$pnr_id."','".$ord_tanggal."','".$ord_jenis_kirim."','".$ord_
jatuh_tempo"')";
//echo $str_ord;
$qry_ord = @mysql_query($str_ord)or die("Gagal Simpan Order Kirim");

```

```

}
echo      "<meta      http-equiv='refresh'      content      =
'1;URL=?menu=transaksi&sub=order&mod=order_kirim'>";
}
}
}
else if ($act=="edit"){
$url = "".$url."&act=edit&id=".$id."";
if ($_POST){
    $ord_tgl=explode("-",$_POST['ord_tanggal']);
    $ord_tanggal=$ord_tgl[2]."-".$ord_tgl[1]."-".$ord_tgl[0];
    $ord_jenis_kirim=$_POST['ord_jenis_kirim'];
    $ord_jth_tmp=explode(" ",$_POST['ord_jatuh_tempo']);
    $ord_jatuh_tempo=$ord_jth_tmp[2]."-".$ord_jth_tmp[1]."-".$ord_jth_tmp[0];

    $cust_kode=$_POST['cust_kode'];
    $kota_cust=$_POST['kota_cust'];
    $cust_nama=$_POST['cust_nama'];
    $cust_alamat=$_POST['cust_alamat'];
    $cust_telpon=$_POST['cust_telpon'];
    $cust_hp=$_POST['cust_hp'];
    $cust_fax=$_POST['cust_fax'];
    $cust_email=$_POST['cust_email'];

    $pnr_id=$_POST['pnr_id'];
    $kota_pnr=$_POST['kota_pnr'];
    $pnr_nama=$_POST['pnr_nama'];
    $pnr_alamat=$_POST['pnr_alamat'];
    $pnr_telpon=$_POST['pnr_telpon'];
    $pnr_hp=$_POST['pnr_hp'];
    $pnr_fax=$_POST['pnr_fax'];
    $pnr_email=$_POST['pnr_email'];

    $str_cust = "update m_customer set KOTA_ID =''.$kota_cust.'', CUST_NAMA
    =''.$cust_nama.'', CUST_ALAMAT =''.$cust_alamat.'', CUST_TELPON
    =''.$cust_telpon.'', CUST_HP =''.$cust_hp.'', CUST_FAX =''.$cust_fax.'',
    CUST_EMAIL =''.$cust_email.''' where CUST_KODE=''.$cust_kode.'''";
    //echo $str_cust;
    $qry_cust = @mysql_query($str_cust);

    $str_pnr = "update m_penerima set KOTA_ID =''.$kota_pnr.'', PNR_NAMA
    =''.$pnr_nama.'', PNR_ALAMAT =''.$pnr_alamat.'', PNR_TELPON

```

```

=$pnr_telpon.", PNR_HP = "$pnr_hp.", PNR_FAX = "$pnr_fax.", PNR_EMAIL
=$pnr_email." where PNR_ID="$pnr_id."";
//echo $str_pnr;
$qry_pnr = @mysql_query($str_pnr);

if($qry_cust && $qry_pnr){
$str_ord = "update t_order_kirim set CUST_KODE = ".$cust_kode.", PNR_ID
=$pnr_id.", ORD_TANGGAL = ".$ord_tanggal.", ORD_JENIS_KIRIM
=$ord_jenis_kirim.", ORD_JATUH_TEMPO = ".$ord_jatuh_tempo." where
ORD_ID="$id."";
//echo $str_ord;
$qry_ord = @mysql_query($str_ord);
}
echo "<meta http-equiv='refresh' content =
'1;URL=?menu=transaksi&sub=order&mod=order_kirim>";
}
}
else if($act=="hapus" && isset($id)){
$cust_kode = $_GET['cust_kode'];
$pnr_id = $_GET['pnr_id'];

$ccek1 = "select count(*) as jum from t_detail_kirim where ORD_ID = ".$id." ";
$t_detailkirim = @mysql_result(@mysql_query($ccek1),0,jum);
$ccek2 = "select count(*) as jum from t_pembayaran where ORD_ID = ".$id." ";
$t_pembayaran = @mysql_result(@mysql_query($ccek2),0,jum);
$ccek3 = "select count(*) as jum from m_barang where ORD_ID = ".$id." ";
$m_barang = @mysql_result(@mysql_query($ccek3),0,jum);
if($t_detailkirim >= 1 || $t_pembayaran >= 1 || $m_barang >= 1){
echo "
<script language='javascript'>
alert(\"Maaf Data Masih Digunakan.\");
location.href='?menu=transaksi&sub=order&mod=order_kirim&act=add';
</script>";
}
else {
$strdel1 = "delete from m_customer where CUST_KODE = ".$cust_kode."";
$qrydel1 = @mysql_query($strdel1) or die("Penghapusan Gagal");

$strdel2 = "delete from m_penerima where PNR_ID = ".$pnr_id."";
$qrydel2 = @mysql_query($strdel2) or die("Penghapusan Gagal");

$strdel3 = "delete from t_order_kirim where ORD_ID = ".$id."";
$qrydel3 = @mysql_query($strdel3) or die("Penghapusan Gagal");

```



```

}
echo          "<meta          http-equiv='refresh'          content          =
'1;URL=?menu=transaksi&sub=order&mod=order_kirim'>";
}
?>

<table width="100%" valign="top" align="center" cellpadding="0" cellspacing="0"
border="0">
<tr>
<td background="images/tepi_kiri.jpg" height="32" width="14"></td>
<td          background="images/menu_explorer.jpg"          height="32"
width="550">&nbsp;&nbsp;&nbsp;<strong>Order Kirim Barang </strong></td>
<td background="images/tepi_kanan.jpg" height="32" width="15"></td>
</tr>
<tr>
<td colspan="3">&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td colspan="3" style="padding-left:8px">
<b>Form Insert/Update Data Order Kirim Barang</b>
<div class="garis_horiz">&nbsp;&nbsp;&nbsp;</div><br>
<?
echo "
<table width="94%" border="0" align="center">
<form name="order_kirim" method="post" action="?.$url">
<tr>
<td colspan="4"><b><u>Form Order</u></b></td>
</tr>
<tr>
<td width="30%">Tanggal Order * </td>
<td>:</td>
<td>";
if($_GET['ord_tanggal']!=""){
$ttl_order=$_GET['ord_tanggal'];
}
else {
$ttl_order = date('d-m-Y');
}
echo "
<input type="text" name="ord_tanggal" id="ord_tanggal" class="input"
size="12"          maxlength="10"          onFocus="cari();"
value="".$ttl_order.">&nbsp;&nbsp;&nbsp;DD-MM-YYYY *
</td>

```

```

</tr>
<tr>
<td width='20%'>Jenis Kirim *</td>
<td>:</td>
<td>
<select name='ord_jenis_kirim' class='input'>
<option value="" selected>[ Pilih ]</option>;
if($_GET['ord_jenis_kirim']=="1")$locco="selected";
else if($_GET['ord_jenis_kirim']=="2")$franco="selected";
echo "
<option value='1' $locco>Locco</option>
<option value='2' $franco>Franco</option>
</select>
</td>
</tr>
<tr>
<td width='30%'>Tanggal Jatuh Tempo *</td>
<td>:</td>
<td>:
if($_GET['ord_jatuh_tempo']!="")
$stg_jatuh_tempo=$_GET['ord_jatuh_tempo'];
}
else {
$stg_jatuh_tempo = date("d-m-Y", mktime(0, 0, 0, date("m"), date("d")+7, date("Y")));
}
echo "
<input type='text' name='ord_jatuh_tempo' id='ord_jatuh_tempo'
class='input' size='12' maxlength='10' value='$.stg_jatuh_tempo.'"><a
OnMouseOver = \"style.cursor=hand\" onClick='setYears($stahun-2, $stahun+1);
showCalender(this, 'ord_jatuh_tempo');\"><img src='\"images/calender.png\"'
border='0\"></a> &nbsp;  DD-MM-YYYY *
</td>
</tr>
<tr>
<td colspan='4'>&nbsp;  </td>
</tr>
//-----//
echo "
<tr>
<td colspan='4'><b><u>Form Customer/Pengirim</u></b></td>
</tr>
<tr>

```

```

<td>Kode Pengirim *</td>
<td>:</td>
<td>;
if($_GET['cust_kode']!=""){
$cust_kode=$_GET['cust_kode'];
}
else {
$max=@mysql_result(@mysql_query("select max(CUST_KODE)as akhir from
m_customer"),0,akhir);
if($max==""){
$cust_kode="A000001";
}
else {
$akhiran=abs(substr($max,-1,6));
$awalan=substr($max,0,strlen($max)-6);
//$akhiran=999999;
if($akhiran< 999999){
$akhiran++;
$awalan=$awalan;
}
else {
$akhiran=1;
$awalan=chr(ord($awalan)+1);
}
if(strlen($akhiran)==6){
$tambahan="";
}
else if(strlen($akhiran)==5){
$tambahan="0";
}
else if(strlen($akhiran)==4){
$tambahan="00";
}
else if(strlen($akhiran)==3){
$tambahan="000";
}
else if(strlen($akhiran)==2){
$tambahan="0000";
}
else if(strlen($akhiran)==1){
$tambahan="00000";
}
$cust_kode=$awalan."".$tambahan."".$akhiran;

```



```

}
}

echo "
<input type='text' name='cust_kode_view' class='input' value='".$cust_kode."'
disabled>
<input type='hidden' name='cust_kode' class='input' value='".$cust_kode."'>
</td>
</tr>
<tr>
<td width='20%'>Nama *</td>
<td>:</td>
<td>
<input type='text' name='cust_nama' class='input'
value='".$_GET['cust_nama']."'>
</td>
</tr>
<tr>
<td width='20%'>Alamat *</td>
<td>:</td>
<td>
<input type='text' name='cust_alamat' class='input'
value='".$_GET['cust_alamat']."'>
</td>
</tr>
<tr>
<td width='20%'>Kota *</td>
<td>:</td>
<td>
<select name='kota_cust' class='input'>
<option value="" selected>[ Pilih ]</option>;
$str_kota="select * from m_kota order by KOTA_NAMA";
$qry_kota=@mysql_query($str_kota);
while($data_kota=@mysql_fetch_array($qry_kota)){
echo "<option value='".$data_kota['KOTA_ID']."'";
if($_GET['kota_cust']==$data_kota['KOTA_ID']){
echo "selected";
}
echo ">".$data_kota['KOTA_NAMA']."</option>";
}
echo "
</select>
</td>

```



```

</tr>
<tr>
<td width='20%'>Nomor Telepon *</td>
<td>:</td>
<td>
<input type='text' name='cust_telpon' class='input'
value='".$_GET['cust_telpon']."'>
</td>
</tr>
<tr>
<td width='20%'>Nomor FAX</td>
<td>:</td>
<td>
<input type='text' name='cust_fax' class='input' value='".$_GET['cust_fax']."'>
</td>
</tr>
<tr>
<td width='20%'>Nomor HP</td>
<td>:</td>
<td>
<input type='text' name='cust_hp' class='input' value='".$_GET['cust_hp']."'>
</td>
</tr>
<tr>
<td width='20%'>Email</td>
<td>:</td>
<td>
<input type='text' name='cust_email' class='input'
value='".$_GET['cust_email']."'>
</td>
</tr>
<tr>
<td colspan='4'>&nbsp;   </td>
</tr>";
//-----//
echo "
<tr>
<td colspan='4'><b><u>Form Penerima</u></b></td>
</tr>
<tr>
<td width='20%'>Nama *</td>
<td>:</td>
<td>

```



```

<input type='hidden' name='pnr_id' class='input' value='".$_GET['pnr_id']."'>
<input type='text' name='pnr_nama' class='input' value='".$_GET['pnr_nama']."'>
</td>
</tr>
<tr>
<td width='20%'>Alamat *</td>
<td>:</td>
<td>
<input type='text' name='pnr_alamat' id='pnr_alamat' class='input'
value='".$_GET['pnr_alamat']."'>
</td>
</tr>
<tr>
<td width='20%'>Kota *</td>
<td>:</td>
<td>
<select name='kota_pnr' class='input'>
<option value="" selected>[Pilih]</option>;
$stn_kota="select * from m_kota order by KOTA_NAMA";
$query_kota=@mysql_query($stn_kota);
while($data_kota=@mysql_fetch_array($qry_kota)){
echo "<option value='".$data_kota['KOTA_ID']."'";
if($_GET['kota_pnr']==$data_kota['KOTA_ID']){
echo "selected";
}
echo ">".$data_kota['KOTA_NAMA']."</option>";
}
echo "
</select>
</td>
</tr>
<tr>
<td width='20%'>Nomor Telepon *</td>
<td>:</td>
<td>
<input type='text' name='pnr_telpon' class='input'
value='".$_GET['pnr_telpon']."'>
</td>
</tr>
<tr>
<td width='20%'>Nomor FAX</td>
<td>:</td>
<td>

```



```

<input type='text' name='pnr_fax' class='input' value="$_GET['pnr_fax'].">
</td>
</tr>
<tr>
<td width='20%'>Nomor HP</td>
<td>:</td>
<td>
<input type='text' name='pnr_hp' class='input' value="$_GET['pnr_hp'].">
</td>
</tr>
<tr>
<td width='20%'>Email</td>
<td>:</td>
<td>
<input type='text' name='pnr_email' class='input' value="$_GET['pnr_email'].">
</td>
</tr>
<tr>
<td>&nbsp;&nbsp;&nbsp;</td>
<td>&nbsp;&nbsp;&nbsp;</td>
<td>
<input type='submit' value='Proses' class='input' onClick='return
cek_input_order()'><input type='reset' value='Reset' class='input'
onClick='location.href=?menu=transaksi&sub=order&mod=order_kirim&act=""
>
</td>
<td>&nbsp;&nbsp;&nbsp;</td>
</tr>
</form>;
//-----//
echo "
<tr>
<td colspan='4'>&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td colspan='4'>;
$str = "select * from t_order_kirim a,m_customer b,m_penerima c where
a.CUST_KODE = b.CUST_KODE and a.PNR_ID=c.PNR_ID";
if ($_GET['id'] != ""){
$str .= " and a.ORD_ID = " . $_GET['id'] . """;
}
if ($_GET['ord_tanggal'] != ""){
$ord_tgl=explode("-",$_GET['ord_tanggal']);

```



```

$ord_tanggal=$ord_tgl[2]."-".$ord_tgl[1]."-".$ord_tgl[0];
$str .= " and a.ORD_TANGGAL = '".$ord_tanggal.'";
}
if ($_GET['cust_kode'] != ""){
$str .= " and a.CUST_KODE = '".$_GET['cust_kode'].'";
}
if ($_GET['pnr_id'] != ""){
$str .= " and a.PNR_ID = '".$_GET['pnr_id'].'";
}
$str .= " order by a.ORD_TANGGAL asc,b.CUST_NAMA asc,c.PNR_NAMA asc";
$p = new Pager;
$limit = 5;
$start = $p->findStart($limit);
$count = @mysql_num_rows(@mysql_query($str));
$pages = $p->findPages($count, $limit);
$result = @mysql_query($str." LIMIT ".$start.", ".$limit);
echo "
<table width='98%' border='0' align='center' cellpadding='0' cellspacing='1'
class='huruf>
<tr>
<td align='center' height='32' colspan='7'>
<td align='center' background='images/menu_explorer.jpg' width='25'>
<td align='center' background='images/menu_explorer.jpg' width='25'>
<td align='center' background='images/menu_explorer.jpg' width='75'>
<td align='center' background='images/menu_explorer.jpg' width='150'>
<td align='center' background='images/menu_explorer.jpg' width='100'>
<td align='center' background='images/menu_explorer.jpg' width='125' colspan='5'>
</tr>";
$url.= "&";
$no = $start + 1;
if($count <= 0){
echo " <tr><td colspan='7' class='data' align='center'><strong>Data
Kosong</strong></td></tr>";
}
else {
while($data=@mysql_fetch_array($result)){
$ord_tgl=explode("-", $data['ORD_TANGGAL']);

```



```

$ord_tanggal=$ord_tgl[2]."-".$ord_tgl[1]."-".$ord_tgl[0];
$ord_jth_tmp=explode("-", $data['ORD_JATUH_TEMPO']);
$ord_jatuh_tempo=$ord_jth_tmp[2]."-".$ord_jth_tmp[1]."-".$ord_jth_tmp[0];
echo "
<tr>
<td class='garis_horiz' align='center' width='25'>".$no."</td>
<td class='garis_horiz' align='center' width='25'>".$data['ORD_ID']."</td>
<td class='garis_horiz' align='center' width='75'>".$ord_tanggal."</td>
<td class='garis_horiz' width='150'>".$data['CUST_NAMA']."-
".$data['CUST_KODE']."</td>
<td class='garis_horiz' width='100'>".$data['PNR_NAMA']."</td>
<td class='garis_horiz' align='center' width='25'><a
href='detail_order_kirim.php?id=".$data['ORD_ID']."' onClick =
\"NewWindow(this.href, 'name', '500', '350', 'yes'); return false;\" class='menu'><img
src='images/detail.png' border='0' title='Detail'></a></td>
<td class='garis_horiz' align='center' width='25'><a
href='isi_barang.php?ord_id=".$data['ORD_ID']."' onClick =
\"NewWindow(this.href, 'name', '500', '500', 'yes'); return false;\" class='menu'><img
src='images/add_detail.png' border='0' title='Tambah Detail Barang'></a></td>
<td class='garis_horiz' align='center' width='25'><a
href='?menu=transaksi&sub=order&mod=order_kirim&act=edit&id=".$data['ORD
_ID']."&ord_tanggal=".$ord_tanggal."&ord_jenis_kirim=".$data['ORD_JENIS_KIRI
M']."&ord_jatuh_tempo=".$ord_jatuh_tempo."&cust_kode=".$data['CUST_KODE
']."&cust_nama=".$data['CUST_NAMA']."&cust_alamat=".$data['CUST_ALAMAT'].
"&cust_telpo=".$data['CUST_TELPON']."&cust_hp=".$data['CUST_HP']."&cust_fa
x=".$data['CUST_FAX']."&cust_email=".$data['CUST_EMAIL']."&kota_cust=".$data
[9]."&pnr_id=".$data['PNR_ID']."&pnr_nama=".$data['PNR_NAMA']."&pnr_alama
t=".$data['PNR_ALAMAT']."&pnr_telpo=".$data['PNR_TELPON']."&pnr_hp=".$da
ta['PNR_HP']."&pnr_fax=".$data['PNR_FAX']."&pnr_email=".$data['PNR_EMAIL'].
"&kota_pnr=".$data[17]."'><img src='images/edit.png' border='0'
title='Update'></a></td>
<td class='garis_horiz' align='center' width='25'><a href='#'><img
src='images/delete.png' border='0' title='Delete' OnClick =
\"CheckDel('?menu=transaksi&sub=order&mod=order_kirim&act=hapus&id=".$d
ata['ORD_ID']."&cust_kode=".$data['CUST_KODE']."&pnr_id=".$data['PNR_ID'].
")\"></a>
</td>
<td class='garis_horiz' align='center' width='25'><a href='cetak_stt.php?id=".$data['ORD_ID']."'
target='_blank'><img
src='images/print.png' border='0' title='Cetak Surat Tanda Terima'></a>
</td>
</tr>";
$no++;

```

```

}
}
echo "
</table>
<div align='right'>;
echo "Total : ".$count;
if ($count > $limit){
$pagelist = $p->pageList($_GET['page'], $pages, $url);
echo " | Halaman : ";
echo $pagelist;
}
echo "
</div>
</td>
</tr>
</table>";
?>
</td>
</tr>
</table>

```

9. Listing program detail barang :

```

<?
ob_start();
include "inc/conn.php";
include "inc/ceksession.php";
include "inc/fungsi.php";
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<title>SIMDistPuMa</title>
<script language="javascript" src="inc/calender_date_picker.js"></script>
<script language="javascript" type="text/javascript" src="inc/global.js"></script>
<link href="inc/style.css" rel="stylesheet" type="text/css" />
</head>
<body>
<table width='100%'>
<tr>
<td>
<br>

```



```

<strong> DETAIL BARANG</strong>
<div class="putih">
Detail barang berfungsi untuk maintenance data detail barang order kirim.
</div>
<div class="horiz">
&nbsp;
</div>&nbsp;
<?
include "inc/calender.php";
$tahun = date("Y");
$menu=$_GET['menu'];
$sub = $_GET['sub'];
$mod = $_GET['mod'];
$act = $_GET['act'];
$id = $_GET['id'];
$ord_id=$_GET['ord_id'];
$url="isi_barang.php?ord_id=".$ord_id."";
$page = $_GET['page'];

if($page==""){$page="1";}
if($page!="")
$lm = "&page=".$page."";
}

if($act=="" || $act=="add"){
$url=$url."&act=add";
if($_POST){
$ord_id=$_POST['ord_id'];
$brg_nama=$_POST['brg_nama'];
$brg_berat=$_POST['brg_berat'];

$cek_status_kirim = @mysql_result(@mysql_query("select
(DET_STATUS_KIRIM)from t_detail_kirim where
ORD_ID=".$ord_id.""),0,DET_STATUS_KIRIM);
if($cek_status_kirim=="1"){
echo "
<script language='javascript'>
alert('Maaf Order Kirim Sudah Tidak Bisa Ditambah/Diubah');
location.href='isi_barang.php';
</script>";
}
else {

```

```

$str_brg      =      "insert      into      m_barang      values
(null, ".$ord_id.", ".$brg_nama.", ".$brg_berat.");
$qry_brg = @mysql_query($str_brg);

//-----proses penentuan total biaya pengiriman-----//
if($qry_brg){
$berat = @mysql_result(@mysql_query("select SUM(BRG_BERAT)as berat from
m_barang where ORD_ID=".$ord_id.""),0,berat);
$jarak = @mysql_result(@mysql_query("select KOTA_JARAK from m_kota
a,m_penerima b,t_order kirim c where a.KOTA_ID=b.KOTA_ID and
b.PNR_ID=c.PNR_ID and c.ORD_ID=".$ord_id.""),0,KOTA_JARAK);
$cek_harga = @mysql_query("select * from m_harga order by
HRG_JARAK_AWAL");

while($dt_harga = @mysql_fetch_array($cek_harga){
$batas_bawah = $dt_harga[HRG_JARAK_AWAL];
$batas_atas = $dt_harga[HRG_JARAK_AKHIR];
$harga_satuan = $dt_harga[HRG_KG_PERTAMA];
$harga_lebih = $dt_harga[HRG_KG SELANJUTNYA];
$berat_standard = $dt_harga[HRG_KG_STANDARD];
if($jarak >= $batas_bawah && $jarak <= $batas_atas){
$harga_total = $berat * $harga_satuan;
break;
}
}
}
$sql_harga = @mysql_query("update t_order_kirim set
ORD_TOTAL_BIAYA=".$harga_total." where ORD_ID=".$ord_id.");
}
//-----//
echo "<meta http-equiv='refresh' content =
'0;URL=isi_barang.php?ord_id=".$_GET['ord_id'].">";
}
}
}
else if ($act=="edit"){
$url = ".$url."&act=edit&id=".$id.";
if ($_POST){
$ord_id=$_POST['ord_id'];
$brg_nama=$_POST['brg_nama'];
$brg_berat=$_POST['brg_berat'];

```

```

$cek_status_kirim          =          @mysql_result(@mysql_query("select
(DET_STATUS_KIRIM)from          t_detail_kirim          where
ORD_ID=".$ord_id."""),0,DET_STATUS_KIRIM);
if($cek_status_kirim=="1"){
echo "
<script language='javascript'>
alert('Maaf Order Kirim Sudah Tidak Bisa Ditambah/Diubah');
location.href='isi_barang.php';
</script>";
}
else {
$str_brg = "update m_barang set ORD_ID = ".$ord_id.", BRG_NAMA
= ".$brg_nama.", BRG_BERAT = ".$brg_berat." where BRG_ID=".$id.""";
//echo $str_brg;
$qry_brg = @mysql_query($str_brg);

//-----proses penentuan total biaya pengiriman-----//
if($qry_brg){
$berat = @mysql_result(@mysql_query("select SUM(BRG_BERAT)as berat from
m_barang where ORD_ID=".$ord_id."""),0,berat);
$jarak = @mysql_result(@mysql_query("select KOTA_JARAK from m_kota
a,m_penerima b,t_order_kirim c where a.KOTA_ID=b.KOTA_ID and
b.PNR_ID=c.PNR_ID and c.ORD_ID=".$ord_id."""),0,KOTA_JARAK);
$cek_harga = @mysql_query("select * from m_harga order by
HRG_JARAK_AWAL");

while($dt_harga = @mysql_fetch_array($cek_harga)){
$batas_bawah = $dt_harga['HRG_JARAK_AWAL'];
$batas_atas = $dt_harga['HRG_JARAK_AKHIR'];
$harga_satuan = $dt_harga['HRG_KG_PERTAMA'];
$harga_lebih = $dt_harga['HRG_KG_SELANJUTNYA'];
$berat_standard = $dt_harga['HRG_KG_STANDARD'];
if($jarak >= $batas_bawah && $jarak <= $batas_atas){
$harga_total = $berat * $harga_satuan;
break;
}
}
}
$sql_harga = @mysql_query("update t_order_kirim set
ORD_TOTAL_BIAYA=".$harga_total." where ORD_ID=".$ord_id.""");
}
//-----//
echo " <meta http-equiv='refresh' content =
'0;URL=isi_barang.php?ord_id=".$_GET['ord_id']."'>";

```

```

}
}
}
else if ($act=="hapus" && isset($id)){
$cek1 = "";
//$cek1 = "select count(*)as jum from t_order_kirim a,m_barang b where
a.ORD_ID=b.ORD_ID and a.ORD_ID = '". $id. "' ";
$t_detailkirim = @mysql_result(@mysql_query($cek1),0,jum);
if($t_detailkirim >= 1){
echo "
<script language=\"javascript\">
alert(\"Maaf Data Masih Digunakan.\");
location.href='isi_barang.php?act=add';
</script>";
}
else {
$strdel = "delete from m_barang where BRG_ID = '". $id. "' ";
$querydel = @mysql_query($strdel)or die("Penghapusan Gagal");
//-----proses penentuan total biaya pengiriman-----//
if($querydel){
$berat = @mysql_result(@mysql_query("select SUM(BRG_BERAT)as berat from
m_barang where ORD_ID='". $ord_id. "')",0,berat);
$jarak = @mysql_result(@mysql_query("select KOTA_JARAK from m_kota
a,m_penerima b,t_order_kirim c where a.KOTA_ID=b.KOTA_ID and
b.PNR_ID=c.PNR_ID and a.ORD_ID='". $ord_id. "'"),0,KOTA_JARAK);
$cek_harga = @mysql_query("select * from m_harga order by
HRG_JARAK_AWAL");

while($dt_harga = @mysql_fetch_array($cek_harga)){
$batas_bawah = $dt_harga['HRG_JARAK_AWAL'];
$batas_atas = $dt_harga['HRG_JARAK_AKHIR'];
$harga_satuan = $dt_harga['HRG_KG_PERTAMA'];
$harga_lebih = $dt_harga['HRG_KG SELANJUTNYA'];
$berat_standard = $dt_harga['HRG_KG_STANDARD'];
if($jarak >= $batas_bawah && $jarak <= $batas_atas){
$harga_total = $berat * $harga_satuan;
break;
}
}
}
$query_harga = @mysql_query("update t_order_kirim set
ORD_TOTAL_BIAYA='". $harga_total. "' where ORD_ID='". $ord_id. "'");
}
//-----//

```

```

}
echo          "<meta          http-equiv='refresh'          content          =
'0;URL=isi_barang.php?ord_id=".$$_GET['ord_id'].>";
}
?>

<table width="100%" valign="top" align="center" cellpadding="0" cellspacing="0"
border="0">
<tr>
<td background="images/tepi_kiri.jpg" height="32" width="14"></td>
<td          background="images/menu_explorer.jpg"          height="32"
width="550">&nbsp;&nbsp;&nbsp;<strong>Detail Barang </strong></td>
<td background="images/tepi_kanan.jpg" height="32" width="15"></td>
</tr>
<tr>
<td colspan="3">&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td colspan="3" style="padding-left:8px">
<b>Form Insert/Update Data Detail Barang</b>
<div class="garis_horiz">&nbsp;&nbsp;&nbsp;</div><br>
<?
echo '
<table width='98%' border='0' align='center'>
<form name='barang' method ='post' action='".$url.">
<tr>
<td width='20%'>Order Kirim *</td>
<td>:</td>
<td>
<input          type='text'          name='ord_id_view'          class='input'          size='5'
value="".$_GET['ord_id'].> disabled=
<input          type='hidden'          name='ord_id'          class='input'          size='5'
value="".$_GET['ord_id'].>
</td>
</tr>
<tr>
<td>Nama Barang *</td>
<td>:</td>
<td><input          type='text'          name='brg_nama'          class='input'
value="".$_GET['brg_nama'].>
</td>
</tr>
<tr>
<td>

```

```

<td width='20%'>Berat Barang *</td>
<td>:</td>
<td>
<input type='text' name='brg_berat' class='input'
value="$_GET['brg_berat'].>&nbsp;Kg
</td>
</tr>
<tr>
<td width='20%' colspan='3'>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>
<input type='submit' value='Proses' class='input' onClick='return
cek_input_barang()'><input type='reset' value='Reset' class='input'
onClick='\"location.href='isi_barang.php?ord_id=\"$_GET['ord_id'].\"&act='\">
</td>
<td>&nbsp;</td>
</tr>
</form>
<tr>
<td colspan='4'>&nbsp;</td>
</tr>
<tr>
<td colspan='4'>;
$str = "select distinct (ORD_ID) from m_barang where 1";
if ($_GET['ord_id']!=""){
$str .= " and ORD_ID = \"$_GET['ord_id']\"";
}
if ($_GET['brg_nama']!=""){
$str .= " and BRG_NAMA = \"$_GET['brg_nama']\"";
}
$str .= " order by ORD_ID asc, BRG_NAMA asc";
$p = new Pager;
$limit = 5;
$start = $p->findStart($limit);
$count = @mysql_num_rows(@mysql_query($str));
$pages = $p->findPages($count, $limit);
$result = @mysql_query($str." LIMIT ".$start.", ".$limit);

echo"

```



```

<table width='98%' border='0' align='center' cellpadding='0' cellspacing='1'
class='huruf'>
<tr height='32'>
<td background='images/menu_explorer.jpg' width='25'
align='center'><strong>No</strong></td>
<td background='images/menu_explorer.jpg' width='150'
align='center'><strong>Order Kirim</strong></td>
<td background='images/menu_explorer.jpg' width='120'
align='center'><strong>Nama Barang</strong></td>
<td background='images/menu_explorer.jpg' width='80'
align='center'><strong>Berat (Kg)</strong></td>
<td background='images/menu_explorer.jpg' width='50' colspan='2'
align='center'><strong>Action</strong></td>
</tr>;
$url.='&';
$no = $start + 1;
if($count <= 0){
echo "<tr<td colspan='6' class='data' align='center'><strong>Data
Kosong</strong></td></tr>";
}
else {
while($data=@mysql_fetch_array($result))
echo "
<tr>
<td class='garis_horiz' align='center' width='25'>". $no."</td>
<td class='garis_horiz' align='center' width='150'>
$str = "select * from m_barang a, t_order_kirim b, m_customer c, m_penerima d
where a.ORD_ID = b.ORD_ID and b.CUST_KODE=c.CUST_KODE and
b.PNR_ID=d.PNR_ID and a.ORD_ID='". $data['ORD_ID'] "'";
$str_kode = @mysql_query($str);
$dt_kode=@mysql_fetch_array($str_kode);
echo "
"". $dt_kode['ORD_ID']. "/" . $dt_kode['CUST_KODE']. "-"
. $dt_kode['CUST_NAMA']. "/" . $dt_kode['PNR_NAMA']. "</td>";
$urut=0;
$str_brg="select * from m_barang where ORD_ID = '". $data['ORD_ID']. "' order by
BRG_ID";
$barang = @mysql_query($str_brg);
$span = @mysql_num_rows($barang);
while($dt_barang=@mysql_fetch_array($barang)){
$nama[$urut]=$dt_barang['BRG_NAMA'];
$berat[$urut]=$dt_barang['BRG_BERAT'];
$kode[$urut]=$dt_barang['BRG_ID'];
$urut++;

```

```

}
echo "
<td class='garis_horiz' align='left' valign='top' width='100'><table width='100%'>";
for($i=0;$i<$span;$i++){
if($span!=1 && $i!=$span-1){
$garis="class='garis_horiz'";
}
else {
$garis="";
}
echo "<tr><td ".$garis." height='19'>".$nama[$i]."</td></tr>";
}
echo "
</table></td>
<td class='garis_horiz' align='left' valign='top' width='100'><table width='100%'>";
for($i=0;$i<$span;$i++){
if($span!=1 && $i!=$span-1){
$garis="class='garis_horiz'";
}
else {
$garis="";
}
echo "<tr><td ".$garis." align='right' height='19'>".$berat[$i]."</td></tr>";
}
echo "
</table></td>
<td class='garis_horiz' align='left' valign='top' width='25'><table width='100%'>";
for($i=0;$i<$span;$i++){
if($span!=1 && $i!=$span-1){
$garis="class='garis_horiz'";
}
else {
$garis="";
}
echo "
                <tr><td
                ".$garis."><a
href='isi_barang.php?act=edit&id=".$kode[$i]."&ord_id=".$data['ORD_ID']."&brg_n
ama=".$nama[$i]."&brg_berat=".$berat[$i]."'><img
                src='images/edit.png'
border='0' title='Update'></a></td></tr>";
}
echo "
</table></td>
<td class='garis_horiz' align='left' valign='top' width='25'><table width='100%'>";
for($i=0;$i<$span;$i++){

```



```

if($span!=1 && $i!=$span-1){
$garis="class='garis_horiz'";
}
else {
$garis="";
}
echo "<tr><td ". $garis."><a href='#'><img src='images/delete.png' border='0'
title='Delete'
OnClick
=
\"CheckDel('isi_barang.php?act=hapus&id=".$kode[$i]."&ord_id=".$_GET['ord_id'].
"')\"></a></td></tr>";
}
echo "
</table></td>
</tr>"
$no++;
}
}
echo "
<table>
<div align='right'>";
echo "Total : $count;";
if ($count > $limit){
$pageList = $p->pageList($_GET['page'], $pages, $url);
echo "| Halaman : ";
echo $pageList;
}
echo "
</div>
</td>
</tr>
</table>";
?>
</td>
</tr>
</table>
<center><input type='submit' name='tutup' value='Tutup' class='tutup'
onClick='javascript:window.close();'/></center>

```

10. Listing program form pengiriman barang :

```

<script language="javascript">
function cari(){
location.href = "?menu=transaksi&sub=pengiriman&act=? echo
$_GET['act'];?>&id=? echo $_GET['id'];?>&krm_tanggal=" +

```

```

document.pengiriman.krm_tanggal.value + "&kend_id=" +
document.pengiriman.kend_id.value + """;
}
</script>
<?
include "inc/calender.php";
$menu=$_GET['menu'];
$act = $_GET['act'];
$id = $_GET['id'];
$url = "menu=transaksi&sub=pengiriman";
$page = $_GET['page'];
if($page==""){$page=1;}
if ($page!=""){
    $hlm = "&page=".$page"";
}
$tahun = date('Y');

if ($act=="" || $act=="add"){
    $url = $url."&act=add";
    if($_POST){
        $krm_tgl=explode("-",$_POST[krm_tanggal]);
        $krm_tanggal=$krm_tgl[2]."-".$krm_tgl[1]."-".$krm_tgl[0];
        $kend_id=$_POST['kend_id'];

        $sada = @mysql_result(@mysql_query("SELECT count(*)as jum FROM t_detail_kirim
a,t_kirim b WHERE a.DET_STATUS_KIRIM=0' and a.KRM_ID=b.KRM_ID and
b.KEND_ID=':".$kend_id."'"),0,jum);
        if($sada >= 1){
            echo "
<script language=\"javascript\">
alert(\"Maaf Kendaraan/Sopir Masih digunakan.\");
location.href=?menu=transaksi&sub=pengiriman&act=add';
</script>";
        }
        else {
            $str_ord = "insert into t_kirim (KRM_ID,KEND_ID,KRM_TANGGAL)values
(null,:".$kend_id.",:".$krm_tanggal.)";
            //echo $str_ord;
            $qry_ord = @mysql_query($str_ord);
            echo " <meta http-equiv='refresh' content =
'1;URL=?menu=transaksi&sub=pengiriman'>";
        }
    }
}
}
}

```

```

}
else if ($act=="edit"){
$url = "".$url."&act=edit&id=".$id.""
if ($_POST){
$krm_tgl=explode("-",$_POST['krm_tanggal']);
$krm_tanggal=$krm_tgl[2]."-".$krm_tgl[1]."-".$krm_tgl[0];
$kend_id=$_POST['kend_id'];

$str_ord = "update t_kirim set KEND_ID =".$kend_id.", KRM_TANGGAL
=".$krm_tanggal." where KRM_ID =".$id.""
//echo $str_ord;
$qry_ord = @mysql_query($str_ord);
echo "<meta http-equiv='refresh' content =
'1;URL=?menu=transaksi&sub=pengiriman'>";
}
}
else if ($act=="hapus" && isset($id)){
$cek1 = "select count(*) as jum from t_pengeluaran where KRM_ID = ".$id." ";
$_detailkirim = @mysql_result(@mysql_query($cek1),0,jum);
if ($_detailkirim >= 1){
echo "
<script language='javascript'>
alert("Maaf Data Masih Digunakan.");
location.href=?menu=transaksi&sub=pengiriman&act=add";
</script>";
}
else {
$strdel = "delete from t_kirim where KRM_ID = ".$id.""
$qrydel = @mysql_query($strdel) or die("Penghapusan Gagal")

$strdel2 = "delete from t_detail_kirim where KRM_ID = ".$id.""
$qrydel2 = @mysql_query($strdel2) or die("Penghapusan Gagal");
}
echo "<meta http-equiv='refresh' content =
'1;URL=?menu=transaksi&sub=pengiriman'>";
}
?>

<table width="100%" valign="top" align="center" cellpadding="0" cellspacing="0"
border="0">
<tr>
<td background="images/tepi_kiri.jpg" height="32" width="14"></td>

```

```

<td background="images/menu_explorer.jpg" height="32"
width="550">&nbsp;&nbsp;&nbsp;<strong>Pengiriman Barang </strong></td>
<td background="images/tepi_kanan.jpg" height="32" width="15"></td>
</tr>
<tr>
<td colspan="3">&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td colspan="3" style="padding-left:8px">
<b>Form Insert/Update Data Pengiriman Barang</b>
<div class="garis_horiz">&nbsp;&nbsp;&nbsp;</div><br>
<?
echo "
<table width='94%' border='0' align='center'>
<form name='pengiriman' method='post' action=?" $url.">
<tr>
<td width=30%>Tanggal Kirim</td>
<td></td>
<td>
<input type="text" name="krm_tanggal" id="krm_tanggal" class="input"
size="12" maxlength="10" value="$_GET['krm_tanggal']"
onBlur="cari();"><a href="#" OnMouseOver="this.style.cursor='hand'"
onClick="setYears($tahun-2,$tahun+1);showCalendar(this,
'krm_tanggal');"></a>&nbsp;&nbsp;&DD-
MM-YYYY /
</td>
</tr>
<tr class=huruf bgcolor=#FFFFFF>
<td>Sopir/Kendaraan *</td>
<td></td>
<td>
<input type='text' name='kend_id' class='input' size='5' value="$_GET['kend_id']"
onFocus="cari();">&nbsp;&nbsp;&[<a href='pilihan_sopir.php?nm_form=pengiriman'
onClick = "NewWindow(this.href,'name','500','350','yes');return false;"
class='menu'> Pilih </a>]
</td>
</tr>";
/*
<tr>
<td width='20%'>Sopir/Kendaraan *</td>
<td></td>
<td>
<select name='kend_id' class='input'>

```

```

<option value="" selected>[ Pilih ]</option>";
$str_kend="select * from m_kendaraan a,m_sopir b where a.KEND_ID=b.KEND_ID
order by KEND_NOPOL";
$qry_kend=@mysql_query($str_kend);
while($data_kend=@mysql_fetch_array($qry_kend)){
echo          "<option          value="".$data_kend['KEND_ID'].""          ";
if($_GET['kend_id']==$data_kend['KEND_ID']){
echo "selected";
}
echo ">".$data_kend['KEND_NOPOL']."/".$data_kend['SPR_NAMA'].</option>";
}
echo "
</select>
</td>
</tr>
*/
echo
<td colspan='4'>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>
<input type='submit' value='Proses' class='input' onClick='return
cek_input_pengiriman()'><input type='reset' value='Reset' class='input'
onClick='\ location.href='?menu=transaksi&sub=pengiriman&act='\">
</td>
<td>&nbsp;</td>
</tr>
</form>
<tr>
<td colspan='4'>&nbsp;</td>
</tr>
<tr>
<td colspan='4'>";
$str = "select * from t_kirim a,m_kendaraan b,m_sopir c where a.KEND_ID =
b.KEND_ID and b.SPR_ID=c.SPR_ID";
if ($_GET['krm_tanggal'] != ""){
$krm_tgl=explode("-",$_GET['krm_tanggal']);
$krm_tanggal=$krm_tgl[2]."-".$krm_tgl[1]."-".$krm_tgl[0];
$str .= " and a.KRM_TANGGAL = '".$krm_tanggal.'";
}

```



```

if ($_GET['kend_id'] != ""){
$str := " and a.KEND_ID = '" . $_GET['kend_id'] . "'";
}
$str := " order by a.KRM_TANGGAL asc,b.KEND_NOPOL asc,c.SPR_NAMA asc";
$p = new Pager;
$limit = 5;
$start = $p->findStart($limit);
$count = @mysql_num_rows(@mysql_query($str));
$pages = $p->findPages($count, $limit);
$result = @mysql_query($str." LIMIT ".$start.", ".$limit);

echo"





```



```

<td class='garis_horiz' align='center' width='25'><a
href='detail_pengiriman.php?id=".$data['KRM_ID']."
onClick =
\"NewWindow(this.href,'name','650','450','yes');return false;\"
class='menu'><img
src='images/detail.png' border='0' title='Lihat Detail'></a></td>
<td class='garis_horiz' align='center' width='25'><a
href='isi_detail_pengiriman.php?id=".$data['KRM_ID']."
onClick =
\"NewWindow(this.href,'name','650','450','yes');return false;\"
class='menu'><img
src='images/add_detail.png' border='0' title='Tambah Detail'></a></td>
<td class='garis_horiz' align='center' width='25'><a
href='?menu=transaksi&sub=pengiriman&act=edit&id=".$data['KRM_ID']."&krm_tan
ggal=".$krm_tanggal."&kend_id=".$data['KEND_ID']."><img src='images/edit.png'
border='0' title='Update'></a></td>
<td class='garis_horiz' align='center' width='25'><a href='#'><img
src='images/delete.png' border='0' title='Delete'
OnClick =
\"CheckDel(?menu=transaksi&sub=pengiriman&act=hapus&id=".$data['KRM_ID']."
)\"></a>
</td>
<td class='garis_horiz' align='center' width='25'><a href='cetak_spj_perpengiriman.php?id=".$data['KRM_ID']."
target='_blank'><img
src='images/print.png' border='0' title='Cetak Surat Jalan'></a>
</td>
</tr>
$no++;
}
}
echo "
</table>
<div align='right'>;
echo "Total : " $count;
if ($count > $limit){
$pagelist = $p->pageList($ _GET['page'], $pages, $url);
echo " | Halaman : ";
echo $pagelist;
}
echo "
</div>
</td>
</tr>
</table>;
?>
</td>
</tr>
</table>

```



11. Listing program form pembayaran :

```

<script language="javascript">
function cari(){
location.href      =      "?menu=transaksi&sub=pembayaran&act=<?      echo
$_GET['act'];?>&id=<?      echo      $_GET['id'];?>&byr_tanggal="      +
document.pembayaran.byr_tanggal.value      +      "&ord_id="      +
document.pembayaran.ord_id.value      +      "&byr_jenis="      +
document.pembayaran.byr_jenis.value      +      "&byr_jumlah="      +
document.pembayaran.byr_jumlah.value + """;
}
</script>
<?
include "inc/calender.php";
$menu=$_GET['menu'];
$act=$_GET['act'];
$id=$_GET['id'];
$url = "menu=transaksi&sub=pembayaran";
$page = $_GET['page'];
if($page==""){ $page=1;}
if ($page!="")/
$hlm = "&page=".$page."";
}
$tahun = date("Y");

if ($act==" " || $act=="add"){
$url = $url."&act=add";
if($_POST){
$byr_tgl=explode("-" $ POST['byr_tanggal']);
$byr_tanggal=$byr_tgl[2] ."-". $byr_tgl[1]. " " $byr_tgl[0];

$cek = "";
$sada = @mysql_result(@mysql_query($cek),0,jum);
if($sada >= 1){
echo "
<script language=\"javascript\">
alert(\"Maaf Data Sudah Ada.\");
location.href='?menu=transaksi&sub=pembayaran&act=add';
</script>";
}
else {

```

```

$str = "insert into t_pembayaran values
(null, '$_POST['ord_id'].',', '$byr_tanggal.',', '$_POST['byr_jumlah'].',', '$_POST['b
yr_jenis'].')";
$qry = @mysql_query($str);
if($qry){
$total_biaya = @mysql_result(@mysql_query("select ORD_TOTAL_BIAYA from
t_order_kirim where ORD_ID = '$_POST['ord_id'].'",0,ORD_TOTAL_BIAYA);
$total_terbayar = @mysql_result(@mysql_query("select SUM(BYR_JUMLAH)as
total from t_pembayaran where ORD_ID = '$_POST['ord_id'].'",0,total);
if($total_terbayar>=$total_biaya){
$qry_upd = @mysql_query("update t_order_kirim set ORD_STATUS_BAYAR='1'
where ORD_ID = '$_POST['ord_id'].'",);
}
else {
$qry_upd = @mysql_query("update t_order_kirim set ORD_STATUS_BAYAR='0'
where ORD_ID = '$_POST['ord_id'].'",);
}
echo "<meta http-equiv='refresh' content='1;URL=?menu=transaksi&sub=pembayaran'>";
}
}
}
else if ($act=="edit"){
$url = "$url."&act=edit&id="$id."";
if ($_POST){
$byr_tgl=explode("-",$_POST['byr_tanggal']);
$byr_tanggal=$byr_tgl[2]."/".$_POST['byr_tgl[1]"/".$_POST['byr_tgl[0];

$str = "update t_pembayaran set ORD_ID = '$_POST['ord_id'].', BYR_TANGGAL
='$_POST['byr_tanggal].', BYR_JUMLAH = '$_POST['byr_jumlah].', BYR_JENIS
='$_POST['byr_jenis].' where BYR_ID = '$id.'";
$qry = @mysql_query($str);
if($qry){
$total_biaya = @mysql_result(@mysql_query("select ORD_TOTAL_BIAYA from
t_order_kirim where ORD_ID = '$_POST['ord_id'].'",0,ORD_TOTAL_BIAYA);
$total_terbayar = @mysql_result(@mysql_query("select SUM(BYR_JUMLAH)as
total from t_pembayaran where ORD_ID = '$_POST['ord_id'].'",0,total);
if($total_terbayar>=$total_biaya){
$qry_upd = @mysql_query("update t_order_kirim set ORD_STATUS_BAYAR='1'
where ORD_ID = '$_POST['ord_id'].'",);
}
else {

```

```

$qry_upd = @mysql_query("update t_order_kirim set ORD_STATUS_BAYAR='0'
where ORD_ID='".$$_POST['ord_id']."'");
}
}
echo      "<meta      http-equiv='refresh'      content      =
'1;URL=?menu=transaksi&sub=pembayaran'>";
}
}
else if ($act=="hapus" && isset($id)){
$str = "delete from t_pembayaran where BYR_ID = '".$id."'";
$qry = @mysql_query($str) or die("Penghapusan Gagal");
if($qry){
$total_biaya = @mysql_result(@mysql_query("select ORD_TOTAL_BIAYA from
t_order_kirim where ORD_ID='".$$_GET['ord_id']."'"),0,ORD_TOTAL_BIAYA);
$total_terbayar = @mysql_result(@mysql_query("select SUM(BYR_JUMLAH)as
total from t_pembayaran where ORD_ID='".$$_GET['ord_id']."'"),0,total);
if($total_terbayar==$total_biaya){
$qry_upd = @mysql_query("update t_order_kirim set ORD_STATUS_BAYAR='1'
where ORD_ID='".$$_GET['ord_id']."'");
}
else {
$qry_upd = @mysql_query("update t_order_kirim set ORD_STATUS_BAYAR='0'
where ORD_ID='".$$_GET['ord_id']."'");
}
}
echo      "<meta      http-equiv='refresh'      content      =
'1;URL=?menu=transaksi&sub=pembayaran'>";
}
?>

<table width="100%" valign="top" align="center" cellpadding="0" cellspacing="0"
border="0">
<tr>
<td background="images/tepi_kiri.jpg" height="32" width="14"></td>
<td      background="images/menu_explorer.jpg"      height="32"
width="550">&nbsp;&nbsp;&nbsp;<strong>Pembayaran Order Kirim</strong></td>
<td background="images/tepi_kanan.jpg" height="32" width="15"></td>
</tr>
<tr>
<td colspan="3">&nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
<td colspan="3" style="padding-left:8px">

```

```

<b>Form Insert/Update Data Pembayaran Order Kirim</b>
<div class="garis_horiz">&nbsp;</div><br>
<?
echo "
<table width='94%' border='0' align='center'>
<form name='pembayaran' method='post' action='?'.$url.'">
<tr>
<td width='20%'>Order Kirim *</td>
<td></td>
<td>
<input type='text' name='ord_id' class='input' size='5' value='".$_GET['ord_id']."'
onFocus="cari();">&nbsp;<a
href='pilihan_order_kirim.php?nm_form=pembayaran' onClick =
\ "NewWindow(this.href,'name' '650x450','yes');return false;" class='menu'> Pilih
Order </a>]
</td>
</tr>
<tr>
<td width='20%'>Jenis Bayar *</td>
<td></td>
<td>
<select name='byr_jenis' class='input' onChange="cari();" >
$js_byr['1'] = "Non Denda";
$js_byr['2'] = "Denda";
foreach($js_byr as $var_jns => $val_jns)
echo "<option value='".$var_jns."'";
if($var_jns==$_GET['byr_jenis']){
echo " selected";
}
echo ">".$val_jns."</option>";
}
echo "
</select>
</td>
</tr>
<tr>
<td width='30%'>Tanggal Bayar *</td>
<td></td>
<td>
<input type="text" name="byr_tanggal" id="byr_tanggal" class="input"
size="12" maxlength="10" value="".$_GET['byr_tanggal']."'
onFocus="cari();"><a OnMouseOver = \ "style.cursor='hand\'

```

```

onClick="\setYears($tahun-2, $tahun+1); showCalender(this, 'byr_tanggal');\"><img
src=\"images/calender.png\" border=\"0\"></a>&nbsp;DD-MM-YYYY *
</td>
</tr>
<tr>
<td width='20%'>Jumlah Bayar *</td>
<td>:</td>
<td>
<input type='text' name='byr_jumlah' class='input' value='\".$_GET['byr_jumlah'].\">
</td>
</tr>
<tr>
<td colspan='4'>&nbsp;</td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>
<input type='submit' value='Proses' class='input' onClick='return
cek_input_pembayaran()'><input type='reset' value='Reset' class='input'
onClick=\"location.href=?menu=transaksi&sub=pembayaran&act= \">
</td>
<td>&nbsp;</td>
</tr>
</form>
<tr>
<td colspan='4'>&nbsp;</td>
</tr>
<tr>
<td colspan='4'>
$str = "select distinct (a.ORD_ID) from t_pembayaran a where 1";
if ($_GET['byr_tanggal'] != ""){
$byr_tgl=explode("-",$_GET['byr_tanggal']);
$byr_tanggal=$byr_tgl[2]."-".$byr_tgl[1]."-".$byr_tgl[0];
$str .= " and a.BYR_TANGGAL = \".$byr_tanggal.\"";
}
if ($_GET['ord_id'] != ""){
$str .= " and a.ORD_ID = \".$_GET['ord_id'].\"";
}
if ($_GET['byr_jenis'] != ""){
$str .= " and a.BYR_JENIS = \".$_GET['byr_jenis'].\"";
}
$str .= " order by a.ORD_ID asc,a.BYR_TANGGAL asc";

```



```

$P = new Pager;
$limit = 5;
$start = $P->findStart($limit);
$count = @mysql_num_rows(@mysql_query($str));
$pages = $P->findPages($count, $limit);
$result = @mysql_query($str." LIMIT ".$start.", ".$limit);

echo"
<table width='100%' border='0' align='center' cellpadding='0' cellspacing='1'
class='huruf'>
<tr height='32'>
<td background='images/menu_explorer.jpg' width='25'
align='center'><strong>No.</strong></td>
<td background='images/menu_explorer.jpg' width='100'
align='center'><strong>Order Kirim</strong></td>
<td background='images/menu_explorer.jpg' width='75' align='center'><strong>Tgl
Bayar</strong></td>
<td background='images/menu_explorer.jpg' width='100'
align='center'><strong>Jumlah Bayar</strong></td>
<td background='images/menu_explorer.jpg' width='50'
align='center'><strong>Jenis</strong></td>
<td background='images/menu_explorer.jpg' width='50' colspan='3'
align='center'><strong>Action</strong></td>
</tr>";
$url = "&";
$no = $start + 1;
if($count <= 0){
echo <tr><td ★ colspan='9' class='data' align='center'><strong>Data
Kosong</strong></td></tr>";
}
else {
while($data=@mysql_fetch_array($result)){
echo "
<tr>
<td class='garis_horiz' align='center' width='25'>".$no."</td>
<td class='garis_horiz' align='center' width='100'>";
$str = "select * from t_pembayaran a,t_order_kirim b,m_customer c,m_penerima d
where a.ORD_ID = b.ORD_ID and b.CUST_KODE=c.CUST_KODE and
b.PNR_ID=d.PNR_ID and a.ORD_ID='".$data['ORD_ID']."'";
$str_kode = @mysql_query($str);
$dt_kode=@mysql_fetch_array($str_kode);
echo "<a href='detail_orderkirim.php?id='".$dt_kode['ORD_ID']."' onClick =
\"NewWindow(this.href,'name','500','350','yes');return false;\"";

```

```

class='menu'>".$dt_kode['ORD_ID']."/".$dt_kode['CUST_KODE']."-
".$dt_kode['CUST_NAMA']."/".$dt_kode['PNR_NAMA']."</a></td>";

$urut=0;
$str_byr="select * from t_pembayaran where ORD_ID = '". $data['ORD_ID']."' order
by BYR_ID";
$bayar = @mysql_query($str_byr);
$span = @mysql_num_rows($bayar);
while($dt_bayar=@mysql_fetch_array($bayar)){
$byr_tgl=explode("-", $dt_bayar['BYR_TANGGAL']);
$byr_tanggal=$byr_tgl[2]."-".$byr_tgl[1]."-".$byr_tgl[0];
$tanggal[$urut]=$byr_tanggal;
$jenis[$urut]=$dt_bayar['BYR_JENIS'];
$jumlah[$urut]=$dt_bayar['BYR_JUMLAH'];
$kode[$urut]=$dt_bayar['BYR_ID'];
$urut++;
}
echo "
<td class='garis_horiz' align='center' valign='top' width='100'><table
width='100%'>;
for($i=0;$i<$span;$i++){
if($span!=1 && $i=$span-1){
$garis="class='garis_horiz'";
}
else {
$garis="";
}
echo "<tr><td ".$garis." height='19' align='center'>". $tanggal[$i]."</td></tr>";
}
echo "
</table></td>
<td class='garis_horiz' align='right' valign='top' width='100'><table width='100%'>;
for($i=0;$i<$span;$i++){
if($span!=1 && $i=$span-1){
$garis="class='garis_horiz'";
}
else {
$garis="";
}
echo "
<tr><td
". $garis."
align='right'
height='19'>.cetakuang($jumlah[$i])."</td></tr>";
}
echo "

```




```

</table></td>
<td class='garis_horiz' align='center' valign='top' width='100'><table
width='100%'>";
for($i=0;$i<$span;$i++){
if($span!=1 && $i!=$span-1){
$garis="class='garis_horiz'";
}
else {
$garis="";
}
if($jenis[$i]=="1"){
$jenis_bayar="Non Denda";
}
else {
$jenis_bayar="Denda";
}
echo "<tr><td". $garis." align='center' height='19'>". $jenis_bayar."</td></tr>";
}
echo "
</table></td>
<td class='garis_horiz' align='left' valign='top' width='25'><table width='100%'>";
for($i=0;$i<$span;$i++){
if($span!=1 && $i!=$span-1){
$garis="class='garis_horiz'";
}
else {
$garis="";
}
echo "
" <tr><td " $garis."><a
href='cetak_nota.php?id=".$kode[$i]. "&ord_id=".$data['ORD_ID']."'
target='_blank'><img src='images/print.png' border='0' title='Cetak Nota
Bayar'></a></td></tr>";
}
echo "
</table></td>
<td class='garis_horiz' align='left' valign='top' width='25'><table width='100%'>";
for($i=0;$i<$span;$i++){
if($span!=1 && $i!=$span-1){
$garis="class='garis_horiz'";
}
else {
$garis="";
}
}

```



```

echo "                "<tr><td "                ".$garis."><a
href='?menu=transaksi&sub=pembayaran&act=edit&id=".$kode[$i]."&byr_tanggal
=".$tanggal[$i]."&ord_id=".$data['ORD_ID']."&byr_jumlah=".$jumlah[$i]."&byr_jeni
s=".$jenis[$i]."'><img                src='images/edit.png'                border='0'
title='Update'></a></td></tr>";
}
echo "
</table></td>
<td class='garis_horiz' align='left' valign='top' width='25'><table width='100%'>";
for($i=0;$i<$span;$i++){
if($span!=1 && $i!=$span-1){
$garis="class='garis_horiz'";
}
else {
$garis="";
}
echo "<tr><td " ".$garis."><a href='#'><img src='images/delete.png' border='0'
title='Delete'                OnClick                =
\"CheckDel('?menu=transaksi&sub=pembayaran&act=hapus&id=".$kode[$i]."&ord
_id=".$data['ORD_ID'].")\"></a></td></tr>";
}
echo "
</table></td>
</tr>";
$no++;
echo "
</table>
<div align='right'>";
echo "Total: ".$count;
if ($count > $limit){
$pagelist = $p->pageList($_GET['page'], $pages, $url);
echo " | Halaman: ";
echo $pagelist;
}
echo "
</div>
</td>
</tr>
</table>";
?>
</td>
</tr>
</table>

```



LAMPIRAN
LAMPIRAN LISTING PROGRAM

