

LAMPIRAN CODE PROGRAM

sourcecode login admin

```
<div class="login-box">
  <div class="login-logo">
    <a href="<?= base_url() ?>">E-COMMERCE <b>PT. IME</b></a>
  </div>
  <!-- /.login-logo -->
  <div class="card">
    <div class="card-body login-card-body">
      <p class="login-box-msg">Silakan LOGIN</p>
      <?php
        echo validation_errors(' <div class="alert alert-warning
alert-dismissible">
          <button type="button" class="close" data-dismiss="alert"
aria-hidden="true">&times;</button>
          <h5><i class="icon fas fa-exclamation-
triangle"></i>error!!</h5>', '</div>');

        if ($this->session->flashdata('error')
        ) {
          echo '<div class="alert alert-danger alert-dismissible">
          <button type="button" class="close" data-dismiss="alert"
aria-hidden="true">&times;</button>
          <h5><i class="icon fas fa-ban"></i>error!!</h5>';
          echo $this->session->flashdata('error');
          echo '</div>';
        }
        if ($this->session->flashdata('pesan')
        ) {
          echo '<div class="alert alert-success alert-dismissible">
          <button type="button" class="close" data-dismiss="alert"
aria-hidden="true">&times;</button>
          <h5><i class="icon fas fa-check"></i> Success</h5>';
          echo $this->session->flashdata('pesan');
          echo '</div>';
        }
        echo form_open('auth/login_user')
      ?>
```

```

<input type="text" name="username" class="form-control"
placeholder="Username">
    <div class="input-group-append">
        <div class="input-group-text">
            <span class="fas fa-envelope"></span>
        </div>
    </div>
</div>
<div class="input-group mb-3">
    <input type="password" name="password" id="password"
class="form-control" placeholder="Password">
    <div class="input-group-append">
        <div class="input-group-text">
            <span class="fas fa-lock"></span>
        </div>
    </div>
</div>
<div class="group mb-3">
    <input type="checkbox" onclick="Functionpassword()" >Show
Password
    <span class="fas fa-lock-open"></span>
</div>
<div class="row">
    <div class="col-6">
        <a href="<?= base_url('home') ?>" class="btn btn-success
btn-block">Website</a>
    </div>
    <!-- /.col -->
    <div class="col-6">
        <button type="submit" class="btn btn-primary btn-
block">LOGIN</button>
    </div>
    <!-- /.col -->
</div>
<?php echo form_close() ?>
</div>
</div>
</div>

<script>
function Functionpassword() {
    var x = document.getElementById("password");
    if (x.type === "password") {
        x.type = "text";
    } else {
        x.type = "password";
    }
}
</script>

```

Soucercode login pelanggan

```

<?php
    echo validation_errors(' <div class="alert alert-warning alert-dismissible">
    <button type="button" class="close" data-dismiss="alert" aria-
hidden="true">&times;</button>
    <h5><i class="icon fas fa-exclamation-triangle"></i>error!!</h5>','</div>');
    if ($this->session->flashdata('pesan')) {
        echo '<div class="alert alert-success alert-dismissible">
        <button type="button" class="close" data-dismiss="alert" aria-
hidden="true">&times;</button>';
        echo $this->session->flashdata('pesan');
        echo '</div>'; }
    if ($this->session->flashdata('error')) {
        echo '<div class="alert alert-danger alert-dismissible">
        <button type="button" class="close" data-dismiss="alert" aria-
hidden="true">&times;</button>';
        echo $this->session->flashdata('error');
    }
    echo form_open('pelanggan/login'); ?>
    <div class="input-group mb-3">
    <input type="email" name="email" value="<?= set_value('email') ?>"
class="form-control" placeholder="email" >
    <div class="input-group-append" >
    <div class="input-group-text">
    <span class="fas fa-mail"></span>
    </div>
    </div>
    </div>
    <div class="input-group mb-3">
    <input type="password" id="password" name="password" class="form-control"
placeholder="Password">
    <div class="input-group-append" >
    <div class="input-group-text">
    <span class="fas fa-lock"></span>
    </div>
    </div>
    </div>
    <div class="group mb-3">
    <input type="checkbox" onclick="Functionpassword()" >Show Password

```

```

<span class="fas fa-lock-open"></span>
  </div>
  <div class="row">
    <div class="col-8">
      </div>
      <div class="col-4">
        <button type="submit" class="btn btn-primary btn-block">Login</button>
      </div>
    </div>
    <?php echo form_close() ?>

    <a href="<?= base_url('pelanggan/register') ?>" class="text-center">Belum Punya
    Akun</a>
  </div>
</div>
</div>
</div>
</div>
<div class="col-sm-4"></div>
</div>
<script>
function Functionpassword() {
  var x = document.getElementById("password");
  if (x.type === "password") {
    x.type = "text";
  } else {
    x.type = "password";
  }
}
</script>

```

Sourcode resgistrasi pelanggan

```

<div class="register-box">
  <div class="card">
    <div class="card-body register-card-body">
      <p class="login-box-msg">Register Pelanggan Baru</p>
      <?php
      echo validation_errors(' <div class="alert alert-warning alert-dismissible">

```

```

<button type="button" class="close" data-dismiss="alert" aria-
hidden="true">&times;</button>

<h5><i class="icon fas fa-exclamation-triangle"></i>error!!</h5>','</div>');
if ($this->session->flashdata('pesan')) {
    echo '<div class="alert alert-danger alert-dismissible">
        <button type="button" class="close" data-dismiss="alert" aria-
hidden="true">&times;</button>
        <h5><i class="icon fas fa-check"></i> Success</h5>';
        echo $this->session->flashdata('pesan');
        echo '</div>'; }
echo form_open('pelanggan/register'); ?>
<div class="input-group mb-3">
    <input type="text" name="nama_pelanggan" value="<?=
set_value('nama_pelanggan') ?>" class="form-control" placeholder="Nama
Lengkap">
    <div class="input-group-append">
        <div class="input-group-text">
            <span class="fas fa-user"></span>
        </div>
    </div>
</div>
<div class="input-group mb-3">
    <input type="email" name="email" value="<?= set_value('email') ?> "
class="form-control" placeholder="Email">
    <div class="input-group-append">
        <div class="input-group-text">
            <span class="fas fa-at"></span>
        </div>
    </div>
</div>

```

```

</div>
  <div class="input-group mb-3">
    <input type="password" name="password" id="password-field1"
class="form-control" placeholder="Password">
    <div class="input-group-append" >
      <div class="input-group-text">
        <span toggle="#password-field1" class="fa fa-fw fa-eye field-icon
toggle-password"></span>
      </div>
    </div>
  </div>
</div>
  <div class="input-group mb-3">
    <input type="password" name="ulangi_password" id="password-field"
class="form-control" placeholder="Retype password">
    <div class="input-group-append">
      <div class="input-group-text">
        <span toggle="#password-field" class="fa fa-fw fa-eye field-icon
toggle-password"></span>
      </div>
    </div>
  </div>
</div>
<div class="row">
  <div class="col-8">
  </div>
  <div class="col-4">
    <button type="submit" class="btn btn-primary btn-
block">Register</button>
  </div>
</div>
<?php echo form_close() ?>
  <a href="<?= base_url('pelanggan/login') ?>" class="text-center">Saya
Sudah Punya Akun !!</a>
  </div>
</div>
</div>
</div>
<div class="col-sm-4"></div>
</div>

```

Source code tampilan dashboard pelanggan

```

<div id="carouselExampleIndicators" class="carousel slide" data-ride="carousel">
  <ol class="carousel-indicators">
    <li data-target="#carouselExampleIndicators" data-slide-to="0"
class="active"></li>
    <li data-target="#carouselExampleIndicators" data-slide-to="1"></li>
    <li data-target="#carouselExampleIndicators" data-slide-to="2"></li>
    <li data-target="#carouselExampleIndicators" data-slide-to="3"></li>
  </ol>
  <div class="carousel-inner">
    <div class="carousel-item active">
      
    </div>
    <div class="carousel-item">
      
    </div>
    <div class="carousel-item">
      
    </div>
    <div class="carousel-item">
      
    </div>
  </div>
  <a class="carousel-control-prev" href="#carouselExampleIndicators"
role="button" data-slide="prev">
    <span class="carousel-control-prev-icon" aria-hidden="true"></span>
    <span class="sr-only">Previous</span></a>
  <a class="carousel-control-next" href="#carouselExampleIndicators"
role="button" data-slide="next">
    <span class="carousel-control-next-icon" aria-hidden="true"></span>
    <span class="sr-only">Next</span>
  </a></div>
<section>
  <div class="card card-solid">
    <div class="card-body pb-0">
      <div class="row d-flex align-items-stretch">
        <?php foreach ($produk as $key => $value) { ?>
          <div class="col-12 col-sm-6 col-md-4 d-flex align-items-stretch">

```

```

<?php
    echo form_open('belanja/add');
    echo form_hidden('id',$value->id_produk);
    echo form_hidden('qty',1);
    echo form_hidden('price',$value->harga);
    echo form_hidden('name',$value->nama_produk);
    echo form_hidden('redirect_page',str_replace('index.php/',"current_url()));?>
    <div class="card bg-light ">
        <div class="card-header text-muted border-bottom-0">
            <h2 class="lead"><h4><b><?=$value->nama_produk ?></b></h4></h2>
            <p class="text-muted text-sm"><b>kategori : </b><?=$value-
>nama_kategori ?></p>
        </div>
        <div class="card-body pt-0">
            <div class="row">
                <div class="col-12 text-center">
                    
                </div>
            </div>
            <div class="card-footer">
                <div class="row">
                    <div class="col-4">
                        <div class="text-left">
                            <span class="badge bg-primary"><h5>Rp. <?=$number_format( $value-
>harga,0) ?></h5></span>
                        </div>
                    </div>
                    <div class="col-8">
                        <div class="text-right">
                            <a href="<?=$base_url('home/detail_produk/'. $value->id_produk) ?>"
class="btn btn-sm btn-primary">
                                <i class="fas fa-eye"> Detail</i>
                            </a><button type="submit" class="btn btn-sm btn-success
swalDefaultSuccess"><i class="fas fa-cart-plus"> add</i></button>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
<?php echo
    form_close(); ?>

```

```

</div>

<?php } ?>

</div>
</div>
</div>
</section>
<script src="<?= base_url()
?>template/plugins/sweetalert2/sweetalert2.min.js"></script>
<script type="text/javascript">
$(function() {
  const Toast = Swal.mixin({
    toast: true,
    position: 'top-end',
    showConfirmButton: false,
    timer: 3000
  });

  $('.swalDefaultSuccess').click(function() {
    Toast.fire({
      icon: 'success',
      title: ' Barang Berhasil Ditambahkan Ke Keranjang'
    })
  });
});
</script>

```

Source code halaman dashboard admin

```

<div class="col-lg-3 col-6">
  <div class="small-box bg-danger">
    <div class="inner">
      <h3><?= $total_kategori ?></h3>
      <p>Kategori</p>
    </div>
    <div class="icon">
      <i class="fas fa-list"></i>
    </div>

```

```

<a href="<?= base_url('kategori') ?>" class="small-box-footer">More info <i
class="fas fa-arrow-circle-right"></i></a>
    </div>
</div>
<div class="col-lg-3 col-6">
    <div class="small-box bg-success">
        <div class="inner">
            <h3><?= $total_produk ?></h3>
            <p>Produk</p>
        </div>
        <div class="icon">
            <i class="fas fa-cubes"></i>
        </div>
        <a href="<?= base_url('produk') ?>" class="small-box-footer">More info <i
class="fas fa-arrow-circle-right"></i></a>
    </div>
</div>
<div class="col-lg-3 col-6">
    <div class="small-box bg-warning">
        <div class="inner">
            <h3><?= $total_pelanggan ?></h3>
            <p>Pelanggan</p>
        </div>
        <div class="icon">
            <i class="fas fa-users"></i>
        </div>
        <a href="<?= base_url('pelanggan_management') ?>" class="small-box-
footer">More info <i class="fas fa-arrow-circle-right"></i></a>
    </div>
</div>
<div class="col-lg-3 col-6">
    <div class="small-box bg-primary">
        <div class="inner">
            <h3><?= $total_user ?></h3>
            <p>user</p>
        </div>
        <div class="icon">
            <i class="fas fa-user"></i>
        </div>
        <a href="<?= base_url('user') ?>" class="small-box-footer">More info <i
class="fas fa-arrow-circle-right"></i></a>
    </div>

```

```

</div>
<div class="col-lg-3 col-6">
  <!-- small box -->
  <div class="small-box bg-indigo color-palett">
    <div class="inner">
      <h3><?= $total_gambar ?></h3>
      <p>Gambar Produk</p>
    </div>
    <div class="icon"><i class="fas fa-images"></i>
    </div>
    <a href="<?= base_url('gambarproduk') ?>" class="small-box-footer">More
info <i class="fas fa-arrow-circle-right"></i></a>
  </div>
</div> <br>
<div class="col-md-9">
  <div class="small-box bg-primary">
  <div class="card-header">
    <h3 class="card-title">Note Pesanan Masuk</h3>
  </div>
  <table class="table table-bordered">
    <tr>
      <th>No Order</th>
      <th>Tanggal</th>
      <th>Total Bayar</th>
    </tr>
    <?php foreach (array_slice($pesanan , 0, 2) as $key => $value) {?>
      <tr>
        <td><b><?= $value->no_order ?></b></td>
        <td><b><?= $value->tgl_order ?></b></td>
        <td>
          <b>Rp. <?= number_format( $value->total_bayar,0) ?></b><br>
          <?php if ($value->status_bayar==0) { ?>
            <span class="badge badge-warning">Belum Bayar</span>
          <?php } else {?>
            <span class="badge badge-success">Sudah Bayar</span><br>
            <span class="badge badge-primary">Menunggu Verikasi </span>
          <?php } ?>
        </td>
      </tr>
    <?php } ?>
  </table>
</div>
</div>

```

Source code halaman detail produk

```

<div class="col-lg-3 col-6">
  <!-- small box -->
  <div class="small-box bg-danger">
    <div class="inner">
      <h3><?= $total_kategori ?></h3>
      <p>Kategori</p>
    </div>
    <div class="icon">
      <i class="fas fa-list"></i>
    </div>
    <a href="<?= base_url('kategori') ?>" class="small-box-footer">More info <i
class="fas fa-arrow-circle-right"></i></a>
  </div>
</div>
<div class="col-lg-3 col-6">
  <!-- small box -->
  <div class="small-box bg-success">
    <div class="inner">
      <h3><?= $total_produk ?></h3>
      <p>Produk</p>
    </div>
    <div class="icon">
      <i class="fas fa-cubes"></i>
    </div>
    <a href="<?= base_url('produk') ?>" class="small-box-footer">More info <i
class="fas fa-arrow-circle-right"></i></a>
  </div>
</div>
<div class="col-lg-3 col-6">
  <!-- small box -->
  <div class="small-box bg-warning">
    <div class="inner">
      <h3><?= $total_pelanggan ?></h3>
      <p>Pelanggan</p>
    </div>
    <div class="icon">
      <i class="fas fa-users"></i>

```

```

</div><a href="<? = base_url('pelanggan_management') ?>" class="small-box-
footer">More info <i class="fas fa-arrow-circle-right"></i></a>
  </div>
</div>
<div class="col-lg-3 col-6">
  <!-- small box -->
  <div class="small-box bg-primary">
    <div class="inner">
      <h3><? = $total_user ?></h3>
      <p>user</p>
    </div>
    <div class="icon">
      <i class="fas fa-user"></i>
    </div>
    <a href="<? = base_url('user') ?>" class="small-box-footer">More info <i
class="fas fa-arrow-circle-right"></i></a>
  </div>
</div>
<div class="col-lg-3 col-6">
  <!-- small box -->
  <div class="small-box bg-indigo color-palett">
    <div class="inner">
      <h3><? = $total_gambar ?></h3>
      <p>Gambar Produk</p>
    </div>
    <div class="icon">
      <i class="fas fa-images"></i>
    </div>
    <a href="<? = base_url('gambarproduk') ?>" class="small-box-footer">More
info <i class="fas fa-arrow-circle-right"></i></a>
  </div>
</div> <br>
<div class="col-md-9">
<div class="small-box bg-primary">
<div class="card-header"><h3 class="card-title">Note Pesanan Masuk</h3>
</div><table class="table table-bordered">
  <tr><th>No Order</th>
  <th>Tanggal</th>
  <th>Total Bayar</th>
</tr>
<?php foreach (array_slice($pesanan , 0, 2) as $key => $value) {?>
  <tr>
    <td><b><? = $value->no_order ?></b></td>
    <td><b><? = $value->tgl_order ?></b></td>
    <td>
      <b>Rp. <? = number_format( $value->total_bayar,0) ?></b><br>

```

```

        <?php if ($value->status_bayar==0) { ?>
            <span class="badge badge-warning">Belum Bayar</span>
        <?php } else {?>
            <span class="badge badge-success">Sudah Bayar</span><br>
            <span class="badge badge-primary">Menunggu Verikasi </span>
        <?php } ?>
    </td>
</tr>
<?php } ?>
</table>
</div>
</div>

```

Source code halaman keranjang belanja

```

<div class="col-sm-12 ">
    <?php echo form_open('belanja/update'); ?>
<table class="table" cellpadding="6" cellspacing="1" style="width:100%">
<tr>
    <th width="100 px">QTY</th>
    <th>nama produk</th>
    <th style="text-align:center">harga produk</th>
    <th style="text-align:center">Sub-Total</th>
    <th style="text-align:center">Berat</th>
    <th class="text-center">Action</th>
</tr>
<?php $i = 1; ?>
<?php
$total_berat = 0;
foreach ($this->cart->contents() as $items){
    $produk = $this->m_home->detail_produk($items['id']);
    $berat = $items['qty'] * $produk->berat;
    $total_berat = $total_berat + $berat;
    ?>
    <tr>
        <td>
            <?php
            echo form_input(array('name' => $i.'[qty]',
                'value' => $items['qty'],
                'maxlength' => '3',
                'min'=> '0',

```

```

'size' => '5',
    'type'=>'number',
    'class'=>'form-control'));?>
</td>
<td><?php echo $items['name']; ?>
</td>
<td style="text-align:center">Rp. <?php echo $this->cart-
>format_number($items['price']); ?></td>
<td style="text-align:center">Rp. <?php echo $this->cart-
>format_number($items['subtotal']); ?></td>
<td class="text-center"><?=$berat ?> Gram</td>
<td class="text-center">
    <a href="<?=$base_url('belanja/delete/'. $items['rowid']) ?>"class="btn
btn-danger btn-sm"><i class="fa fa-trash"></i></a>
</td>
</tr>
<?php $i++; ?>
<?php } ?>
<tr>
<td class="center"><strong><h3>Total :</strong></h3></td>
<td class="center"><strong><h3>Rp. <?php echo $this->cart-
>format_number($this->cart->total()); ?></h3></strong></td>
<th>Total Berat : <?=$total_berat ?> Gram </th>
</tr>
</table>
<button type="submit" class="btn btn-primary btn-flat"><i class="fa fa-save">
</i> Update Keranjang</button>
<a href="<?=$base_url('belanja/clear') ?>" class="btn btn-danger btn-flat"><i
class="fas fa-sync-alt"> </i> Hapus semua Keranjang</a>
<a href="<?=$base_url('belanja/cekout') ?>" class="btn btn-success btn-flat"><i
class="fa fa-cash-register"> </i> Check Out</a>
<?php
echo form_close();
?>
</div>
</div>

```

Source code halaman cekout pesanan

```

<div class="row">
  <div class="col-12 table-responsive">
    <table class="table table-striped">
      <thead>
        <tr>
          <th>Qty</th>
          <th>Product</th>
          <th>Harga </th>
          <th>Berat</th>
          <th>Total Harga</th>
        </tr>
      </thead>
      <tbody>
        <?php $i = 1; ?>
        <?php
        $total_berat = 0;
        foreach ($this->cart->contents() as $items){
          $produk = $this->m_home->detail_produk($items['id']);
          $berat = $items['qty'] * $produk->berat;
          $total_berat = $total_berat + $berat;?>
          <tr>
            <td><?php echo $items['qty']; ?></td>
            <td><?php echo $items['name']; ?></td>
            <td>Rp. <?php echo $this->cart->format_number($items['price']);
?></td>
            <td><?= $berat ?> Gram</td>
            <td>Rp. <?php echo $this->cart->format_number($items['subtotal']);
?></td>
          </tr>
        <?php }?>
      </tbody>
    </table>
  </div>
</div>
<?php
echo form_open('belanja/cekout');
$no_order= date('Ymd').strtoupper(random_string('alnum',8));
?>
<div class="row">
  <div class="col-6 invoice-col">
    Tujuan :
    <div class="row">

```

```

<div class="col-sm-6">
  <div class="form-group">
    <label>Provinsi</label>
    <select name="provinsi" class="form-control"></select>
    <?php echo form_error('provinsi','<div class="text-small text-
danger">','</div>')?>
  </div>
</div>
<div class="col-sm-6">
  <div class="form-group">
    <label>Kota / Kabupaten</label>
    <select name="kota" class="form-control">
    </select>
    <?php echo form_error('kota','<div class="text-small text-
danger">','</div>')?>
  </div>
</div>
<div class="col-sm-6">
  <div class="form-group">
    <label>Expedisi</label>
    <select name="expedisi" class="form-control">
    </select>
    <?php echo form_error('expedisi','<div class="text-small text-
danger">','</div>')?>
  </div>
</div>
<div class="col-sm-6">
  <div class="form-group">
    <label>Paket</label>
    <select name="paket" class="form-control">
    </select>
    <?php echo form_error('paket','<div class="text-small text-
danger">','</div>')?>
  </div>
</div>
<div class="col-sm-8">
  <div class="form-group">
    <label>Alamat</label>
    <input name="alamat" class="form-control" required>
    </select>
    <?php echo form_error('alamat','<div class="text-small text-
danger">','</div>')?>

```

```

    </div>
  </div>
  <div class="col-sm-4">
    <div class="form-group">
      <label>kode pos</label>
      <input name="kode_pos" class="form-control" required>
    </select>
    <?php echo form_error('kode_pos','<div class="text-small text-
danger">','</div>')?>
    </div>
  </div>
  <div class="col-sm-6">
    <div class="form-group">
      <label>Nama Penerima</label>
      <input name="nama_penerima" class="form-control" required>
    </select>
    <?php echo form_error('nama_penerima','<div class="text-small text-
danger">','</div>')?>
    </div>
  </div>
  <div class="col-sm-6">
    <div class="form-group">
      <label>No Telepon</label>
      <input name="no_hp" class="form-control" required>
    </select>
    <?php echo form_error('no_hp','<div class="text-small text-
danger">','</div>')?>
    </div>
  </div>
</div>
</div>
<div class="col-6">
  <div class="table-responsive">
    <table class="table">
      <tr>
        <th style="width:50%">Grand Total:</th>
        <td><label>Rp. <?php echo $this->cart->format_number($this->cart-
>total()); ?></label></td>
      </tr>
      <tr>
        <th>Berat :</th>
        <td><label><?=$total_berat ?> Gram</label> </td>

```

```

</tr>
    <tr>
        <th>ongkir : </th>
        <td><label id="ongkir">0</label></td>
    </tr>
    <tr>
        <th><h2>Total Bayar:</h2></th>
        <td><h2><label id="total_bayar">0</label></h2></td>
    </tr>
</table>
</div>
</div>
</div>

```

Source code halaman Pesanan Saya proses order

```

<div class="tab-pane fade show active" id="custom-tabs-four-home" role="tabpanel"
aria-labelledby="custom-tabs-four-home-tab">
<table class="table">
<tr>
<th>No Order</th>
<th>Tanggal</th>
<th>Expedisi</th>
<th>Total Bayar</th>
<th>Action</th>
</tr>
<?php foreach ($belum_bayar as $key => $value) {?>
<tr>
<td><?= $value->no_order ?></td>
<td><?= $value->tgl_order ?></td>
<td>
<b><?= $value->expedisi ?></b><br>
<?= $value->paket ?>
</td>
<td>
<b>Rp. <?= number_format( $value->total_bayar,0) ?></b><br>
<?php if ($value->status_bayar==0) { ?>

```

```

        <span class="badge badge-warning">Belum Bayar</span>
        <?php } else {?>
        <span class="badge badge-success">Sudah Bayar</span><br>
        <span class="badge badge-primary">Menunggu Verikasi </span>
        <?php } ?>
    </td>
    <td>
        <?php if ($value->status_bayar==0) { ?>
            <a href="<?= base_url('pesanan_saya/bayar/'. $value->id_transaksi)
?>" class="btn btn-sm btn-flat btn-primary">Bayar</a>
            <?php } ?>
        </td>
    </tr>
    <?php } ?>
</table>
</div>

```

Source code halaman Pesanan Saya diproses

```

<div class="tab-pane fade show active" id="custom-tabs-four-home"
role="tabpanel"
aria-labelledby="custom-tabs-four-home-tab">
<table class="table">
<tr>
<th>No Order</th>
<th>Tanggal</th>
<th>Expedisi</th>
<th>Total Bayar</th>
<th>Action</th>
</tr>
<?php foreach ($belum_bayar as $key => $value) {?>
<tr>
<td><?= $value->no_order ?></td>
<td><?= $value->tgl_order ?></td>
<td>
<b><?= $value->expedisi ?></b><br>
<?= $value->paket ?>
</td>
<td>
<b>Rp. <?= number_format( $value->total_bayar,0) ?></b><br>

```

```

<?php if ($value->status_bayar==0) { ?>
    <span class="badge badge-warning">Belum Bayar</span>
  <?php } else {?>
    <span class="badge badge-success">Sudah Bayar</span><br>
    <span class="badge badge-primary">Menunggu Verikasi </span>
  <?php } ?>
</td>
<td>
  <?php if ($value->status_bayar==0) { ?>
    <a href="<?= base_url('pesanan_saya/bayar/'.$value->id_transaksi)
?>" class="btn btn-sm btn-flat btn-primary">Bayar</a>
    <?php } ?>
  </td>
</tr>
<?php } ?>
</table>
</div>

```

Source code halaman Pesanan Saya dikirim

```

<div class="tab-pane fade" id="custom-tabs-four-messages" role="tabpanel" aria-
labelledby="custom-tabs-four-messages-tab">
  <table class="table">
    <tr>
      <th>No Order</th>
      <th>Tanggal</th>
      <th>Expedisi</th>
      <th>Total Bayar</th>
      <th>Nomer Resi</th>
      <th>Action</th>
    </tr>
    <?php foreach ($dikirim as $key => $value) {?>
      <tr>
        <td><?= $value->no_order ?></td>
        <td><?= $value->tgl_order ?></td>
        <td>
          <b><?= $value->expedisi ?></b><br>
          <?= $value->paket ?>
        </td>
      </tr>
    </tr>
  </table>

```

```

</td>
<td>
    <b>Rp. <?= number_format( $value->total_bayar,0) ?></b><br>
    <span class="badge badge-success">
        <i class="fas fa-shipping-fast"></i> Sedang dikirim</span><br>
</td>
<td>
    <b><h5><?= $value->no_resi ?></h5></b>
</td>
<td>
    <button class="btn btn-primary btn-xs" data-toggle="modal" data-
target="#diterima<?= $value->id_transaksi ?>">Diterima</button>
</td>
</tr>
<?php } ?>
</table>
</div>

```

Source code halaman Pesanan Saya Selesai

```

<div class="tab-pane fade" id="custom-tabs-four-settings" role="tabpanel" aria-
labelledby="custom-tabs-four-settings-tab">
    <table class="table">
        <tr>
            <th>No Order</th>
            <th>Tanggal</th>
            <th>Expedisi</th>
            <th>Total Bayar</th>
            <th>Nomer Resi</th>
        </tr>
        <?php foreach ($selesai as $key => $value) {?>
            <tr>
                <td><?= $value->no_order ?></td>
                <td><?= $value->tgl_order ?></td>
                <td>
                    <b><?= $value->expedisi ?></b><br>
                    <?= $value->paket ?>
                </td>
            </tr>
        </?php ?>
    </table>

```

```

        <td>
            <b>Rp. <? = number_format( $value->total_bayar,0) ?></b><br>
            <span class="badge badge-success">
                <i class="fas fa-box-open"> </i> Telah Di Terima</span><br>
        </td>
        <td>
            <b><h5><? = $value->no_resi ?></h5></b>
        </td>
    </tr>
</table>
</div>
</div>
</div>
</div>
</div>

```

Source code halaman Akun Saya

```

<div class="card card-primary card-outline">
    <div class="card-body box-profile">
        <?php foreach ($pelanggan as $key => $value){ ?>
            <div class="text-center">
                
            </div>
            <br>
            <ul class="list-group list-group-unbordered mb-3">
                <li class="list-group-item">
                    <b>Nama Lengkap</b> <a class="float-right"><? = $this->session-
                    >userdata('nama_pelanggan') ?></a>
                </li>
                <li class="list-group-item">
                    <b>Email</b> <a class="float-right"><? = $this->session-
                    >userdata('email') ?></a></li>
            </ul>
            <button class="btn btn-warning btn-block" data-toggle="modal" data-
            target="#edit<? = $value->id_pelanggan?>"><i class="fas fa-edit"></i></button>
            <?php } ?>
        </div>
    </div>
</div>

```

Source code halaman admin Kategori

```

<div class="card-body">
  <?php
  if($this->session->flashdata('pesan')){
    echo '<div class="alert alert-success alert-dismissible">
    <button type="button" class="close" data-dismiss="alert" aria-
hidden="true">&times;</button>
    <h5><i class="icon fas fa-check"></i>;
    echo $this->session->flashdata('pesan');
    echo '</h5></div>'; }?>
  <table class="table table-bordered" id="example1">
  <thead class="text-center">
  <tr>
  <th>No</th>
  <th>Nama Kategori</th>
  <th>Action</th>
  </tr>
  </thead>
  <tbody>
  <?php $no =1;
  foreach ($kategori as $key => $value){ ?>
  <tr>
  <td class="text-center"><?=$no++; ?></td>
  <td class="text-center"><?=$value->nama_kategori ?></td>
  <td class="text-center">
    <button class="btn btn-warning btn-sm" data-toggle="modal"
data-target="#edit<?=$value->id_kategori?>"><i class="fas fa-edit"></i></button>
    <button class="btn btn-danger btn-sm" data-toggle="modal" data-
target="#delete<?=$value->id_kategori?>"><i class="fas fa-trash"></i></button>
  </td>
  </tr>
  <?php } ?>
  </tbody>
  </table>
</div>
</div>
</div>

```

Source code halaman admin Tambah Kategori

```

<div class="modal fade" id="add">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h4 class="modal-title">Tambah Kategori</h4>
        <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
      </div>
      <div class="modal-body">
        <?php echo form_open('kategori/add');?>
        <div class="form-group">
          <label>Nama Kategori</label>
          <input type="text" name="nama_kategori" class="form-control"
placeholder="Nama Kategori" required>
        </div>
      </div>
      <div class="modal-footer justify-content-between">
        <button type="button" class="btn btn-default" data-
dismiss="modal">Close</button>
        <button type="submit" class="btn btn-primary">Save</button>
      </div>
      <?php echo form_close("");?>
    </div>
  </div>
</div>

```

Source code halaman admin Edit Kategori

```

<?php foreach ($kategori as $key => $value){ ?>
  <div class="modal fade" id="edit<?= $value->id_kategori?>">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h4 class="modal-title">Edit Kategori</h4>
        <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
          <span aria-hidden="true">&times;</span>
        </button>

```

```

</div>
<div class="modal-body">
<?php echo form_open('kategori/edit/' . $value->id_kategori);?>
  <div class="form-group">
    <label>Nama Kategori</label>
    <input type="text" name="nama_kategori" value="<?= $value-
>nama_kategori?" class="form-control" placeholder="Nama Kategori" required>
  </div>
</div>
<div class="modal-footer justify-content-between">
  <button type="button" class="btn btn-default" data-
dismiss="modal">Close</button>
  <button type="submit" class="btn btn-primary">Save</button>
</div>
<?php echo form_close("");?>
</div>
</div>
</div>
<?php } ?>

```

Source code halaman admin Produk

```

<div class="card-body">
  <?php
  if($this->session->flashdata('pesan')){
    echo '<div class="alert alert-success alert-dismissible">
    <button type="button" class="close" data-dismiss="alert" aria-
hidden="true">&times;</button>
    <h5><i class="icon fas fa-check"></i>;
    echo $this->session->flashdata('pesan');
    echo '</h5></div>';
  }
  ?>
  <table class="table table-bordered" id="example1">
    <thead class="text-center">
      <tr>
        <th>No</th>
        <th>Nama Produk</th>
        <th>mrek</th>
        <th>kategori</th>

```

```

        <th>Harga</th>
        <th>Gambar</th>
        <th>Action</th>
    </tr>
</thead>
<tbody>
    <?php $no =1;
    foreach ($produk as $key => $value){ ?>
    <tr>
        <td class="text-center"><?=$no++; ?></td>
        <td class="">
            <?=$value->nama_produk ?><br>
            Berat : <?=$value->berat ?> Gram <br>
            <b>stok produk : <?=$value->stok ?></b>
        </td>
        <td class="text-center"><?=$value->merk?></td>
        <td class="text-center"><?=$value->nama_kategori ?></td>
        <td class="text-center">Rp. <?=$value->number_format($value->harga, 0)
?></td>
        <td class="text-center"></td>
        <td class="text-center">
            <button class="btn btn-success btn-sm" data-toggle="modal" data-
target="#edit<?=$value->id_produk?>">stok<i class="fas fa-edit"></i></button>
            <a href="<?=$value->base_url('produk/edit/'. $value->id_produk ) ?>"
class="btn btn-warning btn-sm" ><i class="fas fa-edit"></i></a>
            <button class="btn btn-danger btn-sm" data-toggle="modal" data-
target="#delete<?=$value->id_produk?>"><i class="fas fa-trash"></i></button>
        </td>
    </tr>
    <?php } ?>
</tbody>
</table>
</div>

```

Source code halaman admin Tambah Produk

```

<div class="card-body">
    <?php
    //pesan error form kosong
    echo validation_errors('<div class="alert alert-danger alert-dismissible">
    <button type="button" class="close" data-dismiss="alert" aria-
hidden="true">&times;</button>
    <h5><i class="icon fas fa-info"></i>','</h5> </div>');
    //pesan error gagal upload gambar
    if (isset($error_upload)) {
        echo '<div class="alert alert-danger alert-dismissible">
    <button type="button" class="close" data-dismiss="alert" aria-
hidden="true">&times;</button>
    <h5><i class="icon fas fa-info"></i>'. $error_upload . '</h5> </div>';
    }
    echo form_open_multipart('produk/add') ?>
    <div class="form-group">
        <label>Nama Produk</label>
        <input name="nama_produk" class="form-control" placeholder="Nama
Produk" value="<?= set_value('nama_produk') ?>">
    </div>

    <div class="row">
        <div class="col-sm-6">
            <div class="form-group">
                <label>kategori</label>
                <select name="id_kategori" class="form-control">
                    <option value="">---Pilih Kategori---</option>
                    <?php foreach ($kategori as $key => $value) { ?>
                        <option value="<?= $value->id_kategori ?>"><?= $value-
>nama_kategori ?></option>
                    <?php } ?>
                </select>
            </div>
        </div>
        <div class="col-sm-6">
            <div class="form-group">
                <label>Harga Produk</label>
                <input name="harga" class="form-control" placeholder="Harga Produk"
value="<?= set_value('harga') ?>">
            </div>
        </div>
    </div>

```

```

</div>
</div>
<div class="row">
  <div class="col-sm-4">
    <div class="form-group">
      <label>Merk Produk</label>
      <input name="merk" class="form-control" placeholder="Merk Produk"
value="<?= set_value('merk') ?&gt;"&gt;
    &lt;/div&gt;
  &lt;/div&gt;
  &lt;div class="col-sm-4"&gt;
    &lt;div class="form-group"&gt;
      &lt;label&gt;Berat Produk(Gram&lt;/label&gt;
      &lt;input type="number" name="berat" min="0" class="form-control"
placeholder="Berat Dalam Satuan Gram" value="&lt;?=<? set_value('berat') ?&gt;"&gt;
    &lt;/div&gt;
  &lt;/div&gt;
  &lt;div class="col-sm-4"&gt;
    &lt;div class="form-group"&gt;
      &lt;label&gt;Stok&lt;/label&gt;
      &lt;input type="number" name="stok" min="0" class="form-control"
placeholder="stok produk" value="&lt;?=<? set_value('stok') ?&gt;"&gt;
    &lt;/div&gt;
  &lt;/div&gt;
  &lt;/div&gt;
  &lt;div class="form-group"&gt;
    &lt;label&gt;Deskripsi Produk&lt;/label&gt;
    &lt;textarea id="summernote" name="deskripsi" class="form-control"
row="10" placeholder="deskripsi PProduk"&gt;&lt;?=<? set_value('deskripsi') ?&gt;&lt;/textarea&gt;
  &lt;/div&gt;
  &lt;div class="row"&gt;
    &lt;div class="col-sm-6"&gt;
      &lt;div class="form-group"&gt;
        &lt;label&gt;Gambar Produk&lt;/label&gt;
        &lt;input type="file" name="gambar" class="form-control"
id="preview_gambar" required&gt;
      &lt;/div&gt;
    &lt;/div&gt;
    &lt;div class="col-sm-6"&gt;
      &lt;div class="form-group"&gt;
        &lt;img src="&lt;?=<? base_url('assets/img/nofoto.jpg') ?&gt;"
id="gambar_load" width="400px"&gt;
</pre

```

```

        </div>
    </div>
</div>
<div class="form-group">
    <button type="submit" class="btn btn-primary btn-sm">Simpan</button>
    <a href="<?= base_url('produk') ?>" class="btn btn-success btn-sm">Kembali</a>
</div>
<?php echo form_close() ?>
</div>
</div></div>
<script>
function bacaGambar(input){
    if (input.files && input.files[0]){
        var reader = new FileReader();
        reader.onload = function(e){
            $('#gambar_load').attr('src', e.target.result);
        }
        reader.readAsDataURL(input.files[0]);
    }
    $("#preview_gambar").change(function(){
        bacaGambar(this);
    });
</script>

```

Source code halaman admin Edit Produk

```

<div class="card-body">
    <?php
    echo validation_errors('<div class="alert alert-danger alert-dismissible">
    <button type="button" class="close" data-dismiss="alert" aria-
hidden="true">&times;</button>
    <h5><i class="icon fas fa-info"></i>','</h5> </div>');
    if (isset($error_upload)) {
        echo '<div class="alert alert-danger alert-dismissible">
    <button type="button" class="close" data-dismiss="alert" aria-
hidden="true">&times;</button>

```

```

echo form_open_multipart('produk/edit/'. $produk->id_produk) ?>
<div class="form-group">
    <label>Nama Produk</label>
    <input name="nama_produk" class="form-control" placeholder="Nama
Produk" value="<?=$produk->nama_produk ?>">
</div>
<div class="row">
    <div class="col-sm-6">
        <div class="form-group">
            <label>kategori</label>
            <select name="id_kategori" class="form-control">
                <option value="<?=$produk->id_kategori ?>"><?=$produk-
>nama_kategori ?></option>
                <?php foreach ($kategori as $key => $value) { ?>
                    <option value="<?=$value->id_kategori ?>"><?=$value-
>nama_kategori ?></option>
                <?php } ?>
            </select>
        </div>
    </div>
    <div class="col-sm-6">
        <div class="form-group">
            <label>Harga Produk</label>
            <input name="harga" class="form-control" placeholder="Harga Produk"
value="<?=$produk->harga ?>">
        </div>
    </div>
</div>
<div class="row">
    <div class="col-sm-4">
        <div class="form-group">
            <label>Merk Produk</label>
            <input name="merk" class="form-control" placeholder="Merk Produk"
value="<?=$produk->merk ?>">
        </div>
    </div>
    <div class="col-sm-4">
        <div class="form-group">
            <label>Berat Produk(Gram)</label>
            <input type="number" name="berat" min="0" class="form-control"
placeholder="Berat Dalam Satuan Gram" value="<?=$produk->berat ?>">

```

```

        </div>
    </div>
    <div class="col-sm-4">
        <div class="form-group">
            <label>Stok</label>
            <input type="number" name="stok" min="0" class="form-control"
placeholder="stok produk" value="<?=$produk->stok ?>">
        </div>
    </div>
</div>
<div class="form-group">
    <label>Deskripsi Produk</label>
    <textarea id="summernote" name="deskripsi" class="form-control"
row="10" placeholder="deskripsi Produk"><?=$produk->deskripsi ?></textarea>
</div>
<div class="row">
    <div class="col-sm-6">
        <div class="form-group">
            <label>Ganti Gambar Produk</label>
            <input type="file" name="gambar" class="form-control"
id="preview_gambar">
        </div>
    </div>
    <div class="col-sm-6">
        <div class="form-group">
            
        </div>
    </div>
</div>
<div class="form-group">
    <button type="submit" class="btn btn-primary btn-
sm">Simpan</button>
    <a href="<?=$base_url('produk') ?>" class="btn btn-success btn-
sm">Kembali</a>
</div>
</div>
<?php echo form_close() ?>
</div>
</div>
</div>
<script>
    function bacaGambar(input){

```

```

if (input.files && input.files[0]){
var reader = new FileReader();
reader.onload = function(e){
    $('#gambar_load').attr('src', e.target.result);
} reader.readAsDataURL(input.files[0]); }}
$("#preview_gambar").change(function(){
    bacaGambar(this);
});</script>

```

Source code halaman admin Gambar Produk

```

<div class="card-body">
    <?php
    if($this->session->flashdata('pesan')){
        echo '<div class="alert alert-success alert-dismissible">
        <button type="button" class="close" data-dismiss="alert" aria-
        hidden="true">&times;</button>
        <h5><i class="icon fas fa-check"></i>;
        echo $this->session->flashdata('pesan');
        echo '</h5></div>';
    }
    ?>
    <table class="table table-bordered" id="example1">
    <thead class="text-center">
    <tr>
    <th>No</th>
    <th>Nama Produk</th>
    <th>Cover</th>
    <th>Jumlah</th>
    <th>Action</th>
    </tr>
    </thead>
    <tbody><?php $no = 1;
    foreach ($gambarproduk as $key => $value){ ?>
    <tr>
    <td><?= $no++; ?></td>
    <td><?= $value->nama_produk ?></td>
    <td class="text-center"></td>

```

```

<td class="text-center"><span class="badge bg-primary"><h5><?=$value-
>total_gambar?></h5></span></td>
    <td class="text-center">
        <a href="<?=$base_url('gambarproduk/add/'. $value-
>id_produk)?>" class="btn btn-success btn-sm"><i class="fas fa-plus"></i> ADD</a>
    </td>
</tr>
<?php } ?>

</tbody>
</table>
</div>

```

Source code halaman admin Tambah Gambar Produk

```

<div class="card-body">
    <?php
    if($this->session->flashdata('pesan')){
        echo '<div class="alert alert-success alert-dismissible">
        <button type="button" class="close" data-dismiss="alert" aria-
hidden="true">&times;</button>
        <h5><i class="icon fas fa-check"></i>;
        echo $this->session->flashdata('pesan');
        echo '</h5></div>'; }?>
    <?php
    //pesan error form kosong
    echo validation_errors('<div class="alert alert-danger alert-dismissible">
    <button type="button" class="close" data-dismiss="alert" aria-
hidden="true">&times;</button>
    <h5><i class="icon fas fa-info"></i>','</h5> </div>');
    //pesan error gagal upload gambar
    if (isset($error_upload)) {
        echo '<div class="alert alert-danger alert-dismissible">
        <button type="button" class="close" data-dismiss="alert" aria-
hidden="true">&times;</button>
        <h5><i class="icon fas fa-info"></i>'. $error_upload . '</h5> </div>';
        }echo form_open_multipart('gambarproduk/add/'. $produk->id_produk)
?>

```

```

<div class="row">
  <div class="col-sm-4">
    <div class="form-group">
      <label>Keterangan Gambar</label>
      <input name="keterangan" class="form-control"
placeholder="Keterangan Gambar" value="<?= set_value('keterangan') ?>">
    </div>
  </div>
  <div class="col-sm-4">
    <div class="form-group">
      <label>Gambar Produk</label>
      <input type="file" name="gambar" class="form-control"
id="preview_gambar" required>
    </div>
  </div>

  <div class="col-sm-4">
    <div class="form-group">
      
    </div>
  </div>
</div>
<div class="form-group">
  <button type="submit" class="btn btn-primary btn-
sm">Simpan</button>
  <a href="<?= base_url('gambarproduk') ?>" class="btn btn-success btn-
sm">Kembali</a>
</div>
<?php echo form_close() ?>
<hr>
<div class="row" >
  <?php foreach ($gambar as $key => $value) {?>
    <div class="col-sm-3">
      <div class="form-group text-center">
        
      </div>
      <label for="">Keterangan :</label><p><?= $value->keterangan ?></p>

```

```

        <button data-toggle="modal" data-target="#delete<?= $value-
>id_gambar?>"class="btn btn-danger btn-xs btn-block"><i class="fas fa-trash"></i>
Hapus</button>
    </div>
</php } ?>
</div>
</div>
</div>
</div>

```

Source code halaman *admin* Pesanan Masuk

```

<div class="tab-pane fade show active" id="custom-tabs-four-home" role="tabpanel"
aria-labelledby="custom-tabs-four-home-tab">
<table class="table">
<tr>
<th>No Order</th>
<th>Tanggal</th>
<th>Expedisi</th>
<th>Total Bayar</th>
<th>Action</th>
</tr>
<?php foreach ($pesanan as $key => $value) {?>
<tr>
<td><?= $value->no_order ?></td>
<td><?= $value->tgl_order ?></td>
<td>
<b><?= $value->expedisi ?></b><br>
<?= $value->paket ?>
</td>
<td>
<b>Rp. <?= number_format( $value->total_bayar,0) ?></b><br>
<?php if ($value->status_bayar==0) { ?>
<span class="badge badge-warning">Belum Bayar</span>
<?php } else {?>
<span class="badge badge-success">Sudah Bayar</span><br>
<span class="badge badge-primary">Menunggu Verikasi </span>
<?php } ?>
</td>

```

```

<td>
    <?php if ($value->status_bayar==1) { ?>
        <button class="btn btn-sm btn-success btn-flat" data-
toggle="modal"
        data-target="#cek<?= $value->id_transaksi ?>">Cek
Pembayaran</button>
        <a href="<?= base_url('admin/proses/'.$value->id_transaksi) ?>"
class="btn btn-sm btn-flat
        btn-primary">Proses</a>
    <?php } ?>
</td>
</tr>
<?php } ?>
</table>
</div>

```

Source code halaman admin Pesanan Masuk proses

```

<div class="tab-pane fade" id="custom-tabs-four-profile" role="tabpanel" aria-
labelledby="custom-tabs-four-profile-tab">
    <table class="table">
        <tr>
            <th>No Order</th>
            <th>Tanggal</th>
            <th>Expedisi</th>
            <th>Total Bayar</th>
            <th>Action</th>
        </tr>
        <?php foreach ($pesanan_diproses as $key => $value) {?>
            <tr>
                <td><?= $value->no_order ?></td>
                <td><?= $value->tgl_order ?></td>
                <td>
                    <b><?= $value->expedisi ?></b><br>
                    <?= $value->paket ?>
                </td>
                <td>
                    <b>Rp. <?= number_format( $value->total_bayar,0) ?></b><br>

```

```

<span class="badge badge-primary"><i class="fas fa-hourglass-half"></i> Diproses
atau Dikemas</span>
</td>
<td>
<?php if ($value->status_bayar==1) { ?>
<button class="btn btn-sm btn-flat btn-primary" data-
toggle="modal"
data-target="#kirim<?= $value->id_transaksi ?>"> <i class="fas fa-
paper-plane"></i> Kirim</button>
<?php } ?>

<a class="dropdown-item" href="<?=
base_url('admin/get_pesanan/'. $value->id_transaksi) ?>" target="_blank"><i
class="fas fa-print"></i>Detail</a>
</td>
</tr>
<?php } ?>
</table>
</div>

```

Source code halaman admin Pesanan Masuk dikirim

```

<div class="tab-pane fade" id="custom-tabs-four-messages" role="tabpanel" aria-
labelledby="custom-tabs-four-messages-tab">
<table class="table">
<tr>
<th>No Order</th>
<th>Tanggal</th>
<th>Expedisi</th>
<th>Total Bayar</th>
<th>Nomer Resi</th>
</tr>
<?php foreach ($pesanan_dikirim as $key => $value) {?>
<tr>
<td><?= $value->no_order ?></td>
<td><?= $value->tgl_order ?></td>
<td>
<b><?= $value->expedisi ?></b><br>

```

```

        <?= $value->paket ?>
    </td>
    <td>
        <b>Rp. <?= number_format( $value->total_bayar,0) ?></b><br>
        <span class="badge badge-success"><i class="fas fa-shipping-
fast"></i> DiKirim</span>
    </td>
    <td>
        <b><h4><?= $value->no_resi ?></h4></b>
    </td>
</tr>
<?php } ?>
</table>
</div>

```

Source code halaman admin Pesanan Masuk selesai

```

<div class="tab-pane fade" id="custom-tabs-four-settings" role="tabpanel" aria-
labelledby="custom-tabs-four-settings-tab">
    <table class="table">
    <tr>
    <th>Expedisi</th>
    <th>No Order</th>
    <th>Tanggal</th>
    <th>Total Bayar</th>
    <th>Nomer Resi</th>
    </tr>
    <?php foreach ($pesanan_selesai as $key => $value) {?>
    <tr>
    <td><?= $value->no_order ?></td>
    <td><?= $value->tgl_order ?></td>
    <td>
        <b><?= $value->expedisi ?></b><br>
        <?= $value->paket ?>
    </td>
    <td>
        <b>Rp. <?= number_format( $value->total_bayar,0) ?></b><br>
        <span class="badge badge-success">
            <i class="fas fa-box-open"> </i> Telah Di Terima</span><br>
    </td>
    <td>

```

```

        <b><h5><?= $value->no_resi ?></h5></b>
    </td>
</tr>
<?php } ?>
</table>
</div>

```

Source code halaman admin User

```

<div class="card-body">
    <?php
    if($this->session->flashdata('pesan')){
        echo '<div class="alert alert-success alert-dismissible">
        <button type="button" class="close" data-dismiss="alert" aria-
        hidden="true">&times;</button>
        <h5><i class="icon fas fa-check"></i>;
        echo $this->session->flashdata('pesan');
        echo '</h5></div>'; } ?>
    <table class="table table-bordered" id="example1">
    <thead class="text-center">
    <tr>
    <th>No</th>
    <th>Foto</th>
    <th>Nama User</th>
    <th>Username</th>
    <th>Password</th>
    <!-- <th>Level</th -->
    <th>Action</th>
    </tr>
    </thead>
    <tbody>
    <?php $no =1;
    foreach ($user as $key => $value){ ?>
    <tr>
    <td class="text-center"><?= $no++; ?></td>
    <td class="text-center"></td>
    <td class="text-center"><?= $value->nama_user ?></td>
    <td class="text-center"><?= $value->username?></td>

```

```

        <td class="text-center"><?=$value->password ?></td>
        <td class="text-center">
            <button class="btn btn-warning btn-sm" data-toggle="modal"
data-target="#edit<?=$value->id_user?>"><i class="fas fa-edit"></i></button>
            <button class="btn btn-danger btn-sm" data-toggle="modal" data-
target="#delete<?=$value->id_user?>"><i class="fas fa-trash"></i></button>
        </td>
    </tr>
</tbody>
</table>
</div>
</div>
</div>

```

Source code halaman admin tambah User

```

<div class="modal fade" id="add">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h4 class="modal-title">Tambah User</h4>
        <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
      </div>
      <div class="modal-body">
        <?php
          echo form_open_multipart('user/add');
        ?>
        <div class="form-group">
          <label>Nama User</label>
          <input type="text" name="nama_user" class="form-control"
placeholder="Nama User" required>
        </div>
        <div class="form-group">
          <label>Username</label>

```

```

<input type="text" name="username" class="form-control" placeholder="username"
required>
    </div>
    <div class="form-group">
        <label>Password</label>
        <input type="text" name="password" class="form-control"
placeholder="Password" required>
    </div>
    <div class="form-group">
        <label>foto</label>
        <input type="file" name="image" class="form-control" size="20"
id="preview_gambar">
    </div>
    <div class="form-group">
        <label>foto</label>
        <div class="form-group">
            
        </div>
    </div>
</div>
<div class="modal-footer justify-content-between">
    <button type="button" class="btn btn-default" data-
dismiss="modal">Close</button>
    <button type="submit" class="btn btn-primary">Save</button>
</div>
<?php echo form_close("");?>
</div>
</div>
</div>

```

Source code halaman admin edit User

```

<?php foreach ($user as $key => $value){ ?>
    <div class="modal fade" id="edit<?= $value->id_user?>">
    <div class="modal-dialog">
        <div class="modal-content">

```

```

<div class="modal-header">
  <h4 class="modal-title">Edit User</h4>
  <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
    <span aria-hidden="true">&times;</span>
  </button>
</div>
<div class="modal-body">
  <?php echo form_open_multipart('user/edit/' . $value->id_user);?>
  <div class="form-group">
    <label>Nama User</label>
    <input type="text" name="nama_user" value="<?=$value-
>nama_user?" class="form-control" placeholder="Nama User" required>
  </div>
  <div class="form-group">
    <label>Username</label>
    <input type="text" name="username" value="<?=$value->username?"
class="form-control" placeholder="username" required>
  </div>
  <div class="form-group">
    <label>Password</label>
    <input type="text" name="password" value="<?=$value->password?"
class="form-control" placeholder="Password" required>
  </div>
  <div class="form-group">
    <label>Ganti foto</label>
    <input type="file" name="image" class="form-control"
id="preview_foto">
  </div>
  <div class="form-group">
    <label>foto</label>
    <div class="form-group">
      
    </div>
  </div>
</div>
<div class="modal-footer justify-content-between">
  <button type="button" class="btn btn-default" data-
dismiss="modal">Close</button>
  <button type="submit" class="btn btn-primary">Save</button>
</div>
<?php echo form_close("");?>
</div>
</div>
<?php } ?>

```

Source code halaman admin pelanggan

```

<div class="card-body">
  <?php
  if($this->session->flashdata('pesan')){
    echo '<div class="alert alert-success alert-dismissable">
    <button type="button" class="close" data-dismiss="alert" aria-
hidden="true">&times;</button>
    <h5><i class="icon fas fa-check"></i>;
    echo $this->session->flashdata('pesan');
    echo '</h5></div>';
  }?>
  <table class="table table-bordered" id="example1">
  <thead class="text-center">
  <tr>
  <th>No</th>
  <th>Nama pelanggan</th>
  <th>foto</th>
  <th>Email</th>
  <!-- <th>Password</th> -->
  <th>Action</th>
  </tr>
  </thead>
  <tbody>
  <?php $no =1;
  foreach ($pelanggan as $key => $value){ ?>
  <tr>
  <td class="text-center"><?=$no++; ?></td>
  <td class="text-center"><?=$value->nama_pelanggan ?></td>
  <td class="text-center"></td>
  <td class="text-center"><?=$value->email?></td>
  <!-- <td class="text-center" ><?=$value->password ?></td> -->
  <td class="text-center">
    <button class="btn btn-danger btn-sm" data-toggle="modal" data-
target="#delete<?=$value->id_pelanggan?>"><i class="fas fa-trash"></i></button>
  </td>
  </tr>
  <?php } ?>
  </tbody>
  </table>
</div>

```

Source code halaman admin tambah pelanggan

```

<div class="modal fade" id="add">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h4 class="modal-title">Tambah Pelanggan</h4>
        <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
      </div>
      <div class="modal-body">
        <?php echo form_open_multipart('pelanggan_management/add'); ?>
        <div class="form-group">
          <label>Nama pelanggan</label>
          <input type="text" name="nama_pelanggan" class="form-control"
placeholder="Nama pelanggan" required>
        </div>
        <div class="form-group">
          <label>email</label>
          <input type="email" name="email" class="form-control"
placeholder="email" required>
        </div>
        <div class="form-group">
          <label>Password</label>
          <input type="text" name="password" class="form-control"
placeholder="Password" required>
        </div>
        <div class="form-group">
          <label>foto</label>
          <input type="file" name="foto" class="form-control"
id="preview_gambar" required>
        </div>
        <div class="form-group">
          
        </div>
      </div>
      <div class="modal-footer justify-content-between">
        <button type="button" class="btn btn-default" data-
dismiss="modal">Close</button>

```

```

        <button type="submit" class="btn btn-primary">Save</button>
    </div>
    <?php echo form_close("");?>
</div>
</div>
</div>

```

Source code halaman admin laporan penjualan harian

```

<div class="col-12">
    <div class="invoice p-3 mb-3">
        <div class="row">
            <div class="col-12">
                <br><br><br>
                <h2><i class="fas fa-file"></i> <?= $title ?>
                    <small class="float-right">Date : <?= $tanggal ?>/<?= $bulan ?>/<?=
$stahun ?> </small></h2>
            </div>
        </div><br><br>
        <div class="row">
            <div class="col-12 table-responsive">
                <table class="table table-striped">
                    <thead>
                        <tr>
                            <th>#</th>
                            <th>No Order</th>
                            <th>Product</th>
                            <th>Harga</th>
                            <th>qty</th>
                            <th>Total harga</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php $no =1;
                        $grand_total = 0;
                        foreach ($laporan as $key => $value) {
                            $subtotal= $value->qty * $value->harga;
                            $grand_total = $grand_total + $subtotal; ?>
                        <tr>
                            <td><?= $no++ ?></td>

```

```

<td><?= $value->no_order ?></td>
    <td><?= $value->nama_produk ?></td>
    <td>Rp. <?= number_format($value->harga,2) ?></td>
    <td><?= $value->qty ?></td>
    <td>Rp. <?= number_format($subtotal,2) ?></td>
</tr>
<?php } ?>
</tbody>
</table><br>
<span><h2 class="text-center"><b>Grand Total : Rp. <?=
number_format($grand_total,2) ?></b></h2></span>
</div>
</div>
<div class="row no-print">
<div class="col-12">
    <button class="btn btn-default" onclick="window.print()"><i class="fas fa-
print"></i> Print</button>
</div>
</div>
</div>
</div>

```

Source code halaman admin laporan penjualan bulanan

```

<div class="col-12">
    <div class="invoice p-3 mb-3">
    <div class="row">
    <div class="col-12">
        <br><br><br><h2>
            <i class="fas fa-file"></i> <?= $title ?>
            <small class="float-right">Bulan : <?= $bulan ?> / Tahun : <?= $tahun ?>
</small></h2>
        </div>
    </div><br><br>
    <div class="row">
    <div class="col-12 table-responsive">
        <table class="table table-striped">
        <thead>
        <tr>

```

```

        <th>#</th>
        <th>No Order</th>
        <th>Tanggal</th>
        <th>Total</th>
    </tr>
</thead>
<tbody>
    <?php $no =1;
    $grand_total = 0;
    foreach ($laporan as $key => $value) {
        $grand_total = $grand_total + $value->grand_total; ?>
    <tr>
        <td><?=$no++ ?></td>
        <td><?=$value->no_order ?></td>
        <td><?=$value->tgl_order ?></td>
        <td>Rp. <?= number_format($value->grand_total,2) ?></td>
    </tr>
    <?php } ?>
</tbody>
</table>
<br>
<span><h2 class="text-center"><b>Grand Total : Rp. <?=
number_format($grand_total,2) ?></b></h2></span>
</div>
</div>
<div class="row no-print">
    <div class="col-12">
        <button class="btn btn-default" onclick="window.print()"><i class="fas fa-
print"></i> Print</button>
    </div>
</div>
</div>
</div>

```

Source code halaman admin laporan penjualan tahunan

```

<div class="col-12">
    <div class="invoice p-3 mb-3">
        <div class="row">
            <div class="col-12">

```

```

        <br><br><br><h2><i class="fas fa-file"></i> <?= $title ?>
        <small class="float-right"> Tahun : <?= $tahun ?> </small></h2>
    </div>
</div><br><br>
<div class="row">
    <div class="col-12 table-responsive">
        <table class="table table-striped">
            <thead>
                <tr>
                    <th>#</th>
                    <th>No Order</th>
                    <th>Tanggal</th>
                    <th>Total</th>
                </tr>
            </thead>
            <tbody>
                <?php $no =1;
                $grand_total = 0;
                foreach ($laporan as $key => $value) {
                    $grand_total = $grand_total + $value->grand_total; ?>
                <tr>
                    <td><?= $no++ ?></td>
                    <td><?= $value->no_order ?></td>
                    <td><?= $value->tgl_order ?></td>
                    <td>Rp. <?= number_format($value->grand_total,2) ?></td>
                </tr>
                <?php } ?>
            </tbody>
        </table><br>
        <span><h2 class="text-center"><b>Grand Total : Rp. <?=
number_format($grand_total,2) ?></b></h2></span>
    </div>
</div>
<div class="row no-print">
    <div class="col-12">
        <button class="btn btn-default" onclick="window.print()"><i class="fas fa-
print"></i> Print</button></div>
    </div>
</div>
</div>

```