

Lampiran-lampiran :

Source code untuk form Home :

```
?>

<!DOCTYPE html>
<html lang="id">

<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width">

  <link rel="shortcut icon" href="images/logo.png">
  <!-- Bootstrap CSS -->
  <link rel="stylesheet" href="css/bootstrap.css">
  <!-- font Awesome CSS -->
  <link rel="stylesheet" href="css/font-awesome.min.css">
  <!-- Main Styles CSS -->
  <link href="css/style.css" rel="stylesheet">
  <!-- jQuery -->
  <script src="js/jquery.min.js"></script>
  <!-- Bootstrap JavaScript -->
  <script src="js/bootstrap.js"></script>
  <!-- Animate CSS -->
  <link rel="stylesheet" href="css/animate.min.css">
</head>

<body>
  <div id="fb-root"></div>
  <script>(function(d, s, id) {
    var js, fjs = d.getElementsByTagName(s)[0];
    if (d.getElementById(id)) return;
    js = d.createElement(s); js.id = id;
    js.src =
'https://connect.facebook.net/id_ID/sdk.js#xfbml=1&version=v2.11';
    fjs.parentNode.insertBefore(js, fjs);
  })(document, 'script', 'facebook-jssdk');</script>

  <!--Success Modal Saved-->
  <div class="modal fade" id="successmodalclear" tabindex="-1">
```

```

<body>
  <div id="fb-root"></div>
  <script>(function(d, s, id) {
    var js, fjs = d.getElementsByTagName(s)[0];
    if (d.getElementById(id)) return;
    js = d.createElement(s); js.id = id;
    js.src =
'https://connect.facebook.net/id_ID/sdk.js#xfbml=1&version=v2.11';
    fjs.parentNode.insertBefore(js, fjs);
  })(document, 'script', 'facebook-jssdk');</script>

  <!--Success Modal Saved-->
  <div class="modal fade" id="successmodalclear" tabindex="-1"
role="dialog">
    <div class="modal-dialog modal-sm " role="document">
      <div class="modal-content bg-2">
        <div class="modal-header ">
          <h4 class="modal-title text-center text-
green">Sukses</h4>
        </div>
        <div class="modal-body">
          <p class="text-center">Pengaduan Berhasil Di
Kirim</p>
          <p class="text-center">Untuk Mengetahui Status
Pengaduan</p>
          <p class="text-center">Silahkan Buka Menu <a
href="lihat">Lihat Pengaduan</a> </p>
        </div>
        <div class="modal-footer">
          <button type="button" class="btn button-green"
onClick="location.href='index';" data-dismiss="modal">Tutup</button>
        </div>
      </div>
    </div>
  </div>
  <?php
    if(isset($_GET['status'])) {
  ?>
  <script type="text/javascript">
    $("#successmodalclear").modal();
  </script>

```

```

</script>
<?php
    }
?>
<!-- body -->
<div class="shadow">
    <!-- navbar -->
    <nav class="navbar navbar-inverse navbar-fixed form-shadow">
        <!-- container-fluid -->
        <div class="container-fluid" style=" background-color:
#003300">
            <!-- Brand and toggle get grouped for better mobile
display -->
            <div class="navbar-header" style=" background-color:
#003300">
                <button type="button" class="navbar-toggle
collapsed" data-toggle="collapse" data-target="#bs-example-navbar-
collapse-1">
                    <span class="sr-only">Toggle navigation</span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>
                <a class="navbar-brand" href="">
                    
                </a>
            </div>

            <!-- Collect the nav links, forms, and other content
for toggling -->
            <div class="collapse navbar-collapse" id="bs-example-
navbar-collapse-1">
                <ul class="nav navbar-nav nav-link">
                    <li class="active"><a
href="index">Beranda</a></li>
                    <li><a href="lapor">Form Pengaduan</a></li>
                    <li><a href="lihat">Cek Pengaduan</a></li>
                    <li><a href="cara">Alur Pengaduan</a></li>
                    <li><a href="faq">Visi-
Misi</a></li>

```

```

                <!--<li class="dropdown">
                    <a href="profil dinas" class="dropdown-
toggle" data-toggle="dropdown">PROFIL DINAS <span
class="caret"></span></a>
                    <ul class="dropdown-menu" role="menu">
                        <li><a href="profil dinas">Profil
Dinas</a></li>
                        <li class="divider"></li>
                        <li><a href="profil dinas">Visi dan
Misi</a></li>
                        <li class="divider"></li>
                        <li><a href="profil dinas">Struktur
Organisasi</a></li>
                        <li class="divider"></li>
                        <li><a href="profil dinas">Motto /
Maklumat Pelayanan</a></li>
                    </ul>
                </li>-->

            </ul>
        </div><!-- /.navbar-collapse -->
    </div><!-- /.container-fluid -->
</nav>
<!-- end navbar -->

<!-- start slider -->
<div id="mainCarousel" class="carousel slide" data-
ride="carousel">
    <!-- Indicators -->
    <ol class="carousel-indicators">
        <li data-target="#mainCarousel" data-slide-to="0"
class="active"></li>
        <li data-target="#mainCarousel" data-slide-to="1"></li>
        <li data-target="#mainCarousel" data-slide-to="2"></li>
    </ol>

    <!-- Wrapper for slides -->

    <div class="carousel-inner" role="listbox">
        <div class="item active">
            
            <div class="carousel-caption welcome">

```

Source code untuk form Login :

```

        usaha tani padi (AUPT). </h6>>
                <script async
src="https://platform.twitter.com/widgets.js" charset="utf-
8"></script>
                </div>
        </div>
        <!-- End Twitter Feed -->
        <hr>
        <!-- Facebook Feed -->
        <div class="box">
                <div class="box-icon shadow">
                        
                </div>
                <div class="info">

        <!-- End Facebook Feed -->
        <hr>
        <!-- Facebook Feed -->

        <!-- End Facebook Feed -->
        </div>
        <!-- End Social Media Feed -->
        </div>
        <!-- end row -->
</div>
<!-- /.section -->

<!-- link to top -->
<a id="top" href="#" onClick="topFunction()">
        <i class="fa fa-arrow-circle-up"></i>
</a>
<script>
        // When the user scrolls down 100px from the top of the
document, show the button
        window.onscroll = function() {scrollFunction()};
        function scrollFunction() {
                if (document.body.scrollTop > 100 ||
document.documentElement.scrollTop > 100) {
                        document.getElementById("top").style.display =

```

Source code Form Pengaduan :

```

<?php
    require_once("private/database.php");
    $statement = $db->query("SELECT id FROM `laporan` ORDER BY id DESC
LIMIT 1");
    // $cekk = $statement->fetch(PDO::FETCH_ASSOC);
    if ($statement->rowCount()>0) {
        foreach ($statement as $key ) {
            // get max id from tabel laporan
            $max_id = $key['id']+1;
        }
    }
    if ($statement->rowCount()<1) {
        $max_id = 100;
    }
?>
<!DOCTYPE html>
<html lang="id">

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width">

    <link rel="shortcut icon" href="images/logo.png">
    <!-- Bootstrap CSS -->
    <link rel="stylesheet" href="css/bootstrap.css">
    <!-- font Awesome CSS -->
    <link rel="stylesheet" href="css/font-awesome.min.css">
    <!-- Main Styles CSS -->
    <link href="css/style.css" rel="stylesheet">
</head>

<body>

    <div class="shadow">
        <nav class="navbar navbar-inverse navbar-fixed form-shadow">
            <!-- container-fluid -->
            <div class="container-fluid" style=" background-color:
#003300">
                <!-- Brand and toggle get grouped for better mobile
display -->

```

```

<button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#bs-example-navbar-collapse-1">
    <span class="sr-only">Toggle navigation</span>
    <span class="icon-bar"></span>
    <span class="icon-bar"></span>
    <span class="icon-bar"></span>
</button>
<a class="navbar-brand" href="">
    
    </a>
</div>

<!-- Collect the nav links, forms, and other content
for toggling -->
<div class="collapse navbar-collapse" id="bs-example-
navbar-collapse-1">
    <ul class="nav navbar-nav nav-link">
        <li class="active"><a
href="index">Beranda</a></li>
        <li><a href="lapor">Form Pengaduan</a></li>
        <li><a href="lihat">Cek Pengaduan</a></li>
        <li><a href="cara">Alur Pengaduan</a></li>
        <li><a href="faq">Visi-
Misi</a></li>
        <!--<li class="dropdown">
            <a href="profil dinas" class="dropdown-
toggle" data-toggle="dropdown">PROFIL DINAS <span
class="caret"></span></a>
            <ul class="dropdown-menu" role="menu">
                <li><a href="profil dinas">Profil
Dinas</a></li>
                <li class="divider"></li>
                <li><a href="profil dinas">Visi dan
Misi</a></li>
                <li class="divider"></li>
                <li><a href="profil dinas">Struktur
Organisasi</a></li>
                <li class="divider"></li>
                <li><a href="profil dinas">Motto /
Maklumat Pelayanan</a></li>
            </ul>

```

```

        </li>-->

    </ul>
</div><!-- /.navbar-collapse -->
</div><!-- /.container-fluid -->
</nav>

<!-- content -->
<div class="main-content">

    <h3>FORM PENGADUAN</h3>
    <hr/>
    <div class="row" >
        <div class="col-md-8 card-shadow-2 form-custom"
style=" background-color:#66FF99">
            <form class="form-horizontal" role="form"
method="post" action="private/validasi">
                <div class="form-group">
                    <label for="nomor" class="col-sm-3
control-label">ID </label>
                    <div class="col-sm-9">
                        <div class="input-group">
                            <div class="input-group-
addon"><span class="glyphicon glyphicon-lamp"></span></div>
                            <input type="text" class="form-
control" id="nomor" name="nomor" value="<?php echo $max_id; ?>"
readonly>
                        </div>
                    </div>
                </div>
                <div class="form-group">
                    <label for="nama" class="col-sm-3 control-
label">Nama</label>
                    <div class="col-sm-9">
                        <div class="input-group">
                            <div class="input-group-
addon"><span class="glyphicon glyphicon-user"></span></div>
                            <input type="text" class="form-
control" id="nama" name="nama" placeholder="Nama Lengkap" value="<?=@$_GET['nama'] ?>" required>

```



```

    @$_GET['nama'] ?>" required>
        </div>
        <p class="error"><?=
@$_GET['namaError'] ?></p>
    </div>
</div>
<div class="form-group">
    <label for="email" class="col-sm-3
control-label">Email</label>
    <div class="col-sm-9">
        <div class="input-group">
            <div class="input-group-
addon"><span class="glyphicon glyphicon-envelope"></span></div>
                <input type="email" class="form-
control" id="email" name="email" placeholder="example@domain.com"
value="<?= @$_GET['email'] ?>" required>
            </div>
            <p class="error"><?=
@$_GET['emailError'] ?></p>
        </div>
    </div>
</div>
<div class="form-group">
    <label for="telpon" class="col-sm-3
control-label">Telpon</label>
    <div class="col-sm-9">
        <div class="input-group">
            <div class="input-group-
addon"><span class="glyphicon glyphicon-phone"></span></div>
                <input type="text" class="form-
control" id="telpon" name="telpon" placeholder="087123456789"
value="<?= @$_GET['telpon'] ?>" required>
            </div>
            <p class="error"><?=
@$_GET['telponError'] ?></p>
        </div>
    </div>
</div>
<div class="form-group">
    <label for="alamat" class="col-sm-3
control-label">Alamat</label>
    <div class="col-sm-9">
        <div class="input-group">
            <div class="input-group-

```

```

addon"><span class="glyphicon glyphicon-home"></span></div>
        <input type="text" class="form-
control" id="alamat" name="alamat" placeholder="Alamat" value="<?=
@$_GET['alamat'] ?>" required>
        </div>
        <p class="error"><?=
@$_GET['alamatError'] ?></p>
    </div>
</div>
<div class="form-group">
    <!-- <label for="tujuan" class="col-sm-3
control-label">Tujuan Pengaduan</label>
        <div class="col-sm-9">
            <div class="input-group">
                <div class="input-group-
addon"><span class="glyphicon glyphicon-random"></span></div>
                    <input
type="hidden" class="form-control" id="tujuan" name="tujuan"
placeholder="Alamat" value="1" required>
                    <select class="form-control"
name="tujuan">
                        <option value="1">Pelayanan
Pendaftaran Penduduk</option>
                        <option value="2">Pelayanan
Pencatatan Sipil</option>
                        <option value="3">Pengelolaan
Informasi Administrasi Kependudukan</option>
                        <option value="4">Pemanfaatan
Data Dan Inovasi Pelayanan</option>
                    </select>
                </div>
            </div>-->
        </div>
<div class="form-group">
    <label for="pengaduan" class="col-sm-3
control-label">Isi Pengaduan</label>
        <div class="col-sm-9">
            <div class="input-group">
                <div class="input-group-
addon"><span class="glyphicon glyphicon-pencil"></span></div>
                    <textarea class="form-control"
rows="4" name="pengaduan" placeholder="Tuliskan Isi Pengaduan"

```

Source code Form Balas Pengaduan :

```

<?php
    require_once("database.php"); // koneksi DB
    require_once("auth.php"); // Session
    logged_admin ();
    global $total_laporan_masuk, $total_laporan_menunggu,
$total_laporan_ditanggapi;
    if ($id_admin > 0) {
        foreach($db->query("SELECT COUNT(*) FROM laporan WHERE
laporan.tujuan = $id_admin") as $row) {
            $total_laporan_masuk = $row['COUNT(*)'];
        }

        foreach($db->query("SELECT COUNT(*) FROM laporan WHERE status
= \"Ditanggapi\" AND laporan.tujuan = $id_admin") as $row) {
            $total_laporan_ditanggapi = $row['COUNT(*)'];
        }

        foreach($db->query("SELECT COUNT(*) FROM laporan WHERE status
= \"Menunggu\" AND laporan.tujuan = $id_admin") as $row) {
            $total_laporan_menunggu = $row['COUNT(*)'];
        }
    } else {
        foreach($db->query("SELECT COUNT(*) FROM laporan") as $row) {
            $total_laporan_masuk = $row['COUNT(*)'];
        }

        foreach($db->query("SELECT COUNT(*) FROM laporan WHERE status
= \"Ditanggapi\"") as $row) {
            $total_laporan_ditanggapi = $row['COUNT(*)'];
        }

        foreach($db->query("SELECT COUNT(*) FROM laporan WHERE status
= \"Menunggu\"") as $row) {
            $total_laporan_menunggu = $row['COUNT(*)'];
        }
    }

?>
<!DOCTYPE html>
<html lang="en">

```

```

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">
  <meta name="description" content="">
  <meta name="author" content="">
  <link rel="shortcut icon" href="logo.png">

  <!-- Bootstrap core CSS-->
  <link href="vendor/bootstrap/css/bootstrap.css" rel="stylesheet">
  <!-- Custom fonts for this template-->
  <link href="vendor/font-awesome/css/font-awesome.min.css"
rel="stylesheet" type="text/css">
  <!-- Page level plugin CSS-->
  <link href="vendor/datatables/dataTables.bootstrap4.css"
rel="stylesheet">
  <!-- Custom styles for this template-->
  <link href="css/admin.css" rel="stylesheet">
</head>

<body class="fixed-nav sticky-footer" id="page-top" style="background-
color:#003300">
  <!-- Navigation-->
  <nav class="navbar navbar-expand-lg navbar-dark bg-dark fixed-top"
id="mainNav" >
    <a class="navbar-brand" href="index">BPP KEMBANG BAHU
LAMONGAN</a>
    <button class="navbar-toggler navbar-toggler-right"
type="button" data-toggle="collapse" data-target="#navbarResponsive"
aria-controls="navbarResponsive" aria-expanded="false" aria-
label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>

    <div class="collapse navbar-collapse" id="navbarResponsive" >
      <ul class="navbar-nav navbar-sidenav sidebar-menu"
id="exampleAccordion" style="background-color:#003300">

        <li class="sidebar-profile nav-item" data-
toggle="tooltip" data-placement="right" title="Admin"
style="background-color:#003300">

```

```

        <div class="profile-main">
            <p class="image">
                
                <span class="status"><i class="fa fa-
circle text-success"></i></span>
            </p>
            <p>
                <span class="">Admin</span><br>
                <span class="user" style="font-family:
monospace;"><?php echo $divisi; ?></span>
            </p>
        </div>
    </li>

    <li class="nav-item" data-toggle="tooltip" data-
placement="right" title="Dashboard">
        <a class="nav-link" href="index">
            <i class="fa fa-fw fa-dashboard"></i>
            <span class="nav-link-text">Dashboard</span>
        </a>
    </li>

    <li class="nav-item" data-toggle="tooltip"
data-placement="right" title="Tables">
        <a class="nav-link" href="admin">
            <i class="fa fa-fw fa-table"></i>
            <span class="nav-link-
text">Administrator</span>
        </a>
    </li>

    <li class="nav-item" data-toggle="tooltip" data-
placement="right" title="Tables">
        <a class="nav-link" href="tables">
            <i class="fa fa-fw fa-table"></i>
            <span class="nav-link-text">Data
Pengaduan</span>
        </a>
    </li>

    <li class="nav-item" data-toggle="tooltip" data-
placement="right" title="Export">

```

```

        placement="right" title="Export">
            <a class="nav-link" href="tables1">
                <i class="fa fa-fw fa-edit"></i>
                <span class="nav-link-text">Balas
Pengaduan</span>
            </a>
        </li>

        <li class="nav-item" data-toggle="tooltip"
data-placement="right" title="Export">
            <a class="nav-link" href="export">
                <i class="fa fa-fw fa-print"></i>
                <span class="nav-link-text">Cetak
Laporan</span>
            </a>
        </li>

        <li class="nav-item" data-toggle="tooltip" data-
placement="right" title="Version">
            <a class="nav-link" href="#VersionModal" data-
toggle="modal" data-target="#VersionModal">
                <i class="fa fa-fw fa-code"></i>
                <span class="nav-link-text">user</span>
            </a>
        </li>

    </ul>

    <ul class="navbar-nav sidenav-toggler">
        <li class="nav-item">
            <a class="nav-link text-center"
id="sidenavToggler">
                <i class="fa fa-fw fa-angle-left"></i>
            </a>
        </li>
    </ul>

    <ul class="navbar-nav ml-auto">
        <li class="nav-item dropdown">
            <a class="nav-link dropdown-toggle mr-lg-2"
id="messagesDropdown" href="#" data-toqgle="dropdown" aria-

```

Source code Cetak Form Laporan :

```

<?php
require_once("database.php");
require_once("auth.php"); // Session
logged_admin ();
?>
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">
    <link rel="shortcut icon" href="logo.png">
    <title>BPP KEMBANG BAHU LAMONGAN</title>
    <!-- Bootstrap core CSS-->
    <link href="vendor/bootstrap/css/bootstrap.css" rel="stylesheet">
    <!-- Custom fonts for this template-->
    <link href="vendor/font-awesome/css/font-awesome.min.css"
rel="stylesheet" type="text/css">
    <!-- Page level plugin CSS-->
    <link href="vendor/datatables/dataTables.bootstrap4.css"
rel="stylesheet">
    <!-- Custom styles for this template-->
    <link href="css/admin.css" rel="stylesheet">
    <!-- Page level plugin CSS-->
    <link rel="stylesheet" type="text/css"
href="vendor/datatables/extra/jquery.dataTables.min.css">
    <link rel="stylesheet" type="text/css"
href="vendor/datatables/extra/buttons.dataTables.min.css">

    <!-- Bootstrap core JavaScript-->
    <script src="vendor/jquery/jquery.min.js"></script>

    <!-- export plugin JavaScript-->
    <script src="vendor/datatables/jquery.dataTables.js"></script>
    <script
src="vendor/datatables/extra/dataTables.buttons.min.js"></script>

```

```

    <script
src="vendor/datatables/extra/buttons.print.min.js"></script>
    <script src="vendor/datatables/extra/jszip.min.js"></script>
    <script src="vendor/datatables/extra/pdfmake.min.js"></script>
    <script src="vendor/datatables/extra/vfs_fonts.js"></script>
    <script
src="vendor/datatables/extra/buttons.html5.min.js"></script>
    <script type="text/javascript" class="init">
    $(document).ready(function() {
        $('#example').DataTable( {
            dom: 'Bfirtip',
            buttons: [
                {
                    extend: 'print',
                    customize: function ( win ) {
                        $(win.document.body).find( 'table' )
                            .addClass( 'compact' )
                            .css( 'font-size', 'inherit' );
                        $(win.document.body)
                            .css( 'font-size', '10pt' )
                            .prepend(
                                '
                                ');
                    }
                },
                {
                    extend: 'pdf',
                    orientation: 'landscape',
                    pageSize: 'LEGAL',
                    title: 'Data Pengaduan'
                }
            ]
        } );
    } );
</script>

</head>

<body class="fixed-nav sticky-footer" id="page-top">
    <!-- Navigation-->

```


