

Lampiran

1. Halaman Daftar Karyawan Baru

```
<?php
if ($mod =="){
    header('location:../404');
    echo'kosong';
}else{
    include_once 'sw-mod/sw-header.php';
if(!isset($_COOKIE['COOKIES_MEMBER']) OR
!isset($_COOKIE['COOKIES_COOKIES'])){
    echo'
<!-- App Capsule -->
    <div id="appCapsule">
        <div class="section text-center">
            <h1>Mendaftar</h1>
        </div>
        <div class="section mb-5 p-2">
            <form id="form-registrasi">
                <div class="card">
                    <div class="card-body pb-1">
                        <div class="form-group basic">
                            <div class="input-wrapper">
                                <label class="label">NIK</label>
                                <input type="text" class="form-control" id="employees_code"
name="employees_code" required>
                                <i class="clear-input"><ion-icon name="close-circle"></ion-
icon></i>
                            </div>
                        </div>
                    </div>
                </div>
                <div class="form-group basic">
                    <div class="input-wrapper">
                        <label class="label">Nama</label>
                        <input type="text" class="form-control" id="name"
name="employees_name" required>
```

```

        <i class="clear-input"><ion-icon name="close-circle"></ion-
icon></i>

        </div>
    </div>

    <div class="form-group basic">
        <div class="input-wrapper">
            <label class="label">E-mail</label>
            <input type="email" class="form-control" id="email"
name="employees_email" required>
            <i class="clear-input"><ion-icon name="close-circle"></ion-
icon></i>
        </div>
    </div>

    <div class="form-group basic">
        <div class="input-wrapper">
            <label class="label">Jabatan</label>
            <select class="form-control" name="position_id" id="position_id"
required="">
                <option value="">- Pilih -</option>;
                $query="SELECT * from position order by position_name ASC";
                $result = $connection->query($query);
                while($row = $result->fetch_assoc()) {
                    echo'<option
value="'. $row['position_id']. "'>'. $row['position_name']. '</option>;
                }echo'
            </select>
        </div>
    </div>

    <div class="form-group basic">
        <div class="input-wrapper">
            <label class="label">Jam Kerja</label>
            <select class="form-control" name="shift_id" id="shift_id"
required="">
                <option value="">- Pilih -</option>;

```

```

        $query="SELECT shift_id,shift_name from shift order by
shift_name ASC";

        $result = $connection->query($query);
        while($row = $result->fetch_assoc()) {
            echo'<option
value="'. $row['shift_id']. "'>'. $row['shift_name']. '</option>';
            }echo'
        </select>
    </div>
</div>

<div class="form-group basic">
    <div class="input-wrapper">
        <label class="label">Lokasi</label>
        <select class="form-control" name="building_id" id="building"
required="">
            <option value="">- Pilih -</option>;
            $query="SELECT building_id,name,address from building order
by name ASC";
            $result = $connection->query($query);
            while($row = $result->fetch_assoc()) {
                echo'<option
value="'. $row['building_id']. "'>'. $row['name']. '</option>';
                }echo'
            </select>
        </div>
    </div>

<div class="form-group basic">
    <div class="input-wrapper">
        <label class="label" for="password1">Password</label>
        <input type="password" class="form-control" id="password"
name="employees_password" placeholder="Passworb baru">
        <i class="clear-input"><ion-icon name="close-circle"></ion-
icon></i>

```

```

        </div>
    </div>
</div>
</div>

<div class="form-links mt-2">
    <div>
        <a href=../>Sudah punya akun?</a>
    </div>
    <div><a href="forgot" class="text-muted">Lupa Password?</a></div>
</div>

<div class="form-button-group transparent">
    <button type="submit" class="btn btn-danger btn-block btn-
lg">Mendaftar</button>
</div>
</form>
</div>

</div>
<!-- * App Capsule -->};
else{
}

include_once 'sw-mod/sw-footer.php';
} ?>

```

2. Halaman Login Karyawan

```

<?php
if ($mod =="){
    header('location:../404');
    echo'kosong';
}else{
    include_once 'sw-mod/sw-header.php';

```

```

if(!isset($_COOKIE['COOKIES_MEMBER'])){
echo'
<!-- App Capsule -->
<div id="appCapsule">
  <div class="section mt-2 text-center">
    </img>
    <h1>Masuk</h1>
  </div>
  <div class="section mb-5 p-2">

    <form id="form-login">
      <div class="card">
        <div class="card-body pb-1">
          <div class="form-group basic">
            <div class="input-wrapper">
              <label class="label" for="email1">E-mail</label>
              <input type="email" class="form-control" id="email" name="email"
placeholder="E-mail Anda">
              <i class="clear-input"><ion-icon name="close-circle"></ion-
icon></i>
            </div>
          </div>
          <div class="form-group basic">
            <div class="input-wrapper">
              <label class="label" for="password1">Password</label>
              <input type="password" class="form-control" id="password"
name="password" placeholder="Kata sandi Anda">
              <i class="clear-input"><ion-icon name="close-circle"></ion-
icon></i>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
  <div class="form-links mt-2">

```

```
<div>
  <a href="registrasi">Mendaftar</a>
</div>
<div><a href="forgot" class="text-muted">Lupa Password?</a></div>
</div>

<div class="form-button-group transparent">
  <button type="submit" class="btn btn-primary btn-block"><ion-icon
name="log-in-outline"></ion-icon> Masuk</button>
  <a href="oauth/google" class="btn btn-danger btn-block"><ion-icon
name="logo-google"></ion-icon> Masuk Dengan Google</a>
</div>

</form>
</div>
</div>
* App Capsule -->;}
```



3. Halaman Menu Utama Karyawan

```
else{
echo'<!-- App Capsule -->
<div id="appCapsule">
<!-- Wallet Card -->
<div class="section wallet-card-section pt-1">
<div class="wallet-card">
<!-- Balance -->
<div class="balance">
<div class="left">
<span class="title"> Selamat '.$salam.'</span>
<h1 class="total">'.ucfirst($row_user['employees_name']).</h1>
</div>
</div>
<!-- * Balance -->
<!-- Wallet Footer -->
<div class="wallet-footer">
<div class="item">
<a href="/absent">
<div class="icon-wrapper bg-danger">
<ion-icon name="camera-outline"></ion-icon>
```

```
</div>
<strong>Absen</strong>
</a>
</div>
```

```
<div class="item">
  <a href="/cuty">
    <div class="icon-wrapper bg-primary">
      <ion-icon name="calendar-outline"></ion-icon>
    </div>
    <strong>Cuti</strong>
  </a>
</div>
```

```
<div class="item">
  <a href="/history">
    <div class="icon-wrapper bg-success">
      <ion-icon name="document-text-outline"></ion-icon>
    </div>
    <strong>History</strong>
  </a>
</div>
```

```
<div class="item">
  <a href="/slip-gaji">
    <div class="icon-wrapper bg-primary">
      <ion-icon name="cash-outline"></ion-icon>
    </div>
    <strong>Slip Gaji</strong>
  </a>
</div>
```

```
<div class="item">
  <a href="/profile">
    <div class="icon-wrapper bg-warning">
      <ion-icon name="person-outline"></ion-icon>
```



```

        </div>
        <strong>Profil</strong>
    </a>
</div>

</div>
<!-- * Wallet Footer -->
</div>
</div>
<!-- Wallet Card -->

<!-- Label Presensi Hari ini -->
<div class="section">
    <div class="row mt-2">';
        if($result_absent->num_rows > 0){
            $row_absent = $result_absent->fetch_assoc();
            echo'
            <div class="col-6">
                <div class="stat-box bg-danger">
                    <div class="title text-white">Absen Masuk</div>
                    <div class="value text-white">!. $row_absent['time_in'].!</div>
                </div>
            </div>';

            if($row_absent['time_out']==='00:00:00'){
                echo'
                <div class="col-6">
                    <a href="/absent"><div class="stat-box bg-success">
                        <div class="title text-white">Absen Pulang</div>
                        <div class="value text-white">Belum absen</div>
                    </div></a>
                </div>';
            }else{
                echo'
                <div class="col-6">
                    <div class="stat-box bg-success">

```

```

        <div class="title text-white">Absen Pulang</div>
        <div class="value text-white">'.$row_absent['time_out'].</div>
    </div>
</div>;}
}
else{
    echo'
    <div class="col-6">
        <a href="/absent"><div class="stat-box bg-danger">
            <div class="title text-white">Absen Masuk</div>
            <div class="value text-white">Belum absen</div>
        </div></a>
    </div>

    <div class="col-6">
        <div class="stat-box bg-secondary">
            <div class="title text-white">Absen Pulang</div>
            <div class="value text-white">Belum Absen</div>
        </div>
    </div>
    ;
}
echo'
</div>
</div>

<div class="section mt-4">
    <div class="section-title mb-1">Presensi Bulan
        <select class="select select-change text-primary" required>;
            if($month ==1){echo'<option value="01"
selected>Januari</option>;}else{echo'<option value="01">Januari</option>;}
            if($month ==2){echo'<option value="02"
selected>Februari</option>;}else{echo'<option value="02">Februari</option>;}
            if($month ==3){echo'<option value="03"
selected>Maret</option>;}else{echo'<option value="03">Maret</option>;}

```

```

        if($month ==4){echo'<option value="04"
selected>April</option>';}else{echo'<option value="04">April</option>';}
        if($month ==5){echo'<option value="05"
selected>Mei</option>';}else{echo'<option value="05">Mei</option>';}
        if($month ==6){echo'<option value="06"
selected>Juni</option>';}else{echo'<option value="06">Juni</option>';}
        if($month ==7){echo'<option value="07"
selected>Juli</option>';}else{echo'<option value="07">Juli</option>';}
        if($month ==8){echo'<option value="08"
selected>Agustus</option>';}else{echo'<option value="08">Agustus</option>';}
        if($month ==9){echo'<option value="09"
selected>September</option>';}else{echo'<option value="09">September</option>';}
        if($month ==10){echo'<option value="10"
selected>Oktober</option>';}else{echo'<option value="10">Oktober</option>';}
        if($month ==11){echo'<option value="12"
selected>November</option>';}else{echo'<option value="12">November</option>';}
        if($month ==12){echo'<option value="12"
selected>Desember</option>';}else{echo'<option value="12">Desember</option>';}
        echo'
</select><span class="text-primary">'. $year.'</span>
</div>
<div class="transactions">
<div class="row">
<div class="load-home" style="display:contents"></div>
</div>
</div>
</div>

<div class="section mt-2 mb-2">
<div class="section-title">1 Minggu Terakhir</div>
<div class="card">
<div class="table-responsive">
<table class="table table-dark rounded bg-danger">
<thead>
<tr>
<th scope="col">Tanggal</th>
<th scope="col">Jam Masuk</th>

```

```

        <th scope="col">Jam Pulang</th>
    </tr>
</thead>
<tbody>';
    $query_absen="SELECT presence_date,time_in,time_out FROM
presence WHERE MONTH(presence_date) ='$month' AND
employees_id='$row_user[id]' ORDER BY presence_id DESC LIMIT 6";
    $result_absen = $connection->query($query_absen);
    if($result_absen->num_rows > 0){
        while ($row_absen= $result_absen->fetch_assoc()) {
            echo'
            <tr>
                <th scope="row">'.tgl_ind($row_absen['presence_date']).'</th>
                <td>'. $row_absen['time_in'].'</td>
                <td>'. $row_absen['time_out'].'</td>
            </tr>';
        }}
        echo'
    </tbody>
</table>
</div>
</div>
</div>
</div>';
}
include_once 'sw-mod/sw-footer.php';
} ?>

```

4. Halaman Profil Karyawan

```

<?php
if ($mod =="){
    header('location:../404');
    echo'kosong';
}else{
    include_once 'sw-mod/sw-header.php';
    if(!isset($_COOKIE['COOKIES_MEMBER'])){

```

```

setcookie('COOKIES_MEMBER', '', 0, '/');
setcookie('COOKIES_COOKIES', '', 0, '/');
// Login tidak ditemukan
setcookie("COOKIES_MEMBER", "", time()-$expired_cookie);
setcookie("COOKIES_COOKIES", "", time()-$expired_cookie);
session_destroy();
header("location:./");
}else{
echo'<!-- App Capsule -->
<div id="appCapsule">
<div class="section mt-3 text-center">
<div class="avatar-section">
<input type="file" class="upload" name="file" id="avatar" accept=".jpg, .jpeg,
.gif, .png" capture="camera">
<a href="#">;
if($row_user['photo'] =="){
echo';
}else{
echo'
;}
echo'
<span class="button">
<ion-icon name="camera-outline"></ion-icon>
</span>
</a>
</div>
</div>

<div class="section mt-2 mb-2">
<div class="section-title">Profil</div>
<div class="card">
<div class="card-body">
<form id="update-profile">
<div class="form-group boxed">

```

```

<div class="input-wrapper">
    <label class="label" for="text4">NIK</label>
    <input type="text" class="form-control"
value="".$row_user['employees_code'].'" required>
    <i class="clear-input">
        <ion-icon name="close-circle"></ion-icon>
    </i>
</div>
</div>

<div class="form-group boxed">
    <div class="input-wrapper">
        <label class="label" for="email4">Nama</label>
        <input type="text" class="form-control" id="name"
name="employees_name" value="".$row_user['employees_name'].'" required>
        <i class="clear-input">
            <ion-icon name="close-circle"></ion-icon>
        </i>
    </div>
</div>

<div class="form-group boxed">
    <div class="input-wrapper">
        <label class="label" for="select4">Jabatan</label>
        <select class="form-control custom-select" name="position_id">
            $query="SELECT * from position order by position_name
ASC";
            $result = $connection->query($query);
            while($rowa = $result->fetch_assoc()) {
                if($rowa['position_id'] == $row_user['position_id']){
                    echo'<option value="".$rowa['position_id'].'"
selected>'.$rowa['position_name'].'</option>;
                }else{
                    echo'<option
value="".$rowa['position_id'].'">'.$rowa['position_name'].'</option>;
                }
            }echo'

```

```

        </select>
    </div>
</div>

<div class="form-group boxed">
    <div class="input-wrapper">
        <label class="label" for="select4">Jam Kerja</label>
        <select class="form-control custom-select" name="shift_id">;
            $query="SELECT shift_id,shift_name from shift order by
shift_name ASC";
            $result = $connection->query($query);
            while($rowa = $result->fetch_assoc()) {
                if($rowa['shift_id'] == $row_user['shift_id']){
                    echo'<option value="'. $rowa['shift_id'].'"
selected>'. $rowa['shift_name']. '</option>';
                }else{
                    echo'<option
value="'. $rowa['shift_id']. '">'. $rowa['shift_name']. '</option>';
                }
            }echo'
        </select>
    </div>
</div>

<div class="form-group boxed">
    <div class="input-wrapper">
        <label class="label" for="password4">Lokasi Penempatan</label>
        <select class="form-control custom-select" name="building_id">;
            $query = "SELECT building_id,name,address from building";
            $result = $connection->query($query);
            while($row = $result->fetch_assoc()) {
                if($row['building_id'] == $row_user['building_id']){
                    echo'<option value="'. $row['building_id'].'"
selected>'. $row['name']. '</option>';
                }else{

```

```

        echo'<option
value="'. $row['building_id']. "'>'. $row['name']. '</option>';
        }
    }echo'
    </select>
</div>
</div>

<hr>
    <button type="submit" class="btn btn-danger mr-1 btn-lg btn-block
btn-profile">Simpan</button>

</form>
</div>
</div>
</div>

<div class="section mt-2 mb-2">
    <div class="section-title">Update Password</div>
    <div class="card">
        <div class="card-body">
            <form id="update-password">
                <div class="form-group boxed">
                    <div class="input-wrapper">
                        <label class="label" for="text4">Kode Pegawai</label>
                        <input type="email" class="form-control" name="employees_email"
value="'. $row_user['employees_email']. "' style="background:#eeeeee" readonly>
                            <i class="clear-input">
                                <ion-icon name="close-circle"></ion-icon>
                            </i>
                        </div>
                    </div>
                </div>
            </form>

            <div class="form-group boxed">
                <div class="input-wrapper">

```



```

        <label class="label" for="email4">Password baru</label>
        <input type="password" class="form-control"
name="employees_password" id="employees_password" required>
        <i class="clear-input">
            <ion-icon name="close-circle"></ion-icon>
        </i>
    </div>
</div>
<hr>
<button type="submit" class="btn btn-danger mr-1 btn-lg btn-
block">Simpan</button>
</form>
</div>
</div>
</div>
</div>
<!-- * App Capsule -->
;
}
include_once 'sw-mod/sw-footer.php';
} ?>

```

5. Halaman Login Admin

```

<?PHP session_start();
if(!empty($_SESSION['SESSION_USER']) && !empty($_SESSION['SESSION_ID'])){
    header('location:../');
exit;}
else{
    require_once'../sw-library/sw-config.php';
?>
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">

```

```

<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>Login Administrator</title>
<!-- Tell the browser to be responsive to screen width -->
<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-
scalable=no" name="viewport">
  <meta name="description" content="Login">
  <meta name="author" content="pixelcave">
  <meta name="robots" content="noindex, nofollow">

  <!-- Icons -->
  <link rel="shortcut icon" href="../../sw-content/favicon.png">
  <link rel="apple-touch-icon" href="../../sw-content/favicon.png">

  <link rel="stylesheet" href="../../sw-assets/css/bootstrap.min.css">
  <link rel="stylesheet" href="../../sw-assets/css/AdminLTE.min.css">
  <link rel="stylesheet" href="../../sw-assets/css/skin-blue-light.css">
  <link rel="stylesheet" href="../../sw-assets/css/font-awesome.css">

  <!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements and media queries
-->
  <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
  <!--[if lt IE 9]>
  <script src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></script>
  <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
  <![endif]-->

  <!-- Google Font -->
  <link rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,600,700,300it
alic,400italic,600italic">
</head>
<?php echo'
<body class="hold-transition login-page">
<div class="login-box">
  <div class="login-logo">
    <a href=".."></a>

```

```

</div>
<!-- /.login-logo -->
<div class="login-box-body">
  <p class="login-box-msg">Silahkan masukkan username dan password :</p>

  <div class="form-group has-feedback">
    <input type="text" id="username" name="username" class="form-control"
placeholder="Username">
    <span class="fa fa-user form-control-feedback"></span>
  </div>

  <div class="form-group has-feedback">
    <input type="password" id="password" name="password" class="form-control"
placeholder="Password">
    <span class="glyphicon glyphicon-lock form-control-feedback"></span>
  </div>
  <hr>
  <div class="row">
    <div class="col-md-12" style="min-height:40px;"><span id="stat"></span></div>
    <div class="col-xs-12">
      <button type="submit" class="btn btn-primary btn-block btn-flat"
id="login">Login to Admin</button>
    </div>
  <!-- /.col -->
</div>

</div>
<!-- /.login-box-body -->
</div>
<!-- /.login-box -->?>

<footer class="text-muted text-center">
  <small></span><span id="credits"><a class="credits" href="https://s-widodo.com"
target="_blank"></a> All Rights Reserveds </span>
  <em>Version Update 2022</em></small>

```

```

</footer>

<script src="../../sw-assets/js/jquery.min.js"></script>
<script src="../../sw-assets/js/bootstrap.min.js"></script>
<script src="../../sw-assets/js/adminlte.js"></script>
<script src="../../sw-assets/js/demo.js"></script>
<script src="/jquery-login.js"></script>
</body>
</html>
<?php }?>

```

6. Halaman Menu Utama Admin

```

<?php
if(empty($connection)){
    header('location:../..');
} else {
    include_once 'sw-mod/sw-panel.php';

    $query_employees = "SELECT id FROM employees";
    $result_count = $connection->query($query_employees);

    $query_position = "SELECT position_id FROM position";
    $result_count_position = $connection->query($query_position);

    $query_building = "SELECT building_id FROM building";
    $result_count_building = $connection->query($query_building);

    $query_shift = "SELECT shift_id FROM shift";
    $result_count_shift = $connection->query($query_shift);

    echo'
<div class="content-wrapper">
<section class="content">
    <div class="row">
        <div class="col-lg-3 col-xs-6">
            <div class="small-box bg-aqua">

```

```

<div class="inner">
  <h3>!. $result_count->num_rows.</h3>
  <p>Karyawan</p>
</div>
<div class="icon">
  <i class="fa fa-user"></i>
</div>
<a href="/karyawan" class="small-box-footer">
  More info <i class="fa fa-arrow-circle-right"></i>
</a>
</div>
</div>

<div class="col-lg-3 col-xs-6">
  <div class="small-box bg-yellow">
    <div class="inner">
      <h3>!. $result_count_position->num_rows.</h3>
      <p>Jabatan</p>
    </div>
    <div class="icon">
      <i class="fa fa-briefcase"></i>
    </div>
    <a href="/jabatan" class="small-box-footer">
      More info <i class="fa fa-arrow-circle-right"></i>
    </a>
  </div>
</div>

<div class="col-lg-3 col-xs-6">
  <div class="small-box bg-red">
    <div class="inner">
      <h3>!. $result_count_building->num_rows.</h3>
      <p>Lokasi Kantor</p>
    </div>
    <div class="icon">
      <i class="fa fa-building"></i>
    </div>
  </div>

```

```

<a href="/lokasi" class="small-box-footer">
  More info <i class="fa fa-arrow-circle-right"></i>
</a>
</div>
</div>

<div class="col-lg-3 col-xs-6">
<div class="small-box bg-green">
<div class="inner">
<h3>$.result_count_shift->num_rows.</h3>
<p>Jam Kerja</p>
</div>
<div class="icon">
<i class="fa fa-retweet"></i>
</div>
<a href="/shift" class="small-box-footer">
  More Info <i class="fa fa-arrow-circle-right"></i>
</a>
</div>
</div>

<div class="col-xs-12 col-sm-12 col-md-12 col-lg-12">
<div class="box box-solid">
<div class="box-header with-border">
<h3 class="box-title">Statistik Presensi</h3>
</div>
<div class="box-body">
<div class="chart">
<canvas id="areaChart" style="height:300px"></canvas>
</div>
</div>
</div>
</div>

<div class="col-xs-12 col-sm-12 col-md-6 col-lg-6">
<div class="box box-solid">
<div class="box-header with-border">

```

```

<h3 class="box-title">Presensi Hari ini</h3>
</div>
<div class="box-body no-padding">
<table class="table">
<tbody>
<tr>
<th style="width: 10px" class="text-center">No.</th>
<th>Nama</th>
<th>Jam Masuk</th>
<th>Jam Pulang</th>
<th class="text-right">Aksi</th>
</tr>
<tr>';
$query_absent_day ="SELECT
presence.employees_id,presence.time_in,presence.time_out,employees.employees_name
FROM presence,employees WHERE presence.employees_id=employees.id AND
presence.presence_date='$date' ORDER BY presence.presence_id LIMIT 10";
$result_absent_day = $connection->query($query_absent_day);
if($result_absent_day->num_rows > 0){
$no=0;
while ($row = $result_absent_day->fetch_assoc()) {
$no++;
echo'
<td class="text-center">'. $no.'</td>
<td>'. $row['employees_name'].'</td>
<td>'. $row['time_in'].'</td>
<td>'. $row['time_out'].'</td>
<td class="text-right"><a
href="Presensi&op=views&id='.epm_encode($row['employees_id']).'" class="btn btn-
warning btn-xs"><i class="fa fa-external-link-square" aria-hidden="true"></i></a></td>
</tr>';}}
echo'
</tbody>
</table>
</div>
</div>
</div>

```

```

<div class="col-xs-12 col-sm-12 col-md-6 col-lg-6">
  <div class="box box-solid">
    <div class="box-header with-border">
      <h3 class="box-title">Permohonan Cuti</h3>
      <div class="box-tools pull-right">
        <a href="cuty" class="btn btn-success btn-flat">Data Cuti</a>
      </div>
    </div>
    <div class="box-body no-padding">
      <table class="table">
        <tbody>
          <tr>
            <th style="width: 10px" class="text-center">No.</th>
            <th>Nama</th>
            <th>Tanggal Cuti</th>
            <th class="text-center">Jumlah</th>
            <th class="text-right">Masuk Kerja</th>
          </tr>
          <tr>;
            $query_cuty="SELECT employees.employees_name,cuty.* FROM
employees,cuty WHERE employees.id=cuty.employees_id AND cuty.cuty_status='3'
order by cuty.cuty_id DESC LIMIT 10";
            $result_cuty = $connection->query($query_cuty);
            if($result_cuty->num_rows > 0){
              $no=0;
              while ($row_cuty= $result_cuty->fetch_assoc()) {
                $no++;
                echo'
                <td class="text-center">'. $no.'</td>
                <td>'. $row_cuty['employees_name'].'</td>
                <td>'. tgl_ind($row_cuty['cuty_start']).' sampai
                '. tgl_ind($row_cuty['cuty_end']).'</td>
                <td class="text-center"><label class="label label-
warning">'. $row_cuty['cuty_total'].'</label></td>
                <td class="text-right">'. tgl_ind($row_cuty['date_work']).'</td>
              </tr>;}

```



```

    }
    echo'
  </tbody>
</table>
</div>
</div>
</div>
</div>
</div>
</section>
</div>';

$date = date("d-m-Y",strtotime("-6 days"));
$D = substr($date,0,2);
$M = substr($date,3,2)-1;
$Y = substr($date,6,4);
$tgl_skrng = date("Y-m-d");
$seminggu = strtotime("-1 week +1 day",strtotime($tgl_skrng));
$hasilnya = date('Y-m-d', $seminggu);
//visitor
for ($i=0; $i<=6; $i++){
    $tgl_pengujung = strtotime("+ $i day",strtotime($hasilnya));
    $hasil_pengujung = date("Y-m-d", $tgl_pengujung);
    $tanggal_visitor []= tgl_ind($hasil_pengujung);
    $query_Presensi ="SELECT presence_date FROM presence WHERE
presence_date='$hasil_pengujung'";
    $result_Presensi = $connection->query($query_Presensi);
    $Presensi [] = $result_Presensi->num_rows;

}
$tanggal_visitor = implode("","$tanggal_visitor");?>
<script type="text/javascript">
var lineChartData = {
  labels :["<?php echo $tanggal_visitor;?>"],
  datasets : [
    {
      label: "Statistik Presensi",

```

```
fillColor : "rgba(29,75,251,0.7)",
strokeColor : "rgba(220,220,220,1)",
pointColor : "rgba(220,220,220,1)",
pointStrokeColor : "#fff",
pointHighlightFill : "#fff",
pointHighlightStroke : "rgba(220,220,220,1)",
data :<?php echo json_encode($Presensi);?>

}
]

}

window.onload = function(){
var ctx = document.getElementById("areaChart").getContext("2d");
window.myLine = new Chart(ctx).Line(lineChartData, {
responsive: true
});
}
</script>
<?PHP
}?>
```

7. Halaman Data Karyawan dan Edit Data Karyawan

```
<?php
if(empty($connection)){
header('location:../..');
} else {
include_once 'sw-mod/sw-panel.php';
echo'
<div class="content-wrapper">';
switch(@$_GET['op']){
default:
```

```

echo'
<section class="content-header">
  <h1>Data<small> Karyawan</small></h1>
  <ol class="breadcrumb">
    <li><a href="."><i class="fa fa-dashboard"></i> Beranda</a></li>
    <li class="active">Data Karyawan</li>
  </ol>
</section>;
echo'
<section class="content">
  <div class="row">
    <div class="col-xs-12 col-sm-12 col-md-12 col-lg-12">
      <div class="box box-solid">
        <div class="box-header with-border">
          <h3 class="box-title"><b>Data Karyawan</b></h3>
          <div class="box-tools pull-right">;
            if($level_user==1){
              echo'
                <a href=".$mod.'&op=add" class="btn btn-success btn-flat"><i class="fa fa-
plus"></i> Tambah Baru</a>;}
              else{
                echo'<button type="button" class="btn btn-success btn-flat access-failed"><i
class="fa fa-plus"></i> Tambah Baru</button>;
              }echo'
            </div>
          </div>
        <div class="box-body">
          <div class="table-responsive">
            <table id="swdatatable" class="table table-bordered">
              <thead>
                <tr>
                  <th style="width: 10px">No</th>
                  <th>NIK</th>
                  <th>Nama</th>
                  <th>Email</th>
                  <th>Jabatan</th>
                  <th>Shift</th>

```

```

<th>Lokasi</th>
<th style="width:150px" class="text-right">Aksi</th>
</tr>
</thead>
<tbody>';
$query="SELECT
employees.*,position.position_name,shift.shift_name,building.name FROM
employees,position,shift,building WHERE employees.position_id=position.position_id
AND employees.shift_id=shift.shift_id AND
employees.building_id=building.building_id order by employees.id DESC";
$result = $connection->query($query);
if($result->num_rows > 0){
    $no=0;
    while ($row= $result->fetch_assoc()) {
        $no++;
        echo'
<tr>
<td class="text-center">'. $no.'</td>
<td>'. $row['employees_code'].'</td>
<td>'. $row['employees_name'].'</td>
<td>'. $row['employees_email'].'</td>
<td>'. $row['position_name'].'</td>
<td>'. $row['shift_name'].'</td>
<td>'. $row['name'].'</td>
<td class="text-right">
<div class="btn-group">';
        if($level_user==1){
            echo'
<a href="./'.$mod.'&op=edit&id='.epm_encode($row['id']).'" class="btn btn-
warning btn-xs enable-tooltip" title="Edit"><i class="fa fa-pencil-square-o"></i>
Ubah</a>
<buton data-id="'.epm_encode($row['id']).'" class="btn btn-xs btn-danger
delete" title="Hapus"><i class="fa fa-trash-o"></i> Hapus</button>';
        }
        else{
            echo'
<button type="button" class="btn btn-warning btn-xs access-failed enable-
tooltip" title="Edit"><i class="fa fa-pencil-square-o"></i> Ubah</button>

```

```

        <buton type="button" class="btn btn-xs btn-danger access-failed"
title="Hapus"><i class="fa fa-trash-o"></i> Hapus</button>;
    }
    echo'
</div>

</td>
</tr>;}}
echo'
</tbody>
</table>
</div>
</div>
</div>
</div>
</section>;
break;

case 'add':
echo'
<section class="content-header">
<h1>Tambah Data<small> Karyawan</small></h1>
<ol class="breadcrumb">
    <li><a href="."><i class="fa fa-dashboard"></i> Beranda</a></li>
    <li><a href="/karyawan"> Data Karyawan</a></li>
    <li class="active">Tambah Karyawan</li>
</ol>
</section>;
echo'
<section class="content">
<div class="row">
    <div class="col-xs-12 col-sm-12 col-md-12 col-lg-12">
        <div class="box box-solid">
            <div class="box-header with-border">
                <h3 class="box-title"><b>Tambah Data Karyawan</b></h3>
            </div>

```

```

<div class="box-body">
  <form class="form-horizontal validate add-karyawan">
    <div class="box-body">

      <div class="form-group">
        <label class="col-sm-2 control-label">NIK</label>
        <div class="col-sm-6">
          <input type="text" class="form-control" name="employees_code" required>
        </div>
      </div>

      <div class="form-group">
        <label class="col-sm-2 control-label">Nama</label>
        <div class="col-sm-6">
          <input type="text" class="form-control" name="employees_name"
required>
        </div>
      </div>

      <div class="form-group">
        <label class="col-sm-2 control-label">Email</label>
        <div class="col-sm-6">
          <input type="text" class="form-control" name="employees_email"
required>
        </div>
      </div>

      <div class="form-group">
        <label class="col-sm-2 control-label">Password</label>
        <div class="col-sm-6">
          <input type="password" class="form-control"
name="employees_password" required>
        </div>
      </div>

      <div class="form-group">

```

```

<label class="col-sm-2 control-label">Jabatan</label>
<div class="col-sm-6">
  <select class="form-control" name="position_id" required="">
    <option value="">- Pilih -</option>;
    $query="SELECT * from position order by position_name ASC";
    $result = $connection->query($query);
    while($row = $result->fetch_assoc()) {
      echo'<option
value="'. $row['position_id']. "'>'. $row['position_name']. '</option>;
      }echo'
    </select>
  </div>
</div>

<div class="form-group">
  <label class="col-sm-2 control-label">Shift</label>
  <div class="col-sm-6">
    <select class="form-control" name="shift_id" required="">
      <option value="">- Pilih -</option>;
      $query="SELECT shift_id,shift_name from shift order by shift_name
ASC";
      $result = $connection->query($query);
      while($row = $result->fetch_assoc()) {
        echo'<option value="'. $row['shift_id']. "'>'. $row['shift_name']. '</option>;
      }echo'
    </select>
  </div>
</div>

<div class="form-group">
  <label class="col-sm-2 control-label">Penempatan</label>
  <div class="col-sm-6">
    <select class="form-control" name="building_id" id="building"
required="">
      <option value="">- Pilih -</option>;

```

```

$query="SELECT building_id,name,address from building order by name
ASC";

$result = $connection->query($query);
while($row = $result->fetch_assoc()) {
    echo'<option value="'. $row['building_id']. "'>'. $row['address']. '</option>';
    }echo'
</select>
</div>
</div>

<div class="form-group">
    <label class="col-sm-2 control-label">Foto</label>
    <div class="col-sm-6">
        <br><br>
        <input type="file" id="imgInp" class="btn btn-default" id="file"
name="photo" required="" accept="image/jpeg, image/jpg, image/gif" capture>
    </div>
</div>
</div>
<!-- /.box-body -->
<div class="box-footer">
    <div class="col-sm-2"></div>
    <button type="submit" class="btn btn-primary"><i class="fa fa-check"></i>
Simpan</button>
    <a class="btn btn-danger" href="./.$mod."><i class="fa fa-remove"></i>
Batal</a>
</div>
<!-- /.box-footer -->
</form>

</div>
</div>
</div>
</section>';
break;

```



```

case 'edit':
echo'
<section class="content-header">
  <h1>Edit Data<small> Karyawan</small></h1>
  <ol class="breadcrumb">
    <li><a href="."><i class="fa fa-dashboard"></i> Beranda</a></li>
    <li><a href="/karyawan"> Data Karyawan</a></li>
    <li class="active">Edit Karyawan</li>
  </ol>
</section>

<section class="content">
  <div class="row">
    <div class="col-xs-12 col-sm-12 col-md-12 col-lg-12">
      <div class="box box-solid">
        <div class="box-header">
          <ul class="nav nav-tabs">
            <li class="active"><a href="#tab_1" data-toggle="tab">Profil</a></li>
            <li><a href="#tab_2" data-toggle="tab">Ubah Password</a></li>
          </ul>
        </div>

        <div class="box-body">;
        if(!empty($_GET['id'])){
          $id = mysqli_real_escape_string($connection,mysql_decode($_GET['id']));
          $query = "SELECT * from employees WHERE id='$id'";
          $result = $connection->query($query);
          if($result->num_rows > 0){
            $row = $result->fetch_assoc();
            echo'
            <div class="nav-tabs-custom">
              <div class="tab-content">
                <div class="tab-pane active" id="tab_1">

                <form class="form-horizontal validate update-karyawan">
                  <div class="box-body">

```

```

<div class="form-group">
  <label class="col-sm-2 control-label">NIK</label>
  <div class="col-sm-6">
    <input type="text" class="form-control" name="employees_code"
value="".$row['employees_code'].'" required>
    <input type="hidden" name="id" value="".$row['id'].'" readonly required>
  </div>
</div>

<div class="form-group">
  <label class="col-sm-2 control-label">Nama</label>
  <div class="col-sm-6">
    <input type="text" class="form-control" name="employees_name"
value="".$row['employees_name'].'" required>
  </div>
</div>

<div class="form-group">
  <label class="col-sm-2 control-label">Jabatan</label>
  <div class="col-sm-6">
    <select class="form-control" name="position_id" required="">
      <option value="">- Pilih -</option>;
      $query="SELECT * from position order by position_name ASC";
      $result = $connection->query($query);
      while($rowa = $result->fetch_assoc()) {
        if($rowa['position_id'] == $row['position_id']){
          echo'<option value="".$rowa['position_id'].'"
selected>'.$rowa['position_name'].'</option>;
        }else{
          echo'<option
value="".$rowa['position_id'].'">'.$rowa['position_name'].'</option>;
        }
      }echo'
    </select>
  </div>
</div>

```

```

<div class="form-group">
  <label class="col-sm-2 control-label">Shift</label>
  <div class="col-sm-6">
    <select class="form-control" name="shift_id" required="">
      <option value="">- Pilih -</option>;
      $query="SELECT shift_id,shift_name from shift order by shift_name
ASC";
      $result = $connection->query($query);
      while($rowa = $result->fetch_assoc()) {
        if($rowa['shift_id'] == $row['shift_id']){
          echo'<option value="'. $rowa['shift_id'].'"
selected>'. $rowa['shift_name']. '</option>';
        }else{
          echo'<option
value="'. $rowa['shift_id']. '">'. $rowa['shift_name']. '</option>';
        }
      }echo'
</select>
</div>
</div>

<div class="form-group">
  <label class="col-sm-2 control-label">Penempatan</label>
  <div class="col-sm-6">
    <select class="form-control" name="building_id" id="building"
required="">
      <option value="">- Pilih -</option>;
      $query="SELECT building_id,name,address from building order by name
ASC";
      $result = $connection->query($query);
      while($rowa = $result->fetch_assoc()) {
        if($rowa['building_id'] == $row['building_id']){
          echo'<option value="'. $rowa['building_id'].'"
selected>'. $rowa['address']. '</option>';
        }else{

```

```

        echo'<option
value="'. $rowa['building_id']. "'>'. $rowa['address']. '</option>';
    }
    }echo'
</select>
</div>
</div>

<div class="form-group">
    <label class="col-sm-2 control-label">Foto</label>
    <div class="col-sm-6">
        <div class="upload-media">;
            if($row['photo'] == NULL){
                echo'';}
            else{
                echo'';
            }echo'
        </div>
        <input type="file" id="imgInp" class="btn btn-default" id="file"
name="photo" accept="image/jpeg, image/jpg, image/gif" capture>
        <small>Kosongan jika tidak ingin mengubah</small>
        </div>
    </div>

</div>
<!-- /.box-body -->
<div class="box-footer">
    <div class="col-sm-2"></div>
    <button type="submit" class="btn btn-primary"><i class="fa fa-check"></i>
Simpan</button>
    <a class="btn btn-danger" href=".'. $mod. "'><i class="fa fa-remove"></i>
Batal</a>
</div>
<!-- /.box-footer -->
</form>

```

```

</div>

<!-- /.tab-pane -->
<div class="tab-pane" id="tab_2">
  <form class="form-horizontal validate update-password">
    <div class="box-body">
      <div class="form-group">
        <label class="col-sm-2 control-label">Email</label>
        <div class="col-sm-6">
          <input type="text" class="form-control" name="employees_email"
value="".$row['employees_email']." readonly required>
          <input type="hidden" name="id" value="".$row['id']." readonly required>
        </div>
      </div>
      <div class="form-group">
        <label class="col-sm-2 control-label">Password</label>
        <div class="col-sm-6">
          <input type="password" class="form-control" id="password"
name="employees_password" required>
        </div>
      </div>
    </div>
    <!-- /.box-body -->
    <div class="box-footer">
      <div class="col-sm-2"></div>
      <button type="submit" class="btn btn-primary"><i class="fa fa-check"></i>
Simpan</button>
      <a class="btn btn-danger" href=".". $mod."><i class="fa fa-remove"></i>
Batal</a>
    </div>
  </form>
</div>
<!-- /.tab-content -->

```

```

</div>
<!-- nav-tabs-custom -->;
}else{
    echo'<section class="content">
        <div class="error-page">
            <h2 class="headline text-yellow"> 404</h2>
            <div class="error-content">
                <h3><i class="fa fa-warning text-yellow"></i> Oops! Page not found.</h3>
                <p>
                    Saat ini data yang Anda cari tidak ditemukan<br>
                    <a class="btn btn-primary" href="..">return to dashboard</a>
                </p>
            </div>
        </div>
    </section>;
}}
echo'
</div>
</div>
</div>
</section>;

break;
}??

</div>
<?php }?>

```

8. Halaman Data Jabatan

```

<?php
if(empty($connection)){
    header('location:../..');
} else {
    include_once 'sw-mod/sw-panel.php';
echo'

```

```

<div class="content-wrapper">;
    switch(@$_GET['op']){
        default:
            echo'
<section class="content-header">
    <h1>Data<small> Jabatan</small></h1>
    <ol class="breadcrumb">
        <li><a href="."><i class="fa fa-dashboard"></i> Beranda</a></li>
        <li class="active">Data Jabatan</li>
    </ol>
</section>;
    echo'
<section class="content">
    <div class="row">
        <div class="col-xs-12 col-sm-12 col-md-12 col-lg-12">
            <div class="box box-solid">
                <div class="box-header with-border">
                    <h3 class="box-title"><b>Data Jabatan</b></h3>
                    <div class="box-tools pull-right">;
                        if($level_user==1){
                            echo'
                                <button type="button" class="btn btn-success btn-flat" data-toggle="modal"
                                data-target="#modalAdd"><i class="fa fa-plus"></i> Tambah Baru</button>;}
                            else{
                                echo'
                                    <button type="button" class="btn btn-success btn-flat access-failed"><i class="fa
                                fa-plus"></i> Tambah Baru</button>;
                            }
                            echo'
                        </div>
                    </div>
                <div class="box-body">
                    <div class="table-responsive">
                        <table id="swdatatable" class="table table-bordered">
                            <thead>
                                <tr>
                                    <th style="width:20px" class="text-center">No</th>

```

```

        <th>Nama Jabatan</th>
        <th class="text-center">Jumlah Karyawan</th>
        <th style="width:100px">Aksi</th>
    </tr>
</thead>
<tbody>';
$query="SELECT position_id,position_name FROM position order by
position_id DESC";
$result = $connection->query($query);
if($result->num_rows > 0){
    $no=0;
    while ($row= $result->fetch_assoc()) {
        $employees_count ="SELECT id FROM employees WHERE
position_id=$row[position_id]";
        $result_count = $connection->query($employees_count);
        $no++;
        echo'
        <tr>
        <td class="text-center">'. $no.'</td>
        <td>'. $row['position_name'].'</td>
        <td class="text-center"><span class="badge bg-yellow">'. $result_count-
>num_rows.'</span></td>
        <td>
        <div class="btn-group">';
        if($level_user==1){
            echo'
            <a href="#modalEdit" class="btn btn-warning btn-xs enable-tooltip"
title="Edit" data-toggle="modal";?> onclick="getElementById('txtid').value='<?PHP
echo $row['position_id'];?>';getElementById('txtnama').value='<?PHP echo
$row['position_name'];?>';"><i class="fa fa-pencil-square-o"></i> Ubah</a>
            <?php echo'
            <button data-id="'. epm_encode($row['position_id']).'" class="btn btn-xs btn-
danger delete" title="Hapus"><i class="fa fa-trash-o"></i> Hapus</button>';}
            else {
                echo'
                <button type="button" class="btn btn-warning btn-xs access-failed enable-
tooltip" title="Edit"><i class="fa fa-pencil-square-o"></i> Ubah</button>

```



```

        <buton type="button" class="btn btn-xs btn-danger access-failed"
title="Hapus"><i class="fa fa-trash-o"></i> Hapus</button>;
    }echo'
    </div>
    </td>
    </tr>;}}
echo'
</tbody>
</table>
</div>
</div>
</div>
</div>
</section>

<!-- Add -->
<div class="modal fade" id="modalAdd" data-backdrop="static" data-
keyboard="false">
    <div class="modal-dialog modal-md">
        <div class="modal-content">

            <div class="modal-header">
                <button type="button" class="close" data-dismiss="modal" aria-label="Close">
                    <span aria-hidden="true">&times;</span></button>
                <h4 class="modal-title">Tambah Baru</h4>
            </div>
            <form id="validate" class="form add-jabatan">
                <div class="modal-body">
                    <div class="form-group">
                        <label>Nama Jabatan</label>
                        <input type="text" class="form-control" name="position_name" id="nama"
required>
                    </div>
                </div>
                <div class="modal-footer">
                    <button type="submit" class="btn btn-primary pull-left"><i class="fa fa-
check"></i> Simpan</button>

```

```

        <button type="button" class="btn btn-danger pull-right" data-dismiss="modal"><i
class="fa fa-remove"></i> Batal</button>
    </div>
</form>
</div>
</div>
</div>

<!-- MODAL EDIT -->
<div class="modal fade" id="modalEdit" data-backdrop="static" data-keyboard="false">
    <div class="modal-dialog modal-md">
        <div class="modal-content">
            <div class="modal-header">
                <button type="button" class="close" data-dismiss="modal" aria-label="Close">
                    <span aria-hidden="true">&times;</span></button>
                <h4 class="modal-title">Update Data</h4>
            </div>
            <form class="form update-jabatan" method="post">
                <input type="hidden" name="id" id="txtid" required" value="" readonly>
                <div class="modal-body">
                    <div class="form-group">
                        <label>Nama</label>
                        <input type="text" class="form-control" name="position_name" id="txtnama"
required>
                    </div>
                </div>
                <div class="modal-footer">
                    <button type="submit" class="btn btn-primary pull-left"><i class="fa fa-
check"></i> Simpan</button>
                    <button type="button" class="btn btn-danger pull-right" data-dismiss="modal"><i
class="fa fa-remove"></i> Batal</button>
                </div>
            </form>
        </div>
    </div>
</div>;
break;

```

```

}??>

</div>
<?php }?>

```

9. Halaman Data Shift

```

<?php
if(empty($connection)){
    header('location:../..');
} else {
    $gotoprocess = "sw-mod/$mod/proses.php";
    include_once 'sw-mod/sw-panel.php';
echo'
<div class="content-wrapper">;
    switch(@$_GET['op']){
        default:
echo'
<section class="content-header">
<h1>Data<small> Shift</small></h1>
<ol class="breadcrumb">
<li><a href=".."><i class="fa fa-dashboard"></i> Beranda</a></li>
<li class="active">Data Shift</li>
</ol>
</section>;
echo'
<section class="content">
<div class="row">
<div class="col-xs-12 col-sm-12 col-md-12 col-lg-12">
<div class="box box-solid">
<div class="box-header with-border">
<h3 class="box-title"><b>Data Shift</b></h3>
<div class="box-tools pull-right">;
    if($level_user==1){
        echo'
<button type="button" class="btn btn-success btn-flat" data-toggle="modal"
data-target="#modalAdd"><i class="fa fa-plus"></i> Tambah Baru</button>;}
        else{

```

```

    echo'<button type="button" class="btn btn-success btn-flat access-failed"><i
class="fa fa-plus"></i> Tambah Baru</button>;
    }
    echo'
</div>
</div>
<div class="box-body">
<div class="table-responsive">
<table id="swdatatable" class="table table-bordered">
<thead>
<tr>
<th style="width:20px" class="text-center">No</th>
<th>Nama Shift</th>
<th>Waktu Masuk</th>
<th>Waktu Pulang</th>
<th class="text-center">Jumlah Katyawan</th>
<th style="width:100px">Aksi</th>
</tr>
</thead>
<tbody>;
$query="SELECT shift_id,shift_name,time_in,time_out FROM shift order by
shift_id DESC";
$result = $connection->query($query);
if($result->num_rows > 0){
$no=0;
while ($row= $result->fetch_assoc()) {
$employees_count ="SELECT id FROM employees WHERE
shift_id=$row[shift_id]";
$result_count = $connection->query($employees_count);
$no++;
echo'
<tr>
<td class="text-center">'. $no.'</td>
<td>'. $row['shift_name'].'</td>
<td>'. $row['time_in'].'</td>
<td>'. $row['time_out'].'</td>

```

```

        <td class="text-center"><span class="badge bg-yellow">'. $result_count-
>num_rows.'</span></td>
        <td>
            <div class="btn-group">;
            if($level_user==1){
            echo'
                <a href="#modalEdit" class="btn btn-warning btn-xs enable-tooltip"
title="Edit" data-toggle="modal";?> onclick="getElementById('txtid').value='<?PHP
echo $row['shift_id'];?>;getElementById('txtname').value='<?PHP echo
$row['shift_name'];?>;getElementById('txtin').value='<?PHP echo
$row['time_in'];?>;getElementById('txtout').value='<?PHP echo
$row['time_out'];?>';"><i class="fa fa-pencil-square-o"></i> Ubah</a>
                <?php echo'
                <buton data-id="'.eprn_encode($row['shift_id']).'" class="btn btn-xs btn-
danger delete" title="Hapus"><i class="fa fa-trash-o"></i> Hapus</button>;}
            else{
            echo'
                <button type="button" class="btn btn-warning btn-xs access-failed enable-
tooltip" title="Edit"><i class="fa fa-pencil-square-o"></i> Ubah</button>
                <buton type="button" class="btn btn-xs btn-danger access-failed"
title="Hapus"><i class="fa fa-trash-o"></i> Hapus</button>;
            }
            echo'
        </div>
        </td>
    </tr>;}}
    echo'
</tbody>
</table>
</div>
</div>
</div>
</div>
</section>

<!-- Add -->

```

```

<div class="modal fade" id="modalAdd" data-backdrop="static" data-
keyboard="false">
<div class="modal-dialog modal-md">
<div class="modal-content">

<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close">
<span aria-hidden="true">&times;</span></button>
<h4 class="modal-title">Tambah Baru</h4>
</div>
<form class="form validate add-shift">
<div class="modal-body">
<div class="form-group">
<label>Nama Shift</label>
<input type="text" class="form-control" name="shift_name" required>
</div>
<div class="form-group">
<label>Waktu Masuk</label>
<div class="input-group">
<input type="text" name="time_in" class="form-control timepicker" data-date-
format="HH:mm:ss" value="07:30:00" required>
<div class="input-group-addon">
<i class="fa fa-clock-o"></i>
</div>
</div>
</div>
<div class="form-group">
<label>Waktu Pulang</label>
<div class="input-group">
<input type="text" name="time_out" class="form-control timepicker" required>
<div class="input-group-addon">
<i class="fa fa-clock-o"></i>
</div>
</div>
</div>
</div>

```

```

</div>
<div class="modal-footer">
  <button type="submit" class="btn btn-primary pull-left"><i class="fa fa-check"></i> Simpan</button>
  <button type="button" class="btn btn-danger pull-right" data-dismiss="modal"><i class="fa fa-remove"></i> Batal</button>
</div>
</form>
</div>
</div>
</div>

<!-- MODAL EDIT -->
<div class="modal fade" id="modalEdit" data-backdrop="static" data-keyboard="false">
  <div class="modal-dialog modal-md">
    <div class="modal-content">
      <div class="modal-header">
        <button type="button" class="close" data-dismiss="modal" aria-label="Close">
          <span aria-hidden="true">&times;</span></button>
        <h4 class="modal-title">Update Data</h4>
      </div>
      <form class="form update-shift" method="post">
        <input type="hidden" name="id" id="txtid" required" value="" readonly>
        <div class="modal-body">
          <div class="form-group">
            <label>Nama Shift</label>
            <input type="text" class="form-control" id="txtname" name="shift_name"
required>
          </div>

          <div class="form-group">
            <label>Waktu Masuk</label>
            <div class="input-group">
              <input type="text" name="time_in" id="txtin" class="form-control timepicker"
data-date-format="HH:mm:ss" value="" required>
              <div class="input-group-addon">

```

```

        <i class="fa fa-clock-o"></i>
    </div>
</div>
</div>

<div class="form-group">
    <label>Waktu Pulang</label>
    <div class="input-group">
        <input type="text" name="time_out" id="txtout" class="form-control
timepicker" required>
        <div class="input-group-addon">
            <i class="fa fa-clock-o"></i>
        </div>
    </div>
</div>
</div>
<div class="modal-footer">
    <button type="submit" class="btn btn-primary pull-left"><i class="fa fa-
check"></i> Simpan</button>
    <button type="button" class="btn btn-danger pull-right" data-dismiss="modal"><i
class="fa fa-remove"></i> Batal</button>
</div>
</form>
</div>
</div>
</div>;
break;
}?>

</div>
<?php }?>

```

10. Halaman Data Lokasi

```

<?php
if(empty($connection)){
    header('location:../');
} else {

```



```

include_once 'sw-mod/sw-panel.php';
require_once '../sw-library/phpqrcode/qrlib.php';
echo'
<div class="content-wrapper">;
    switch(@$_GET['op']){
        default:
echo'
<section class="content-header">
<h1>Data<small> Lokasi</small></h1>
    <ol class="breadcrumb">
        <li><a href=".."><i class="fa fa-dashboard"></i> Beranda</a></li>
        <li class="active">Data Lokasi</li>
    </ol>
</section>;
echo'
<section class="content">
<div class="row">
    <div class="col-xs-12 col-sm-12 col-md-12 col-lg-12">
        <div class="box box-solid">
            <div class="box-header with-border">
                <h3 class="box-title"><b>Data Lokasi</b></h3>
                <div class="box-tools pull-right">;
                    if($level_user == 1){
                        echo'
                            <button type="button" class="btn btn-success btn-flat" data-toggle="modal"
data-target="#modalAdd"><i class="fa fa-plus"></i> Tambah Baru</button>;
                        else{
                            echo'
                                <button type="button" class="btn btn-success btn-flat access-failed"><i class="fa
fa-plus"></i> Tambah Baru</button>;
                            }
                        echo'
                    </div>
                </div>
            <div class="box-body">
                <div class="table-responsive">
                    <table id="swdatatable" class="table table-bordered">

```

```

<thead>
<tr>
<th style="width:20px" class="text-center">No</th>
<th>Nama Lokasi</th>
<th>Alamat</th>
<th class="text-center">Jumlah Karyawan</th>
<th style="width:150px" class="text-center">Aksi</th>
</tr>
</thead>
<tbody>;
$query="SELECT building_id,name,address FROM building order by
building_id DESC";
$result = $connection->query($query);
if($result->num_rows > 0){
$no=0;
while ($row= $result->fetch_assoc()) {
$employees_count ="SELECT id FROM employees WHERE
building_id='$row[building_id]";
$result_count = $connection->query($employees_count);
$no++;
echo'
<tr>
<td class="text-center">'. $no.'</td>
<td>'. $row['name'].'</td>
<td>'. $row['address'].'</td>
<td class="text-center"><span class="badge bg-yellow">'. $result_count-
>num_rows.'</span></td>
<td class="text-right">
<div class="btn-group">;
if($level_user == 1){
echo'
<a href="#modalEdit" class="btn btn-warning btn-xs enable-tooltip"
title="Edit" data-toggle="modal";?> onclick="getElementById('txtid').value='<?PHP
echo $row['building_id'];?>;getElementById('txtname').value='<?PHP echo
$row['name'];?>;getElementById('txtaddress').value='<?PHP echo
$row['address'];?>';"><i class="fa fa-pencil-square-o"></i> Ubah</a>
<?php echo'

```

```

        <buton data-id=".epm_encode($row['building_id'])." class="btn btn-xs
btn-danger delete" title="Hapus"><i class="fa fa-trash-o"></i> Hapus</button>';}
    else{
    echo'
        <button type="button" class="btn btn-warning btn-xs access-failed enable-
tooltip" title="Edit"><i class="fa fa-pencil-square-o"></i> Ubah</button>
        <buton type="button" class="btn btn-xs btn-danger access-failed"
title="Hapus"><i class="fa fa-trash-o"></i> Hapus</button>';
    }
    echo'
</div>

</td>
</tr>';}}
echo'
</tbody>
</table>
</div>
</div>
</div>
</div>
</section>

<!-- Add -->
<div class="modal fade" id="modalAdd" data-backdrop="static" data-
keyboard="false">
<div class="modal-dialog modal-md">
<div class="modal-content">

<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close">
<span aria-hidden="true">&times;</span></button>
<h4 class="modal-title">Tambah Baru</h4>
</div>
<form class="form validate add-lokasi">
<div class="modal-body">
<div class="form-group">

```

```

        <label>Nama Lokasi</label>
        <input type="text" class="form-control" name="name" required>
    </div>

    <div class="form-group">
        <label>Alamat Kantor</label>
        <textarea class="form-control address" name="address" rows="3"
required></textarea>
    </div>
</div>

<div class="modal-footer">
    <button type="submit" class="btn btn-primary pull-left"><i class="fa fa-
check"></i> Simpan</button>
    <button type="button" class="btn btn-danger pull-right" data-dismiss="modal"><i
class="fa fa-remove"></i> Batal</button>
</div>
</form>
</div>
</div>
</div>
</div>

<!-- MODAL EDIT -->
<div class="modal fade" id="modalEdit" data-backdrop="static" data-keyboard="false">
<div class="modal-dialog modal-md">
<div class="modal-content">
<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close">
<span aria-hidden="true">&times;</span></button>
<h4 class="modal-title">Update Data</h4>
</div>
<form class="form update-lokasi" method="post">
<input type="hidden" name="id" id="txtid" required" value="" readonly>
<div class="modal-body">
<div class="form-group">
<label>Nama Lokasi</label>
<input type="text" class="form-control" id="txtname" name="name" required>

```

```

</div>

<div class="form-group">
  <label>Alamat Kantor</label>
  <textarea class="form-control address" id="txtaddress" name="address"
rows="3" required></textarea>
</div>
</div>
<div class="modal-footer">
  <button type="submit" class="btn btn-primary pull-left"><i class="fa fa-
check"></i> Simpan</button>
  <button type="button" class="btn btn-danger pull-right" data-dismiss="modal"><i
class="fa fa-remove"></i> Batal</button>
</div>
</form>
</div>
</div>
</div>;
break;
}?>

</div>
<?php }?>

```

11. Halaman Data Master Gaji

```

<?php
if(empty($connection)){
  header('location:../../');
} else {
  include_once 'sw-mod/sw-panel.php';
echo'
<div class="content-wrapper">;
  switch(@$_GET['op']){
  default:
echo'

```

```

<section class="content-header">
  <h1>Data<small> Master Gaji</small></h1>
  <ol class="breadcrumb">
    <li><a href="."><i class="fa fa-dashboard"></i> Beranda</a></li>
    <li class="active">Data Master Gaji</li>
  </ol>
</section>;
echo'
<section class="content">
  <div class="row">
    <div class="col-xs-12 col-sm-12 col-md-12 col-lg-12">
      <div class="box box-solid">
        <div class="box-header with-border">
          <h3 class="box-title"><b>Data Master Gaji</b></h3>
          <div class="box-tools pull-right">;
          if($level_user==1){
            echo'
              <button type="button" class="btn btn-success btn-add"><i class="fa fa-
plus"></i> Tambah Baru</button>;}
            else{
              echo'
                <button type="button" class="btn btn-success access-failed"><i class="fa fa-
plus"></i> Tambah Baru</button>;
            }
            echo'
          </div>
        </div>
        <div class="box-body">
          <div class="table-responsive">
            <table id="swdatatable" class="table table-bordered">
              <thead>
                <tr>
                  <th style="width:20px" class="text-center">No</th>
                  <th>Nama</th>
                  <th>Gaji/Hari</th>
                  <th style="width:100px" class="text-center">Aksi</th>
                </tr>

```

```

</thead>
<tbody>';
$query="SELECT salary.*,employees.id,employees.employees_name FROM
salary,employees WHERE salary.employees_id=employees.id order by salary_id
DESC";
$result = $connection->query($query);
if($result->num_rows > 0){
    $no=0;
    while ($row= $result->fetch_assoc()) {
        $no++;
        echo'
<tr>
<td class="text-center">'. $no.'</td>
<td>'. $row['employees_name'].'</td>
<td>Rp.'.format_angka($row['salary']).'</td>
<td class="text-center">
<div class="btn-group">';
        if($level_user==1){
            echo<button class="btn btn-warning btn-sm enable-tooltip btn-update"
data-id="'. $row['salary_id'].'" data-employees="'. $row['id'].'" data-
salary="'. $row['salary'].'"><i class="fa fa-pencil-square-o"></i></button>
<buton data-id="'.epm_encode($row['salary_id']).'" class="btn btn-sm btn-
danger delete" title="Hapus"><i class="fa fa-trash-o"></i></button>;}
        else {
            echo'
<button type="button" class="btn btn-warning btn-sm access-failed enable-
tooltip" title="Edit"><i class="fa fa-pencil-square-o"></i> Ubah</button>
<buton type="button" class="btn btn-sm btn-danger access-failed"
title="Hapus"><i class="fa fa-trash-o"></i> Hapus</button>;
        }echo'
</div>
</td>
</tr>';}}
echo'
</tbody>
</table>
</div>

```

```

</div>
</div>
</div>
</section>

<!-- Add -->
<div class="modal fade" id="modalAdd" data-backdrop="static" data-
keyboard="false">
<div class="modal-dialog modal-md">
<div class="modal-content">

<div class="modal-header">
<button type="button" class="close" data-dismiss="modal" aria-label="Close">
<span aria-hidden="true">&times;</span></button>
<h4 class="modal-title">Tambah Baru</h4>
</div>
<form id="validate" class="form add">
<input type="hidden" name="id" id="id" value="" readonly required>
<div class="modal-body">
<div class="form-group">
<label>Nama Pegawai</label>
<select class="form-control" name="employees_id" id="employees-id"
required="">
<option value="">- Pilih --</option>;
$query="SELECT id,employees_name from employees order by
employees_name ASC";
$result = $connection->query($query);
while($row = $result->fetch_assoc()) {
echo'<option value="">'.$row['id'].''>'.$row['employees_name'].'</option>;'
}echo'
</select>
</div>

<div class="form-group">
<label>Gaji/Hari</label>
<input type="number" class="form-control" name="salary" id="salary"
required>

```



```

    </div>
  </div>
  <div class="modal-footer">
    <button type="submit" class="btn btn-primary pull-left"><i class="fa fa-check"></i> Simpan</button>
    <button type="button" class="btn btn-danger pull-right" data-dismiss="modal"><i class="fa fa-remove"></i> Batal</button>
  </div>
</form>
</div>
</div>
</div>
<!-- MODAL EDIT -->
<div class="modal fade" id="modalEdit" data-backdrop="static" data-keyboard="false">
  <div class="modal-dialog modal-md">
    <div class="modal-content">
      <div class="modal-header">
        <button type="button" class="close" data-dismiss="modal" aria-label="Close">
          <span aria-hidden="true">&times;</span></button>
        <h4 class="modal-title">Update Data</h4>
      </div>
      <form class="form update-Master Gaji" method="post">
        <input type="hidden" name="id" id="txtid" required" value="" readonly>
        <div class="modal-body">
          <div class="form-group">
            <label>Nama</label>
            <input type="text" class="form-control" name="position_name" id="txtnama"
required>
          </div>
        </div>
      </form>
      <div class="modal-footer">
        <button type="submit" class="btn btn-primary pull-left"><i class="fa fa-check"></i> Simpan</button>
        <button type="button" class="btn btn-danger pull-right" data-dismiss="modal"><i class="fa fa-remove"></i> Batal</button>
      </div>
    </div>
  </div>
</div>

```

```

    </form>
  </div>
</div>
</div>';
break;
}??>

</div>
<?php }??>

```

12. Halaman Slip Gaji

```

<?php
if(empty($connection)){
  header('location:../');
} else {
  include_once 'sw-mod/sw-panel.php';
echo'
<div class="content-wrapper">;
  switch(@$_GET['op']){
  default:
echo'
<section class="content-header">
<h1>Data<small> Master Gaji</small></h1>
<ol class="breadcrumb">
  <li><a href=".."><i class="fa fa-dashboard"></i> Beranda</a></li>
  <li class="active">Data Master Gaji</li>
</ol>
</section>;
echo'
<section class="content">
<div class="row">
  <div class="col-xs-12 col-sm-12 col-md-12 col-lg-12">
  <div class="box box-solid">
  <div class="box-header with-border">
  <h3 class="box-title"><b>Data Master Gaji</b></h3>
  <div class="box-tools pull-right">;
  if($level_user==1){

```

```

echo'
    <a href="$.mod.'&op=add" class="btn btn-success btn-add"><i class="fa fa-
plus"></i> Tambah Baru</a>';}
else{
    echo'
        <button type="button" class="btn btn-success access-failed"><i class="fa fa-
plus"></i> Tambah Baru</button>;
    }
echo'
</div>
</div>
<div class="box-body">
<div class="table-responsive" style="overflow-x: auto!important;">
<table id="swdatatable" class="table table-bordered">
<thead>
<tr>
<th style="width:20px" class="text-center">No</th>
<th>Tanggal</th>
<th>Nama</th>
<th>Gaji Pokok</th>
<th>Jumlah Lembur</th>
<th>Lembur/hari</th>
<th>BPJS</th>
<th>APD</th>
<th>Koperasi</th>
<th>Koreksi</th>
<th>Lain-lain</th>
<th>Gaji Diterima</th>
<th class="text-center" width="150">Aksi</th>
</tr>
</thead>
<tbody>;
$total_diterima = 0;
$query="SELECT employees.employees_name,salary_report.* FROM
employees,salary_report WHERE salary_report.employees_id=employees.id order by
salary_report_id DESC";
$result = $connection->query($query);

```

```

if($result->num_rows > 0){
    $no=0;
    while ($row= $result->fetch_assoc()) {
        $no++;
        $total = $row['salary'] + $row['gaji_lembur'];
        $total_diterima = $total - $row['bpjs'] - $row['apd'] - $row['koperasi'] -
        $row['koreksi'] - $row['lain-lain'];
        echo'
        <tr>
        <td class="text-center">'. $no.'</td>
        <td>'.tanggal_indo($row['bulan']).'</td>
        <td>'. $row['employees_name'].'</td>
        <td>Rp.'.format_angka($row['salary']).'</td>
        <td class="text-center">'. $row['jumlah_lembur'].'</td>
        <td>Rp.'.format_angka($row['fee_lembur']).'</td>
        <td>-Rp.'.format_angka($row['bpjs']).'</td>
        <td>-Rp.'.format_angka($row['apd']).'</td>
        <td>-Rp.'.format_angka($row['koperasi']).'</td>
        <td>-Rp.'.format_angka($row['koreksi']).'</td>
        <td>-Rp.'.format_angka($row['lain-lain']).'</td>
        <td>Rp.'.format_angka($total_diterima).'</td>
        <td class="text-center">
        <div class="btn-group">;
        if($level_user==1){
            echo<button class="btn btn-success btn-sm enable-tooltip btn-print" data-
            id="'.epm_encode($row['salary_report_id']).'"><i class="fa fa-print" aria-
            hidden="true"></i></button>

            <a href="'. $mod.'&id='.epm_encode($row['salary_report_id']).'&op=edit"
            class="btn btn-warning btn-sm enable-tooltip"><i class="fa fa-pencil-square-
            o"></i></a>

            <buton data-id="'.epm_encode($row['salary_report_id']).'" class="btn btn-
            sm btn-danger delete" title="Hapus"><i class="fa fa-trash-o"></i></button>;
        }else {
            echo'

```

```

        <button type="button" class="btn btn-warning btn-sm access-failed enable-
tooltip" title="Edit"><i class="fa fa-pencil-square-o"></i> Ubah</button>
        <buton type="button" class="btn btn-sm btn-danger access-failed"
title="Hapus"><i class="fa fa-trash-o"></i> Hapus</button>;
    }echo'
    </div>
</td>
</tr>;}}
echo'
</tbody>
</table>
</div>
</div>
</div>
</div>
</section>;

break;
case 'add':
echo'
<section class="content-header">
<h1>Tambah Data<small> Slip Gaji</small></h1>
<ol class="breadcrumb">
    <li><a href="."><i class="fa fa-dashboard"></i> Beranda</a></li>
    <li><a href="/karyawan"> Data Slip Gaji</a></li>
    <li class="active">Tambah Slip Gaji</li>
</ol>
</section>;

echo'
<section class="content">
<div class="row">
    <div class="col-xs-12 col-sm-12 col-md-12 col-lg-12">
        <div class="box box-solid">
            <div class="box-header with-border">
                <h3 class="box-title"><b>Tambah Slip Gaji</b></h3>
            </div>

```

```

<div class="box-body">
  <form class="form-horizontal validate add">
    <div class="box-body">
      <div class="form-group">
        <label class="col-sm-2 control-label">Periode Bulan</label>
        <div class="col-sm-6">
          <select class="form-control bulan" name="bulan" required>;
            if($month ==1){echo'<option value="01"
selected>Januari</option>;'}else{echo'<option value="01">Januari</option>;'}
            if($month ==2){echo'<option value="02"
selected>Februari</option>;'}else{echo'<option value="02">Februari</option>;'}
            if($month ==3){echo'<option value="03"
selected>Maret</option>;'}else{echo'<option value="03">Maret</option>;'}
            if($month ==4){echo'<option value="04"
selected>April</option>;'}else{echo'<option value="04">April</option>;'}
            if($month ==5){echo'<option value="05"
selected>Mei</option>;'}else{echo'<option value="05">Mei</option>;'}
            if($month ==6){echo'<option value="06"
selected>Juni</option>;'}else{echo'<option value="06">Juni</option>;'}
            if($month ==7){echo'<option value="07"
selected>Juli</option>;'}else{echo'<option value="07">Juli</option>;'}
            if($month ==8){echo'<option value="08"
selected>Agustus</option>;'}else{echo'<option value="08">Agustus</option>;'}
            if($month ==9){echo'<option value="09"
selected>September</option>;'}else{echo'<option value="09">September</option>;'}
            if($month ==10){echo'<option value="10"
selected>Oktober</option>;'}else{echo'<option value="10">Oktober</option>;'}
            if($month ==11){echo'<option value="11"
selected>November</option>;'}else{echo'<option value="11">November</option>;'}
            if($month ==12){echo'<option value="12"
selected>Desember</option>;'}else{echo'<option value="12">Desember</option>;'}
          echo'
          </select>
        </div>
      </div>
    </div>
    <hr>
    <div class="form-group">

```

```

<label class="col-sm-2 control-label">Pegawai</label>
<div class="col-sm-6">
  <select class="form-control pegawai select2" name="employees_id"
required="" style="width:100%;">
    <option value="">- Pilih -</option>;
    $query="SELECT
employees.id,employees.employees_name,salary.salary from employees,salary WHERE
employees.id=salary.employees_id order by employees.employees_name ASC";
    $result = $connection->query($query);
    while($row = $result->fetch_assoc()) {
    echo'<option value="'. $row['id']. "'>'. $row['employees_name']. '</option>';
    }echo'
  </select>
</div>
</div>
<div class="form-group">
  <label class="col-sm-2 control-label">Total Gaji Pokok</label>
  <div class="col-sm-6">
    <input type="number" class="form-control gaji-pokok" name="salary"
readonly required>
  </div>
</div>
<div class="form-group">
  <label class="col-sm-2 control-label">Jumlah Lembur</label>
  <div class="col-sm-6">
    <input type="number" class="form-control jumlah-lembur"
name="jumlah_lembur" required>
  </div>
</div>
<div class="form-group">
  <label class="col-sm-2 control-label">Gaji Lembur/Hari</label>
  <div class="col-sm-6">
    <input type="number" class="form-control fee-lembur" name="fee_lembur"
required>

```

```

</div>
</div>

<div class="form-group">
  <label class="col-sm-2 control-label">Total Gaji Lembur</label>
  <div class="col-sm-6">
    <input type="number" class="form-control total-lembur"
name="gaji_lembur" readonly required>
  </div>
</div>

<h4>Potongan :</h4>
<div class="form-group">
  <label class="col-sm-2 control-label">BPJS</label>
  <div class="col-sm-6">
    <input type="number" class="form-control bpjs" name="bpjs">
  </div>
</div>

<div class="form-group">
  <label class="col-sm-2 control-label">Koperasi</label>
  <div class="col-sm-6">
    <input type="number" class="form-control koperasi" name="koperasi">
  </div>
</div>

<div class="form-group">
  <label class="col-sm-2 control-label">Koreksi</label>
  <div class="col-sm-6">
    <input type="number" class="form-control koreksi" name="koreksi">
  </div>
</div>

<div class="form-group">
  <label class="col-sm-2 control-label">Lain-lain</label>
  <div class="col-sm-6">
    <input type="number" class="form-control lain-lain" name="lain-lain">

```



```

        </div>
    </div>

    <h4>Total Diterima :</h4>
    <div class="form-group">
        <label class="col-sm-2 control-label">Total Diterima</label>
        <div class="col-sm-6">
            <input type="number" class="form-control total-diterima gaji-pokok"
name="total_diterima" value="" readonly>
        </div>
    </div>

</div>

<!-- /.box-body -->
<div class="box-footer">
    <div class="col-sm-2"></div>
    <button type="submit" class="btn btn-primary"><i class="fa fa-check"></i>
Simpan</button>
    <a class="btn btn-danger" href="./.$mod."><i class="fa fa-remove"></i>
Batal</a>
</div>
<!-- /.box-footer -->
</form>

</div>
</div>
</div>
</section>';
break;

break;
case 'edit':
echo'
<section class="content-header">
    <h1>Edit Data<small> Slip Gaji</small></h1>

```

```

<ol class="breadcrumb">
  <li><a href="."><i class="fa fa-dashboard"></i> Beranda</a></li>
  <li><a href="/karyawan"> Data Slip Gaji</a></li>
  <li class="active">Edit Slip Gaji</li>
</ol>
</section>;
echo'
<section class="content">
  <div class="row">
    <div class="col-xs-12 col-sm-12 col-md-12 col-lg-12">
      <div class="box box-solid">
        <div class="box-header with-border">
          <h3 class="box-title"><b>Update Slip Gaji</b></h3>
        </div>
        <div class="box-body">;
        if(!empty($_GET['id'])){
          $sid = mysqli_real_escape_string($connection,mysql_decode($_GET['id']));
          $query_update="SELECT employees.employees_name,salary_report.* FROM
employees,salary_report WHERE salary_report.employees_id=employees.id AND
salary_report_id='$sid";
          $result_update = $connection->query($query_update);
          if($result_update->num_rows > 0){
            $row_update = $result_update->fetch_assoc();

            $bulan =explode("-", $row_update['bulan']);
            echo'
            <form class="form-horizontal validate update">
              <input type="hidden" name="id" value="".$_row_update['salary_report_id'].
readonly required>
              <div class="box-body">
                <div class="form-group">
                  <label class="col-sm-2 control-label">Periode Bulan '.$month.'</label>
                  <div class="col-sm-6">
                    <select class="form-control bulan" name="bulan" required>;
                      if($bulan[1] ==1){echo'<option value="01"
selected>Januari</option>';}else{echo'<option value="01">Januari</option>;}

```

```

        if($bulan[1] ==2){echo'<option value="02"
selected>Februari</option>';}else{echo'<option value="02">Februari</option>';}
        if($bulan[1] ==3){echo'<option value="03"
selected>Maret</option>';}else{echo'<option value="03">Maret</option>';}
        if($bulan[1] ==4){echo'<option value="04"
selected>April</option>';}else{echo'<option value="04">April</option>';}
        if($bulan[1] ==5){echo'<option value="05"
selected>Mei</option>';}else{echo'<option value="05">Mei</option>';}
        if($bulan[1] ==6){echo'<option value="06"
selected>Juni</option>';}else{echo'<option value="06">Juni</option>';}
        if($bulan[1] ==7){echo'<option value="07"
selected>Juli</option>';}else{echo'<option value="07">Juli</option>';}
        if($bulan[1] ==8){echo'<option value="08"
selected>Agustus</option>';}else{echo'<option value="08">Agustus</option>';}
        if($bulan[1] ==9){echo'<option value="09"
selected>September</option>';}else{echo'<option value="09">September</option>';}
        if($bulan[1] ==10){echo'<option value="10"
selected>Oktober</option>';}else{echo'<option value="10">Oktober</option>';}
        if($bulan[1] ==11){echo'<option value="11"
selected>November</option>';}else{echo'<option value="11">November</option>';}
        if($bulan[1] ==12){echo'<option value="12"
selected>Desember</option>';}else{echo'<option value="12">Desember</option>';}
        echo'
</select>
</div>
</div>
<hr>

<div class="form-group">
    <label class="col-sm-2 control-label">Pegawai</label>
    <div class="col-sm-6">
        <select class="form-control pegawai select2" name="employees_id"
required="" style="width:100%;">
            <option value="">- Pilih -</option>;
            $query="SELECT
employees.id,employees.employees_name,salary.salary from employees,salary WHERE
employees.id=salary.employees_id order by employees.employees_name ASC";

```

```

        $result = $connection->query($query);
        while($row = $result->fetch_assoc()){
            if($row_update['employees_id']== $row['id']){
                echo'<option value="'. $row['id']. "'
selected>'. $row['employees_name']. '</option>';
            }else{
                echo'<option
value="'. $row['id']. "'>'. $row['employees_name']. '</option>';
            }
        }echo'
</select>
</div>
</div>

<div class="form-group">
    <label class="col-sm-2 control-label">Total Gaji Pokok</label>
    <div class="col-sm-6">
        <input type="number" class="form-control gaji-pokok" name="salary"
value="'. $row_update['salary']. "' readonly required>
    </div>
</div>

<div class="form-group">
    <label class="col-sm-2 control-label">Jumlah Lembur</label>
    <div class="col-sm-6">
        <input type="number" class="form-control jumlah-lembur"
name="jumlah_lembur" value="'. $row_update['jumlah_lembur']. "' required>
    </div>
</div>

<div class="form-group">
    <label class="col-sm-2 control-label">Gaji Lembur/Hari</label>
    <div class="col-sm-6">
        <input type="number" class="form-control fee-lembur" name="fee_lembur"
value="'. $row_update['fee_lembur']. "' required>
    </div>
</div>

```

```

<div class="form-group">
  <label class="col-sm-2 control-label">Total Gaji Lembur</label>
  <div class="col-sm-6">
    <input type="number" class="form-control total-lembur"
name="gaji_lembur" value="".$row_update['gaji_lembur'].>
    </div>
  </div>

<h4>Potongan :</h4>
<div class="form-group">
  <label class="col-sm-2 control-label">BPJS</label>
  <div class="col-sm-6">
    <input type="number" class="form-control bpjs" name="bpjs"
value="".$row_update['bpjs'].>
    </div>
  </div>

<div class="form-group">
  <label class="col-sm-2 control-label">Koperasi</label>
  <div class="col-sm-6">
    <input type="number" class="form-control koperasi" name="koperasi"
value="".$row_update['koperasi'].>
    </div>
  </div>

<div class="form-group">
  <label class="col-sm-2 control-label">Koreksi</label>
  <div class="col-sm-6">
    <input type="number" class="form-control koreksi" name="koreksi"
value="".$row_update['koreksi'].>
    </div>
  </div>

<div class="form-group">
  <label class="col-sm-2 control-label">Lain-lain</label>
  <div class="col-sm-6">

```

```

        <input type="number" class="form-control lain-lain" name="lain-lain"
value="".$row_update['lain_lain'].>
        </div>
    </div>

    <h4>Total Diterima :</h4>
    <div class="form-group">
        <label class="col-sm-2 control-label">Total Diterima</label>
        <div class="col-sm-6">
            <input type="number" class="form-control total-diterima gaji-pokok"
name="total_diterima" value="".$row_update['total_diterima'].> readonly>
        </div>
    </div>

</div>
<!-- /.box-body -->
<div class="box-footer">
    <div class="col-sm-2"></div>
    <button type="submit" class="btn btn-primary"><i class="fa fa-check"></i>
Simpan</button>
    <a class="btn btn-danger" href="./.$mod."><i class="fa fa-remove"></i>
Batal</a>
</div>
<!-- /.box-footer -->
</form>;
}
else{
    echo'Data tidak ditemukan';
}
}
echo'
</div>
</div>
</div>
</section>;
break;
}?>

```

```
</div>
<?php }?>
```

13. Halaman Data Permohonan Cuti

```
<?php
if(empty($connection)){
    header('location:../../');
} else {
    include_once 'sw-mod/sw-panel.php';
echo'
<div class="content-wrapper">;
switch(@$_GET['op']){
    default:
echo'
<section class="content-header">
<h1>Data<small> Permohonan Cuti</small></h1>
<ol class="breadcrumb">
<li><a href=".."><i class="fa fa-dashboard"></i> Beranda</a></li>
<li class="active">Data Permohonan Cuti</li>
</ol>
</section>;
echo'
<section class="content">
<div class="row">
<div class="col-xs-12 col-sm-12 col-md-12 col-lg-12">
<div class="box box-solid">
<div class="box-header with-border">
<h3 class="box-title"><b>Data Permohonan Cuti</b></h3>
</div>
<div class="box-body">
<div class="table-responsive">
<table id="swdatatable" class="table table-bordered">
<thead>
<tr>
<th style="width: 10px">No</th>
```

```

<th>Nama</th>
<th>Cuti Dari</th>
<th>Sampai</th>
<th>Masuk Kerja</th>
<th class="text-center">Jumlah Cuti</th>
<th>Keperluan Cuti</th>
<th>Status</th>
<th style="width:150px" class="text-center">Aksi</th>
</tr>
</thead>
<tbody>';
$query="SELECT employees.employees_name,cuty.* FROM employees,cuty WHERE
employees.id=cuty.employees_id order by cuty.cuty_id DESC";
$result = $connection->query($query);
if($result->num_rows > 0){
    $no=0;
    while ($row= $result->fetch_assoc()) {
        if($row['cuty_status'] =='1'){
            $status ='<span class="text-primary">Disetujui</span>';
        }elseif ($row['cuty_status'] =='2') {
            $status='<span class="text-danger">Tidak Disetujui</span>';
        }else{
            $status='<span class="text-muted">Menunggu</span>';
        }
        $no++;
        echo'
<tr>
    <td class="text-center">'. $no.'</td>
    <td>'. $row['employees_name'].'</td>
    <td>'. tgl_ind($row['cuty_start']).</td>
    <td>'. tgl_ind($row['cuty_end']).</td>
    <td>'. tgl_ind($row['date_work']).</td>
    <td class="text-center"><label class="label label-
warning">'. $row['cuty_total'].'</label></td>
    <td>'. strip_tags($row['cuty_description']).</td>
    <td>'. $status.'</td>
    <td class="text-center">

```



```

<div class="btn-group">;
if($level_user==1){
    echo'
    <div class="btn-group">
        <button type="button" class="btn btn-warning btn-xs dropdown-toggle" data-
toggle="dropdown" aria-expanded="false">Proses
            <span class="caret"></span>
            <span class="sr-only">Toggle Dropdown</span>
        </button>
        <ul class="dropdown-menu" role="menu">
            <li><a href="javascript:void(0);" data-id="".$row['cuty_id']." data-status="1"
class="update-status">Setujui</a></li>
            <li><a href="javascript:void(0);" data-id="".$row['cuty_id']." data-status="2"
class="update-status">Tidak disetujui</a></li>
        </ul>
    </div>
    <a href=".$mod.'/print?action=print&id='.epm_encode($row['cuty_id'])."
target="_blank" class="btn btn-xs btn-danger delete" title="Print"><i class="fa fa-print"
aria-hidden="true"></i> Print</a>;}
    else{
    echo'
        <button type="button" class="btn btn-warning btn-xs access-failed enable-tooltip"
title="Edit"><i class="fa fa-pencil-square-o"></i> Ubah</button>
        <buton type="button" class="btn btn-xs btn-danger access-failed"
title="Hapus"><i class="fa fa-trash-o"></i> Hapus</button>;
    }
    echo'
    </div>

</td>
</tr>;}}
echo'
</tbody>
</table>
</div>
</div>
</div>

```

```

</div>
</section>';
break;

case 'add':
echo'
<section class="content-header">
<h1>Tambah Data<small> Permohonan</small></h1>
<ol class="breadcrumb">
<li><a href="."><i class="fa fa-dashboard"></i> Beranda</a></li>
<li><a href="./Permohonan"> Data Permohonan</a></li>
<li class="active">Tambah Permohonan</li>
</ol>
</section>';
echo'
<section class="content">
<div class="row">
<div class="col-xs-12 col-sm-12 col-md-12 col-lg-12">
<div class="box box-solid">
<div class="box-header with-border">
<h3 class="box-title"><b>Tambah Data Permohonan</b></h3>
</div>
<div class="box-body">
<form class="form-horizontal validate add-Permohonan">
<div class="box-body">

<div class="form-group">
<label class="col-sm-2 control-label">Kode Permohonan</label>
<div class="col-sm-6">
<input type="text" class="form-control" name="employees_code" required>
</div>
</div>

<div class="form-group">
<label class="col-sm-2 control-label">Nama</label>

```

```

        <div class="col-sm-6">
            <input type="text" class="form-control" name="employees_name"
required>
        </div>
    </div>

    <div class="form-group">
        <label class="col-sm-2 control-label">Email</label>
        <div class="col-sm-6">
            <input type="text" class="form-control" name="employees_email"
required>
        </div>
    </div>

    <div class="form-group">
        <label class="col-sm-2 control-label">Password</label>
        <div class="col-sm-6">
            <input type="password" class="form-control"
name="employees_password" required>
        </div>
    </div>

    <div class="form-group">
        <label class="col-sm-2 control-label">Jabatan</label>
        <div class="col-sm-6">
            <select class="form-control" name="position_id" required="">
                <option value="">- Pilih -</option>;
                $query="SELECT * from position order by position_name ASC";
                $result = $connection->query($query);
                while($row = $result->fetch_assoc()) {
                    echo'<option
value="'. $row['position_id']. "'>'. $row['position_name']. '</option>;
                }echo'
            </select>
        </div>
    </div>

```

```

<div class="form-group">
  <label class="col-sm-2 control-label">Shift</label>
  <div class="col-sm-6">
    <select class="form-control" name="shift_id" required="">
      <option value="">- Pilih -</option>;
      $query="SELECT shift_id,shift_name from shift order by shift_name
ASC";
      $result = $connection->query($query);
      while($row = $result->fetch_assoc()) {
        echo'<option value="'. $row['shift_id']. "'>'. $row['shift_name']. '</option>;'
      }echo'
    </select>
  </div>
</div>

<div class="form-group">
  <label class="col-sm-2 control-label">Penempatan</label>
  <div class="col-sm-6">
    <select class="form-control" name="building_id" id="building"
required="">
      <option value="">- Pilih -</option>;
      $query="SELECT building_id,name,address from building order by name
ASC";
      $result = $connection->query($query);
      while($row = $result->fetch_assoc()) {
        echo'<option value="'. $row['building_id']. "'>'. $row['address']. '</option>;'
      }echo'
    </select>
  </div>
</div>

<div class="form-group">
  <label class="col-sm-2 control-label">Foto</label>
  <div class="col-sm-6">
    <br><br>

```

```

        <input type="file" id="imgInp" class="btn btn-default" id="file"
name="photo" required="" accept="image/jpeg, image/jpg, image/gif" capture>
        </div>
    </div>

</div>
<!-- /.box-body -->
<div class="box-footer">
    <div class="col-sm-2"></div>
    <button type="submit" class="btn btn-primary"><i class="fa fa-check"></i>
Simpan</button>
    <a class="btn btn-danger" href="./.$mod."><i class="fa fa-remove"></i>
Batal</a>
</div>
<!-- /.box-footer -->
</form>

</div>
</div>
</div>
</section>';
break;

case 'edit':
echo'
<section class="content-header">
<h1>Edit Data<small> Permohonan</small></h1>
<ol class="breadcrumb">
    <li><a href="."><i class="fa fa-dashboard"></i> Beranda</a></li>
    <li><a href="./Permohonan"> Data Permohonan</a></li>
    <li class="active">Edit Permohonan</li>
</ol>
</section>

<section class="content">
<div class="row">
    <div class="col-xs-12 col-sm-12 col-md-12 col-lg-12">

```

```

<div class="box box-solid">
  <div class="box-header">
    <ul class="nav nav-tabs">
      <li class="active"><a href="#tab_1" data-toggle="tab">Profil</a></li>
      <li><a href="#tab_2" data-toggle="tab">Ubah Password</a></li>
    </ul>
  </div>

  <div class="box-body">;
  if(!empty($_GET['id'])){
    $id = mysqli_real_escape_string($connection,mysql_decode($_GET['id']));
    $query = "SELECT * from employees WHERE id='$id'";
    $result = $connection->query($query);
    if($result->num_rows > 0){
      $row = $result->fetch_assoc();
      echo'
      <div class="nav-tabs-custom">
        <div class="tab-content">
          <div class="tab-pane active" id="tab_1">

          <form class="form-horizontal validate update-Permohonan">
            <div class="box-body">
              <div class="form-group">
                <label class="col-sm-2 control-label">Kode Permohonan</label>
                <div class="col-sm-6">
                  <input type="text" class="form-control" name="employees_code"
value="".$row['employees_code']."' required>
                  <input type="hidden" name="id" value="".$row['id']."' readonly required>
                </div>
              </div>
            </div>

            <div class="form-group">
              <label class="col-sm-2 control-label">Nama</label>
              <div class="col-sm-6">
                <input type="text" class="form-control" name="employees_name"
value="".$row['employees_name']."' required>
              </div>
            </div>
          </form>
        </div>
      </div>
      '
    }
  }

```

```

</div>

<div class="form-group">
  <label class="col-sm-2 control-label">Jabatan</label>
  <div class="col-sm-6">
    <select class="form-control" name="position_id" required="">
      <option value="">- Pilih -</option>;
      $query="SELECT * from position order by position_name ASC";
      $result = $connection->query($query);
      while($rowa = $result->fetch_assoc()) {
        if($rowa['position_id'] == $row['position_id']){
          echo'<option value="'. $rowa['position_id']. "'
selected>'. $rowa['position_name']. '</option>';
        }else{
          echo'<option
value="'. $rowa['position_id']. "'>'. $rowa['position_name']. '</option>';
        }
      }echo'
    </select>
  </div>
</div>

<div class="form-group">
  <label class="col-sm-2 control-label">Shift</label>
  <div class="col-sm-6">
    <select class="form-control" name="shift_id" required="">
      <option value="">- Pilih -</option>;
      $query="SELECT shift_id,shift_name from shift order by shift_name
ASC";
      $result = $connection->query($query);
      while($rowa = $result->fetch_assoc()) {
        if($rowa['shift_id'] == $row['shift_id']){
          echo'<option value="'. $rowa['shift_id']. "'
selected>'. $rowa['shift_name']. '</option>';
        }else{

```

```

        echo'<option
value="',$rowa['shift_id']."'>',$rowa['shift_name'],'</option>';
    }
    }echo'
</select>
</div>
</div>

<div class="form-group">
    <label class="col-sm-2 control-label">Penempatan</label>
    <div class="col-sm-6">
        <select class="form-control" name="building_id" id="building"
required="">
            <option value="">- Pilih -</option>;
            $query="SELECT building_id,name,address from building order by name
ASC";
            $result = $connection->query($query);
            while($rowa = $result->fetch_assoc()) {
                if($rowa['building_id'] == $row['building_id']){
                    echo'<option value="',$rowa['building_id'].'"
selected>',$rowa['address'],'</option>';
                }else{
                    echo'<option
value="',$rowa['building_id']."'>',$rowa['address'],'</option>';
                }
            }echo'
        </select>
    </div>
</div>

<div class="form-group">
    <label class="col-sm-2 control-label">Foto</label>
    <div class="col-sm-6">
        <div class="upload-media">;
        if($row['photo'] == NULL){

```



```

        echo'';}
        else{
            echo'';
        }echo'
    </div>
    <input type="file" id="imgInp" class="btn btn-default" id="file"
name="photo" accept="image/jpeg, image/jpg, image/gif" capture>
    <small>Kosongan jika tidak ingin mengubah</small>
    </div>
</div>
<!-- /.box-body -->
<div class="box-footer">
    <div class="col-sm-2"></div>
    <button type="submit" class="btn btn-primary"><i class="fa fa-check"></i>
Simpan</button>
    <a class="btn btn-danger" href="../../mod."><i class="fa fa-remove"></i>
Batal</a>
    </div>
<!-- /.box-footer -->
</form>
</div>

<!-- /.tab-pane -->
<div class="tab-pane" id="tab_2">
    <form class="form-horizontal validate update-password">
        <div class="box-body">
            <div class="form-group">
                <label class="col-sm-2 control-label">Email</label>
                <div class="col-sm-6">
                    <input type="text" class="form-control" name="employees_email"
value="../../row['employees_email']" readonly required>
                    <input type="hidden" name="id" value="../../row['id']" readonly required>
                </div>
            </div>

```

```

</div>

<div class="form-group">
  <label class="col-sm-2 control-label">Password</label>
  <div class="col-sm-6">
    <input type="password" class="form-control" id="password"
name="employees_password" required>
  </div>
</div>

</div>

<!-- /.box-body -->
<div class="box-footer">
  <div class="col-sm-2"></div>
  <button type="submit" class="btn btn-primary"><i class="fa fa-check"></i>
Simpan</button>
  <a class="btn btn-danger" href="./.$mod."><i class="fa fa-remove"></i>
Batal</a>
</div>
<!-- /.box-footer -->
</form>
</div>
<!-- /.tab-content -->
</div>
<!-- nav-tabs-custom -->;
}else{
  echo'<section class="content">
  <div class="error-page">
    <h2 class="headline text-yellow"> 404</h2>
    <div class="error-content">
      <h3><i class="fa fa-warning text-yellow"></i> Oops! Page not found.</h3>
      <p>
        Saat ini data yang Anda cari tidak ditemukan<br>
        <a class="btn btn-primary" href=".">return to dashboard</a>
      </p>
    </div>
  </div>

```

```
        </div>
    </section>;
}
echo'
</div>
</div>
</div>
</div>
</section>;

break;
}??

</div>
<?php }??
```

14. Halaman Data Presensi

```
<?php
if(empty($connection)){
    header('location:../..');
} else {
    include_once 'sw-mod/sw-panel.php';

echo'
    <div class="content-wrapper">;
switch(@$_GET['op']){
    default:
echo'
<section class="content-header">
    <h1>Data<small> Presensi</small></h1>
    <ol class="breadcrumb">
        <li><a href=".."><i class="fa fa-dashboard"></i> Beranda</a></li>
        <li class="active">Data Presensi</li>
    </ol>
</section>;
echo'
```

```

<section class="content">
  <div class="row">
    <div class="col-xs-12 col-sm-12 col-md-12 col-lg-12">
      <div class="box box-solid">
        <div class="box-header with-border">
          <h3 class="box-title"><b>Data Presensi</b></h3>
          <div class="box-tools pull-right">
            <button type="button" class="btn btn-primary" data-toggle="modal" data-
target="#modal-laporan">Ekspor Semua</button>
          </div>
        </div>
      </div>
      <div class="box-body">
        <div class="table-responsive">
          <table id="swdatatable" class="table table-bordered">
            <thead>
              <tr>
                <th style="width: 10px">No</th>
                <th>ID Karyawan</th>
                <th>Nama</th>
                <th>Email</th>
                <th>Jabatan</th>
                <th>Shift</th>
                <th>Lokasi</th>
                <th style="width:150px" class="text-right">Aksi</th>
              </tr>
            </thead>
            <tbody>';
            $query="SELECT
employees.*,position.position_name,shift.shift_name,building.name FROM
employees,position,shift,building WHERE employees.position_id=position.position_id
AND employees.shift_id=shift.shift_id AND
employees.building_id=building.building_id order by employees.id DESC";
            $result = $connection->query($query);
            if($result->num_rows > 0){
            $no=0;
            while ($row= $result->fetch_assoc()) {
            $no++;

```

```

echo'
<tr>
  <td class="text-center">'. $no.'</td>
  <td>'. $row['employees_code'].'</td>
  <td>'. $row['employees_name'].'</td>
  <td>'. $row['employees_email'].'</td>
  <td>'. $row['position_name'].'</td>
  <td>'. $row['shift_name'].'</td>
  <td>'. $row['name'].'</td>
  <td class="text-right">
    <div class="btn-group">
      <a href="./$.mod.&op=views&id='.epm_encode($row['id']).'" class="btn
btn-warning btn-xs enable-tooltip" title="Detail"><i class="fa fa-eye" aria-
hidden="true"></i> Detail</a>
    </div>
  </td>
</tr>';} }
echo'
</tbody>
</table>
</div>
</div>
</div>
</div>
</section>

<div class="modal fade" id="modal-laporan">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
          <span aria-hidden="true">&times;</span></button>
        <h4 class="modal-title">Laporan Presensi Semua Karyawan</h4>
      </div>
      <div class="modal-body">

```

```

<div class="form-group">
  <label>Bulan</label>
  <select class="form-control month" required>;
    if($month ==1){echo'<option value="01"
selected>Januari</option>';}else{echo'<option value="01">Januari</option>';}
    if($month ==2){echo'<option value="02"
selected>Februari</option>';}else{echo'<option value="02">Februari</option>';}
    if($month ==3){echo'<option value="03"
selected>Maret</option>';}else{echo'<option value="03">Maret</option>';}
    if($month ==4){echo'<option value="04"
selected>April</option>';}else{echo'<option value="04">April</option>';}
    if($month ==5){echo'<option value="05"
selected>Mei</option>';}else{echo'<option value="05">Mei</option>';}
    if($month ==6){echo'<option value="06"
selected>Juni</option>';}else{echo'<option value="06">Juni</option>';}
    if($month ==7){echo'<option value="07"
selected>Juli</option>';}else{echo'<option value="07">Juli</option>';}
    if($month ==8){echo'<option value="08"
selected>Agustus</option>';}else{echo'<option value="08">Agustus</option>';}
    if($month ==9){echo'<option value="09"
selected>September</option>';}else{echo'<option value="09">September</option>';}
    if($month ==10){echo'<option value="10"
selected>Oktober</option>';}else{echo'<option value="10">Oktober</option>';}
    if($month ==11){echo'<option value="11"
selected>November</option>';}else{echo'<option value="11">November</option>';}
    if($month ==12){echo'<option value="12"
selected>Desember</option>';}else{echo'<option value="12">Desember</option>';}
  echo'
  </select>
</div>

<div class="form-group">
  <label>Tahun</label>
  <select class="form-control year" required>;
  $mulai= date('Y') - 0;
  for($i = $mulai;$i<$mulai + 50;$i++){
    $sel = $i == date('Y') ? ' selected="selected"' : "";

```

```

        echo '<option value="'.$.i.'".$sel.'>'.$.i.'</option>';
    }
    echo'
</select>
</div>

<div class="form-group">
    <label>Tipe</label>
    <select class="form-control type" required>
        <option value="excel">EXCEL</option>
        <option value="print">PRINT</option>
    </select>
</div>

</div>
<div class="modal-footer">
    <button type="button" class="btn btn-primary pull-left btn-print-all">Ekspor
Semua</button>
    <button type="button" class="btn btn-default pull-right" data-
dismiss="modal">Close</button>
</div>
</div>
<!-- /.modal-content -->
</div>
<!-- /.modal-dialog -->
</div>
<!-- /.modal -->';
break;

case 'views':

echo'
<section class="content-header">
    <h1>Detail<small> Presensi</small></h1>
    <ol class="breadcrumb">
        <li><a href="."><i class="fa fa-dashboard"></i> Beranda</a></li>
        <li><a href="#" onclick="history.back()">Data Abseni</a></li>

```

```

    <li class="active">Detail Absen</li>
  </ol>
</section>
<section class="content">
  <div class="row">
    <div class="col-xs-12 col-sm-12 col-md-12 col-lg-12">
      <div class="box box-solid">
        <div class="box-header with-border">
          <h3 class="box-title"><b>Detail Presensi</b></h3>
          <div class="box-tools pull-right">
            <button type="button" onclick="history.back()" class="btn btn-default btn-flat">Kembali</button>
          </div>
        </div>
        <div class="box-body">';
        if(!empty($_GET['id'])){
          $id = mysqli_real_escape_string($connection,epm_decode($_GET['id']));
          $query ="SELECT
employees.id,employees.employees_name,employees.position_id,position.position_name
FROM employees,position WHERE employees.position_id=position.position_id AND
employees.id='$id'";
          $result = $connection->query($query);
          if($result->num_rows > 0){
            $row = $result->fetch_assoc();
            echo'
            <h4>Nama : <span
class="employees_name">'.$row['employees_name'].'</span></h4>
            <h4>Jabatan : '.$row['position_name'].'</h4>
            <hr>
            <div class="row">
              <div class="col-md-4">
                <input type="hidden" class="id" value=".'.$id.'" readonly">
                <div class="form-group">
                  <select class="form-control month" required>';

```



```

        if($month ==1){echo'<option value="01"
selected>Januari</option>';}else{echo'<option value="01">Januari</option>';}
        if($month ==2){echo'<option value="02"
selected>Februari</option>';}else{echo'<option value="02">Februari</option>';}
        if($month ==3){echo'<option value="03"
selected>Maret</option>';}else{echo'<option value="03">Maret</option>';}
        if($month ==4){echo'<option value="04"
selected>April</option>';}else{echo'<option value="04">April</option>';}
        if($month ==5){echo'<option value="05"
selected>Mei</option>';}else{echo'<option value="05">Mei</option>';}
        if($month ==6){echo'<option value="06"
selected>Juni</option>';}else{echo'<option value="06">Juni</option>';}
        if($month ==7){echo'<option value="07"
selected>Juli</option>';}else{echo'<option value="07">Juli</option>';}
        if($month ==8){echo'<option value="08"
selected>Agustus</option>';}else{echo'<option value="08">Agustus</option>';}
        if($month ==9){echo'<option value="09"
selected>September</option>';}else{echo'<option value="09">September</option>';}
        if($month ==10){echo'<option value="10"
selected>Oktober</option>';}else{echo'<option value="10">Oktober</option>';}
        if($month ==11){echo'<option value="11"
selected>November</option>';}else{echo'<option value="11">November</option>';}
        if($month ==12){echo'<option value="12"
selected>Desember</option>';}else{echo'<option value="12">Desember</option>';}
        echo'
    </select>
</div>
</div>

<div class="col-md-4">
    <div class="form-group">
        <select class="form-control year" required>;
            $mulai= date('Y') - 0;
            for($i = $mulai;$i<$mulai + 50;$i++){
                $sel = $i == date('Y') ? ' selected="selected"' : "";
                echo '<option value="'. $i .'"'. $sel .>'. $i .</option>';
            }
    
```

```

        echo'
    </select>
</div>
</div>

<div class="col-md-4">
    <div class="btn-group pull-right">
        <button type="button" class="btn btn-primary btn-sortir">Tampilkan</button>
        <button type="button" class="btn btn-warning">Ekspor/Cetak</button>
        <button type="button" class="btn btn-warning dropdown-toggle" data-
toggle="dropdown" aria-expanded="false">
            <span class="caret"></span>
            <span class="sr-only">Toggle Dropdown</span>
        </button>
        <ul class="dropdown-menu" role="menu">
            <li><a href="#" class="btn-print" data-id="pdf">PDF</a></li>
            <li><a href="#" class="btn-print" data-id="excel">EXCEL</a></li>
            <li><a href="#" class="btn-print" data-id="print">PRINT</a></li>
        </ul>
    </div>
</div>
</div>

</div>
<h3>Presensi Bulan : <span class="result-month">'. $month_en.'</span></h3>;
echo'
    <div class="loaddata"></div>

<div class="modal fade" id="modal-location">
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">
                <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
                    <span aria-hidden="true">&times;</span></button>
                <h4 class="modal-title">Lokasi Absen <span class="modal-title-
name"></span></h4>
            </div>

```

```

        <div class="modal-body">
            <div id="iframe-map"></div>
        </div>
        <div class="modal-footer">
            <button type="button" class="btn btn-default" data-
dismiss="modal">Close</button>
        </div>
    </div>
    <!-- /.modal-content -->
</div>
<!-- /.modal-dialog -->
</div>
<!-- /.modal -->

};
else{
    echo'<div class="alert alert-warning">Data tidak ditemukan</div>';
}
echo'
</div>
</div>
</div>
</div>
</section>';

break;

case 'view-present':
echo'
<section class="content-header">
<h1>Data Presensi<small> Karyawan</small></h1>
<ol class="breadcrumb">
    <li><a href="."><i class="fa fa-dashboard"></i> Beranda</a></li>
    <li><a href="#" onclick="history.back()">Data Lokasi</a></li>
    <li class="active">Data Presensi Karyawan</li>
</ol>
</section>';

```

```

if(!empty($_GET['id'])){
    $id = mysqli_real_escape_string($connection,mysql_decode($_GET['id']));
    $query = "SELECT * from employees WHERE id=$id";
    $result = $connection->query($query);
    if($result->num_rows > 0){
        $row = $result->fetch_assoc();
        echo'
<section class="content"><input type="hidden" id="id" value=".'.$row['id'].'" readonly>
<div class="row">
    <div class="col-xs-12 col-sm-12 col-md-12 col-lg-12">
        <div class="box box-solid">
            <div class="box-header with-border">
                <h3 class="box-title"><b>Data Presensi Karyawan:
'. $row['employees_name'].'</b></h3>
                <div class="box-tools pull-right">
                    <button type="button" onclick="history.back()" class="btn btn-default btn-
flat">Kembali</button>
                </div>
            </div>
            <div class="box-body">
                <div class="loaddata"></div>
            </div>
        </div>
    </div>
</div>
</div>

</section>';
    }}

break;
}?'>

</div>
<?php }?'>

```

15. Halaman Admin

```
<?php
if(empty($connection)){
    header('location:../..');
} else {
    include_once 'sw-mod/sw-panel.php';
echo'
    <div class="content-wrapper">;
switch(@$_GET['op']){
    default:
echo'
<section class="content-header">
    <h1>Admin</h1>
    <ol class="breadcrumb">
        <li><a href=".."><i class="fa fa-dashboard"></i> Beranda</a></li>
        <li class="active">Admin</li>
    </ol>
</section>;
echo'
<section class="content">
    <div class="row">
        <div class="col-xs-12 col-sm-12 col-md-12 col-lg-12">
            <div class="box box-solid">
                <div class="box-header with-border">
                    <h3 class="box-title"><b>Admin</b></h3>
                    <div class="box-tools pull-right">;
                    if($level_user ==1){
                        echo'
                            <button type="button" class="btn btn-success btn-flat" data-toggle="modal"
                                data-target="#modalAdd"><i class="fa fa-plus"></i> Tambah Baru</button>;}else{
                                echo' <button type="button" class="btn btn-success btn-flat access-failed"><i
                                    class="fa fa-plus"></i> Tambah Baru</button>;
                            }
                        echo'
                    </div>
                </div>
            </div>
        </div>
    </div>
    <div class="box-body">
```

```

<div class="table-responsive">
<table id="swdatatable" class="table table-bordered">
<thead>
<tr>
<th style="width: 10px">No</th>
<th>Nama</th>
<th>Username</th>
<th>Email</th>
<th>Registrasi</th>
<th>Level</th>
<th style="width:120px" class="text-center">Aksi</th>
</tr>
</thead>
<tbody>';
$query="SELECT
user.user_id,user.username,user.fullname,user.email,user.registered,user.level,user.level
,user_level.level_id,user_level.level_name FROM user,user_level WHERE
user.level=user_level.level_id order by user.user_id DESC";
$result = $connection->query($query);
if($result->num_rows > 0){
$no=0;
while ($row_a= $result->fetch_assoc()) {
$no++;
echo'
<tr>
<td class="text-center">'. $no.'</td>
<td>'. $row_a['fullname'].'</td>
<td>'. $row_a['username'].'</td>
<td>'. $row_a['email'].'</td>
<td>'. tgl_indo($row_a['registered']).' - '. jam_indo($row_a['registered']).</td>
<td>'. $row_a['level_name'].'</td>
<td class="text-right">
<div class="btn-group btn-group-xs">;
if($level_user==1){
echo'
<a href="#modalEdit" class="btn btn-warning btn-xs enable-tooltip"
title="Edit" data-toggle="modal";?> onclick="getElementById('txtid').value='<?PHP

```

```

echo $row_a['user_id'];?>';getElementById('txtnama').value='<?PHP echo
$row_a['fullname'];?>';getElementById('txtuser').value='<?PHP echo
$row_a['username'];?>';getElementById('txtemail').value='<?PHP echo
$row_a['email'];?>';getElementById('txtlevel').value='<?PHP echo
$row_a['level'];?>';" <i class="fa fa-pencil-square-o"></i> Ubah</a><?PHP }
    else{
        // cek level 2 berdasarkan id login
        if($user_id == $SESSION_ID){
            echo'<a href="#modalEdit" class="btn btn-warning btn-xs enable-tooltip"
title="Edit" data-toggle="modal";?> onclick="getElementById('txtid').value='<?PHP
echo $row_a['user_id'];?>';getElementById('txtnama').value='<?PHP echo
$row_a['fullname'];?>';getElementById('txtuser').value='<?PHP echo
$row_a['username'];?>';getElementById('txtemail').value='<?PHP echo
$row_a['email'];?>';getElementById('txtlevel').value='<?PHP echo
$row_a['level'];?>';" <i class="fa fa-pencil-square-o"></i> Ubah</a><?PHP
        }else{
            echo'<button class="btn btn-sm btn-warning access-failed"
title="Ubah"><i class="fa fa-pencil-square-o"></i> Ubah</button>;
        }
    }

    if($level_user==1){
        echo'
        <button data-id="'.ePM_encode($row_a['user_id']).'" class="btn btn-sm
btn-danger delete" title="Hapus"><i class="fa fa-trash-o"></i> Hapus</button>;
    }else{
        echo'
        <button class="btn btn-sm btn-danger access-failed" title="Hapus"><i
class="fa fa-trash-o"></i> Hapus</button>;
    }
    echo'
</div>

</td>
</tr>;}}
echo'
</tbody>

```

```

        </table>
    </div>
</div>
</div>
</div>
</div>
</section>

<!-- Add -->
<div class="modal fade" id="modalAdd" data-backdrop="static" data-
keyboard="false">
    <div class="modal-dialog modal-md">
        <div class="modal-content">

            <div class="modal-header">
                <button type="button" class="close" data-dismiss="modal" aria-label="Close">
                    <span aria-hidden="true">&times;</span></button>
                <h4 class="modal-title">Tambah Baru</h4>
            </div>
            <form id="validate" class="form add-user">
                <input type="hidden" name="aksi" required" value="add" readonly>
                <input type="hidden" name="modul" required" value=".$mod." readonly>
                <div class="modal-body">

                    <div class="form-group">
                        <label>Nama</label>
                        <input type="text" class="form-control" name="fullname" required>
                    </div>

                    <div class="form-group">
                        <label>Username</label>
                        <input type="text" class="form-control" name="username" required>
                    </div>

                    <div class="form-group">
                        <label>Email</label>
                        <input type="email" class="form-control" name="email" required>
                    </div>
                </div>
            </form>
        </div>
    </div>
</div>

```



```

</div>

<div class="form-group">
  <label>Password</label>
  <input type="password" class="form-control" name="password" required>
</div>

<div class="form-group">
  <label>Level</label>
  <select class="form-control" name="level" required="">
    <option value="">- Pilih -</option>;
    $query="SELECT * from user_level order by level_name ASC";
    $result = $connection->query($query);
    while($row = $result->fetch_assoc()) {
      echo'<option value="'. $row['level_id']. "'>'. $row['level_name']. '</option>';
    }echo'
  </select>
</div>

</div>
<div class="modal-footer">
  <button type="submit" class="btn btn-primary pull-left"><i class="fa fa-check"></i> Simpan</button>
  <button type="button" class="btn btn-danger pull-right" data-dismiss="modal"><i
class="fa fa-remove"></i> Batal</button>
</div>
</form>
</div>
</div>
</div>

<!-- Edit -->
<div class="modal fade" id="modalEdit" data-backdrop="static" data-
keyboard="false">
  <div class="modal-dialog modal-md">

```

```
<div class="modal-content">

<div class="modal-header">
  <button type="button" class="close" data-dismiss="modal" aria-label="Close">
    <span aria-hidden="true">&times;</span></button>
  <h4 class="modal-title">Edit User</h4>
</div>
<form id="validate2" class="form update-user">
<input type="hidden" name="id" id="txtid" required" value="" readonly>
<div class="modal-body">

  <div class="form-group">
    <label>Nama</label>
    <input type="text" class="form-control" id="txtnama" name="fullname"
required>
  </div>

  <div class="form-group">
    <label>Username</label>
    <input type="text" class="form-control" id="txtuser" name="username"
required>
  </div>

  <div class="form-group">
    <label>Email</label>
    <input type="email" class="form-control" id="txtemail" name="email"
required>
  </div>

  <div class="form-group">
    <label>Password</label>
    <input type="password" class="form-control" name="password">
    <small class="text-danger">Kosongan jika tidak ingin diubah
passwordnya</small>
  </div>

  <div class="form-group">';
```

```

if($level_user ==1){
    echo'
    <label>Level</label>
    <select class="form-control" name="level" id="txtlevel" required="">
    <option value="">- Pilih -</option>;
    $query="SELECT * from user_level order by level_name ASC";
    $result = $connection->query($query);
    while($row = $result->fetch_assoc()) {
        echo'<option value="'. $row['level_id']. "'>'. $row['level_name']. '</option>;
    }echo'
    </select>;}else{
        echo'<input type="hidden" name="level" id="txtlevel" required readonly>;
    }
    echo'
    </div>

</div>
<div class="modal-footer">
    <button type="submit" class="btn btn-primary pull-left"><i class="fa fa-check"></i> Simpan</button>
    <button type="button" class="btn btn-danger pull-right" data-dismiss="modal"><i
class="fa fa-remove"></i> Batal</button>
    </div>
</form>
</div>
</div>
</div>;
break;
}??>

</div>
<?php }??>

```