

LAMPIRAN

1. Halaman Login User

```
<?php
namespace app\models;
use Yii;
use yii\base\Model;
class LoginForm extends Model
{
    public $username;
    public $password;
    public $rememberMe = false;
    private $_user = false;
    public function rules()
    {
        return [
            // username and password are both required
            [['username', 'password'], 'required'],
            // rememberMe must be a boolean value
            ['rememberMe', 'boolean'],
            // password is validated by validatePassword()
            ['password', 'validatePassword'],
        ];
    }
    public function validatePassword($attribute, $params)
    {
        if (!$this->hasErrors()) {
            $user = $this->getUser();

            if (!$user || !$user->validatePassword($this->password)) {
                $this->addError($attribute, 'Incorrect username or
password.');
            }
        }
        public function login()
        {
            if ($this->validate()) {
                return Yii::$app->user->login($this->getUser(), $this-
>rememberMe ? 3600*24*30 : 0);
            }
            return false;
        }
        public function getUser()
        {
            if ($this->_user === false) {
                $this->_user = User::findByUsername($this->username);
            }

            return $this->_user;
        }
    }
}
```

2. Halaman Akses

```

<?php
namespace app\models;
use Yii;
class PelamarAkses extends \yii\db\ActiveRecord
{
    public static function tableName()
    {
        return 'id_pelamar_akses';
    }
    public function rules()
    {
        return [
            [['karyawan', 'akses'], 'required'],
            [['karyawan'], 'integer'],
            [['akses'], 'string', 'max' => 100],
        ];
    }
    public function attributeLabels()
    {
        return [
            'id' => 'ID',
            'karyawan' => 'User',
            'akses' => 'Akses',
        ];
    }
    public function getUsers()
    {
        return $this->hasOne(Users::className(), ['id' =>
        'karyawan']);
    }
}

```

3. Halaman Data Pelamar

```

<?php
use yii\helpers\Html;
use yii\widgets\DetailView;
use app\models\Pelamar;
use app\models\PelamarNilai;
use yii\widgets\ActiveForm;
use dosamigos\datepicker\DatePicker;
use app\models\PelamarJadwal;
use app\models\PelamarAkses;
$hrd = PelamarAkses::find()->where(['akses'=>'HRD']->one();
$pimpinan = PelamarAkses::find()->where(['akses'=>'Pimpinan']->
one();

```

```

$ulasan = PelamarNilai::find()->where(['pelamar_id'=>$model->id])->one();
$cid = $_GET['id'];
$data = PelamarJadwal::find()->where(['id_pelamar' =>$cid ]->all();
$this->title = $model->nama;
\yii\web\YiiAsset::register($this);
?>
<div class="pelamar-view">
  <div class="row">
    <div class="col-sm-6">
      <h1><?= Html::encode($this->title) ?></h1>
    </div>
    <div class="col-sm-6">
      <?php if(Yii::$app->user->identity->id == $pimpinan->karyawan):
      ?>
        <?php if($model->status == 'Interview Pimpinan' && $ulasan->ulasan_pimpinan != ""): ?>
          <?= Html::a('Diterima', ['accept', 'id' => $model->id], [
            'class' => 'btn btn-success',
            'data' => [
              'confirm' => 'Pelamar diterima ?',
              'method' => 'post',
            ],
          ]) ?>
          <?= Html::a('Ditolak', ['decline', 'id' => $model->id], [
            'class' => 'btn btn-warning',
            'data' => [
              'confirm' => 'Pelamar ditolak ?',
              'method' => 'post',
            ],
          ]) ?>
        <?php endif; ?>
      <?php elseif(Yii::$app->user->identity->id == $hrd->karyawan): ?>
        <?php if($model->status != 'Interview Pimpinan'): ?>
          <?= Html::a('<i class="fa fa-fw fa-plus"></i> Jadwal Interview',
            ['pelamarjadwal/create', 'id' => $model->id], ['class' => 'btn btn-success']) ?>
        <?php endif ?>
          <?= Html::a('<i class="fa fa-fw fa-pencil"></i> Update',
            ['update', 'id' => $model->id], ['class' => 'btn btn-primary']) ?>
          <?= Html::a('<i class="fa fa-fw fa-trash"></i> Delete', ['delete',
            'id' => $model->id], [
            'class' => 'btn btn-danger',
            'data' => [
              'confirm' => 'Are you sure you want to delete this item?',
              'method' => 'post',
            ],
          ]) ?>

```



```

<?php endif ?>
</div>
</div>
<section class="content"><div class="nav-tabs-custom tab-
success">
<ul class="nav nav-tabs">
<li class="active"><a href="#detail" data-toggle="tab">Data
Diri</a></li>
<li><a href="#nilai" data-toggle="tab">Nilai &
Ulasan</a></li>
<li><a href="#jadwal" data-toggle="tab">Jadwal
Interview</a></li>
</ul>
<div class="tab-content">
<div class="active tab-pane" id="detail">
<div class="table-responsive">
<?= DetailView::widget([
'model' => $model,
'attributes' => [
'nama',
'email',
'no_hp',
'alamat',
'gender',
'agama',
['attribute'=>'tempat_lahir','value'=>$model-
>tempat_lahir,'.date('d/m/Y',strtotime($model->tanggal_lahir)),
'pendidikan',
'status_nikah',
['attribute'=>'posisi','value'=>$model->jobtitle->posisi],
['attribute'=>'departemen','value'=>$model->getdepart-
>departemen],
'status',
],
]) ?>
</div>
</div>
<div class="tab-pane" id="nilai">
<div class="box-body table-responsive no-padding">
<?php $nilai = PelamarNilai::find()-
>where(['pelamar_id'=>$model->id])->one();?>
<?= Html::a('<i class="fa fa-fw fa-pencil"></i> Ubah Ulasan',
['pelamarnilai/update','id'=>$nilai->id,'interview'=>(Yii::$app->user-
>identity->id == $pimpinan->karyawan?'pimpinan':'hrd')], ['class' =>
'btn btn-sm btn-primary']) ?>
<table class="table table-hover">
<tr>
<th width="20%">Etika</th>

```

```

        <td><?= $nilai->etika ?></td>
    </tr>
    <tr>
        <th>Komunikasi</th>
        <td><?= $nilai->komunikasi ?></td>
    </tr>
    <tr>
        <th>Kreativitas</th>
        <td><?= $nilai->kreativitas ?></td>
    </tr>
    <tr>
        <th>Skill</th>
        <td><?= $nilai->skill ?></td>
    </tr>
    <tr>
        <th>Daya Tangkap</th>
        <td><?= $nilai->daya_tangkap ?></td>
    </tr>
    <tr>
        <th>Ulasan HRD</th>
        <td><?= $nilai->ulasan_hrd ?></td>
    </tr>
    <tr>
        <th>Ulasan Pimpinan</th>
        <td><?= $nilai->ulasan_pimpinan ?></td>
    </tr>
</table>
</div>
</div>
<div class="tab-pane" id="jadwal">
    <div class="box-body table-responsive no-padding">
        <table class="table table-hover">
            <?php if(Yii::$app->user->identity->profilname == $hrd->karyawan): ?>
                <button class="btn btn-sm btn-success" data-
toggle="modal" data-target="#jadwal-pelamar">Tambah
Jadwal</button>
            <?php endif ?>
        <tr>
            <th>Jadwal</th>
            <th>Jenis</th>
            <th>Kehadiran</th>
        </tr>
        <?php foreach ($data as $show ):?>
            <tr>
                <td> <?php echo date("d/m/Y",
strtotime($show['tanggal'])); ?> </td>
                <td> <?php echo $show['jenis']; ?> </td>

```

```

<td> <?php
    if($show->jenis=='Interview HRD'){
        if($ulasan->ulasan_hrd != ""){
            echo "Hadir";
        }
    }elseif($show->jenis=='Interview Pimpinan'){
        if($ulasan->ulasan_pimpinan != ""){
            echo "Hadir";
        }
    }
    ?> </td>
</tr>
<?php endforeach ?>
</table>
</div>
</div>
</div>
</div>
</section>
<div class="modal fade" id="jadwal-pelamar"><div class="modal-
dialog modal-lg">
    <div class="modal-content">
        <div class="modal-header">
            <button type="button" class="close" data-dismiss="modal"
            aria-label="Close">
                <span aria-hidden="true">&times;</span></button>
            <h4 class="modal-title"><b>Jadwal Interview</b></h4>
        </div>
        <div class="modal-body">
            <?php $form = ActiveForm::begin(); ?>
            <div class="row">
                <div class="col-sm-6">
                    <?=$form->field($formjadwal, 'tanggal')-
                    >widget(DatePicker::className(),[
                        'clientOptions'=>[
                            'autoclose'=>true,
                            'format'=>'dd-mm-yyyy',
                            'orientation'=>'bottom',
                        ]
                    ])?>
                </div>
                <div class="col-sm-6">
                    <?=$form->field($formjadwal, 'jenis')-
                    >dropDownList(['Interview HRD'=>'Interview HRD','Interview
                    Pimpinan'=>'Interview Pimpinan'],['prompt'=>'--Jenis Interview--'])
                    ?>
                </div>
            </div>
        </div>
    </div>
</div>

```



```

        <div class="form-group">
            <?= Html::submitButton('Save', ['class' => 'btn btn-
            success']) ?>
        </div>

        <?php ActiveForm::end(); ?>
    </div>
</div>
</div>
</div>

```

4. Halaman Jadwal Interview

```

<?php
use yii\helpers\Html;
use yii\widgets\DetailView;
$this->title = $model->id;
$this->params['breadcrumbs'][] = ['label' => 'Pelamar Jadwal', 'url'
=> ['index']];
$this->params['breadcrumbs'][] = $this->title;
\yii\web\YiiAsset::register($this);
?>
<div class="pelamar-jadwal-view">
    <h1><?= Html::encode($this->title) ?></h1>
    <p>
        <?= Html::a('Update', ['update', 'id' => $model->id], ['class' =>
        'btn btn-primary']) ?>
        <?= Html::a('Delete', ['delete', 'id' => $model->id], [
        'class' => 'btn btn-danger',
        'data' => [
            'confirm' => 'Are you sure you want to delete this item?',
            'method' => 'post',
        ],
        ]) ?>
    </p>
    <?= DetailView::widget([
        'model' => $model,
        'attributes' => [
            'id',
            'id_pelamar',
            ['attribute' => 'tanggal', 'value' => date('d/m/Y', strtotime($model-
            >tanggal))],
            'jenis',
            'kehadiran', ]) ?></div>

```

5. Halaman Tambah Data Pelamar

```

<?php
namespace app\controllers;

```

```

use Yii;
use app\models\Pelamar;
use app\models\PelamarJadwal;
use app\models\PelamarNilai;
use app\models\Karyawan;
use app\models\search\PelamarSearch;
use yii\web\Controller;
use yii\web\NotFoundHttpException;
use yii\filters\VerbFilter;
use yii\filters\AccessControl;
class PelamarController extends Controller
{
    /**
     * {@inheritdoc}
     */
    public function behaviors()
    {
        return [
            'access' => [
                'class' => AccessControl::className(),
                'only' => ['create', 'index', 'update', 'view'],
                'rules' => [
                    [
                        'allow' => true,
                        'roles' => ['@']
                    ]
                ],
            ],
            'verbs' => [
                'class' => VerbFilter::className(),
                'actions' => [
                    'delete' => ['POST'],
                ],
            ],
        ];
    }

    /**
     * Lists all Pelamar models.
     * @return mixed
     */
    public function actionIndex()
    {
        $searchModel = new PelamarSearch();
        $dataProvider = $searchModel->search(Yii::$app->request->queryParams);

        return $this->render('index', [

```



```

        'searchModel' => $searchModel,
        'dataProvider' => $dataProvider,
    });
}

/**
 * Displays a single Pelamar model.
 * @param integer $id
 * @return mixed
 * @throws NotFoundHttpException if the model cannot be found
 */
public function actionView($id)
{
    $model = $this->findModel($id);
    $formjadwal = new Pelamarjadwal();
    if ($formjadwal->load(Yii::$app->request->post())) {

        $formjadwal->tanggal=Yii::$app->formatter-
>asDate($formjadwal->tanggal,'yyyy-MM-dd');
        $formjadwal->id_pelamar=$id;
        $formjadwal->save();
        $model->status = $formjadwal->jenis;
        $model->save();

        return $this->redirect(['view', 'id' => $model->id]);
    }
    return $this->render('view', [
        'model' => $model,
        'formjadwal' => $formjadwal,
    ]);
}

/**
 * Creates a new Pelamar model.
 * If creation is successful, the browser will be redirected to the 'view'
page.
 * @return mixed
 */
public function actionCreate()
{
    $model = new Pelamar();

    if ($model->load(Yii::$app->request->post())) {

        $model->tanggal_lahir=Yii::$app->formatter-
>asDate($model->tanggal_lahir,'yyyy-MM-dd');
        $model->status='Belum diproses';
        $model->save();
    }
}

```

```

        $modelNilai = new PelamarNilai();
        $modelNilai->pelamar_id=$model->id;
        $modelNilai->save();

        return $this->redirect(['view', 'id' => $model->id]);
    }

    return $this->render('create', [
        'model' => $model,
    ]);
}

public function actionAccept($id)
{
    $data = $this->findModel($id);
    $model = new Karyawan();

    $nip_max = Karyawan::find()->max('badge');
    $model->badge = $nip_max+1;
    $model->nama = $data->nama;
    $model->nama_pendek = $data->nama;
    $model->gender = $data->gender;
    $model->tempat_lahir = $data->tempat_lahir;
    $model->tanggal_lahir = $data->tanggal_lahir;
    $model->no_hp = $data->no_hp;
    $model->alamat_rumah = $data->alamat;
    $model->tanggal_masuk = date('Y-m-d');
    $model->posisi = $data->posisi;
    $model->departemen = $data->departemen;
    $model->status_aktif = "Aktif";
    $model->save();

    $data->status = 'Diterima';
    $data->save();

    return $this->redirect(['karyawan/view', 'id' => $model->id]);
}

public function actionDecline($id)
{
    $model = $this->findModel($id);

    $model->status = 'Ditolak';
    $model->save();

    return $this->redirect(['view', 'id' => $model->id]);
}

```

```

/**
 * Updates an existing Pelamar model.
 * If update is successful, the browser will be redirected to the 'view'
page.
 * @param integer $id
 * @return mixed
 * @throws NotFoundHttpException if the model cannot be found
 */
public function actionUpdate($id)
{
    $model = $this->findModel($id);

    if ($model->load(Yii::$app->request->post())) {

        $model->tanggal_lahir=Yii::$app->formatter-
>asDate($model->tanggal_lahir,'yyyy-MM-dd');
        $model->save();
        return $this->redirect(['view', 'id' => $model->id]);
    }

    return $this->render('update', [
        'model' => $model,
    ]);
}
public function actionUlasan($id,$interview)
{
    $model = $this->findModel($id);
    $model2 = $this->findModel2($interview);

    if ($model->load(Yii::$app->request->post())) {
        $model->save();
        $model2->kehadiran = "hadir";
        $model2->save();
        return $this->redirect(['pelamarjadwal/index']);
    }

    return $this->render('ulasan', [
        'model' => $model,
    ]);
}

/**
 * Deletes an existing Pelamar model.
 * If deletion is successful, the browser will be redirected to the
'index' page.
 * @param integer $id
 * @return mixed

```



```

    * @throws NotFoundHttpException if the model cannot be found
    */
    public function actionDelete($id)
    {
        $this->findModel($id)->delete();

        return $this->redirect(['index']);
    }

    /**
     * Finds the Pelamar model based on its primary key value.
     * If the model is not found, a 404 HTTP exception will be thrown.
     * @param integer $id
     * @return Pelamar the loaded model
     * @throws NotFoundHttpException if the model cannot be found
     */
    protected function findModel($id)
    {
        if (($model = Pelamar::findOne($id)) !== null) {
            return $model;
        }

        throw new NotFoundHttpException('The requested page does not exist.');
    }
    protected function findModel2($id)
    {
        if (($model = PelamarJadwal::findOne($id)) !== null) {
            return $model;
        }

        throw new NotFoundHttpException('The requested page does not exist.');
    }
}

```

6. Halaman View Data Pelamar User HRD

```

<?php
use yii\helpers\Html;
use yii\widgets\DetailView;
use app\models\Pelamar;
use app\models\PelamarNilai;
use yii\widgets\ActiveForm;
use dosamigos\datepicker\DatePicker;
use app\models\PelamarJadwal;
use app\models\PelamarAkses;
$hrd = PelamarAkses::find()->where(['akses'=>'HRD'])->one();

```

```

$ Pimpinan = PelamarAkses::find()->where(['akses'=>'Pimpinan'])-
>one();
$ Ulasan = PelamarNilai::find()->where(['pelamar_id'=>$model->id])-
>one();
$ id = $_GET['id'];
$ data = PelamarJadwal::find()->where(['id_pelamar' => $id ]->all();
$ this->title = $model->nama;
\yii\web\YiiAsset::register($this);
?>
<div class="pelamar-view">
  <div class="row">
    <div class="col-sm-6">
      <h1><?= Html::encode($this->title) ?></h1>
    </div>
    <div class="col-sm-6">
      <?php if(Yii::$app->user->identity->id == $ Pimpinan->karyawan):
      ?>
        <?php if($model->status == 'Interview Pimpinan' && $ Ulasan-
        >ulasan_pimpinan != "): ?>
          <?= Html::a('Diterima', ['accept', 'id' => $model->id], [
            'class' => 'btn btn-success',
            'data' => [
              'confirm' => 'Pelamar diterima ?',
              'method' => 'post',
            ],
          ]) ?>
          <?= Html::a('Ditolak', ['decline', 'id' => $model->id], [
            'class' => 'btn btn-warning',
            'data' => [
              'confirm' => 'Pelamar ditolak ?',
              'method' => 'post',
            ],
          ]) ?>
        <?php endif; ?>
      <?php elseif(Yii::$app->user->identity->id == $hrd->karyawan): ?>
        <?php if($model->status != 'Interview Pimpinan'): ?>
          <?= Html::a('<i class="fa fa-fw fa-plus"></i> Jadwal Interview',
          ['pelamarjadwal/create', 'id' => $model->id], ['class' => 'btn btn-
          success']) ?>
        <?php endif; ?>
          <?= Html::a('<i class="fa fa-fw fa-pencil"></i> Update',
          ['update', 'id' => $model->id], ['class' => 'btn btn-primary']) ?>
          <?= Html::a('<i class="fa fa-fw fa-trash"></i> Delete', ['delete',
          'id' => $model->id], [
            'class' => 'btn btn-danger',
            'data' => [
              'confirm' => 'Are you sure you want to delete this item?',
              'method' => 'post',
            ],
          ],

```

```

],
]) ?>
<?php endif ?>
</div>
</div>
<section class="content"><div class="nav-tabs-custom tab-
success">
<ul class="nav nav-tabs">
<li class="active"><a href="#detail" data-toggle="tab">Data
Diri</a></li>
<li><a href="#nilai" data-toggle="tab">Nilai &
Ulasan</a></li>
<li><a href="#jadwal" data-toggle="tab">Jadwal
Interview</a></li>
</ul>
<div class="tab-content">
<div class="active tab-pane" id="detail">
<div class="table-responsive">
<?= PartialView::widget([
'model' => $model,
'attributes' => [
'nama',
'email',
'no_hp',
'alamat',
'gender',
'agama',
[attribute]='>'tempat_lahir','value'=>$model-
>tempat_lahir.','date('d/m/Y',strtotime($model->tanggal_lahir)),
'pendidikan',
'status_nikah',
[attribute]='>'posisi','value'=>$model->jobtitle->posisi],
[attribute]='>'departemen','value'=>$model->getdepart-
>departemen],
'status',
],
]) ?>
</div>
</div>
<div class="tab-pane" id="nilai">
<div class="box-body table-responsive no-padding">
<?php $nilai = PelamarNilai::find()-
>where(['pelamar_id'=>$model->id])->one();?>
<?= Html::a('<i class="fa fa-fw fa-pencil"></i> Ubah Ulasan',
['pelamarnilai/update','id'=>$nilai->id,'interview'=>(Yii::$app->user-
>identity->id == $pimpinan->karyawan?'pimpinan':'hrd')], ['class' =>
'btn btn-sm btn-primary']) ?>
<table class="table table-hover">

```



```

<tr>
  <th width="20%">Etika</th>
  <td><?= $nilai->etika ?></td>
</tr>
<tr>
  <th>Komunikasi</th>
  <td><?= $nilai->komunikasi ?></td>
</tr>
<tr>
  <th>Kreativitas</th>
  <td><?= $nilai->kreativitas ?></td>
</tr>
<tr>
  <th>Skill</th>
  <td><?= $nilai->skill ?></td>
</tr>
<tr>
  <th>Daya Tangkap</th>
  <td><?= $nilai->daya_tangkap ?></td>
</tr>
<tr>
  <th>Ulasan HRD</th>
  <td><?= $nilai->ulasan_hrd ?></td>
</tr>
<tr>
  <th>Ulasan Pimpinan</th>
  <td><?= $nilai->ulasan_pimpinan ?></td>
</tr>
</table>
</div>
</div>
<div class="tab-pane" id="jadwal">
  <div class="box-body table-responsive no-padding">
    <table class="table table-hover">
      <?php if(Yii::$app->user->identity->profilname == $hrd-
>karyawan): ?>
        <button class="btn btn-sm btn-success" data-
toggle="modal" data-target="#jadwal-pelamar">Tambah
Jadwal</button>
      <?php endif ?>
    <tr>
      <th>Jadwal</th>
      <th>Jenis</th>
      <th>Kehadiran</th>
    </tr>
    <?php foreach ($data as $show ):?>
    <tr>

```

```

        <td> <?php echo date("d/m/Y",
strtotime($show['tanggal'])); ?> </td>
        <td> <?php echo $show['jenis']; ?> </td>
        <td> <?php
            if($show->jenis=='Interview HRD'){
                if($ulasan->ulasan_hrd != " "){
                    echo "Hadir";
                }
            }elseif($show->jenis=='Interview Pimpinan'){
                if($ulasan->ulasan_pimpinan != " "){
                    echo "Hadir";
                }
            }
        ?> </td>
    </tr>
</table>
</div>
</div>
</div>
</div>
</div>
</section>
<div class="modal fade" id="jadwal-pelamar"><div class="modal-
dialog modal-lg">
    <div class="modal-content">
        <div class="modal-header">
            <button type="button" class="close" data-dismiss="modal"
aria-label="Close">
                <span aria-hidden="true">&times;</span></button>
            <h4 class="modal-title"><b>Jadwal Interview</b></h4>
        </div>
        <div class="modal-body">
            <?php $form = ActiveForm::begin(); ?>
            <div class="row">
                <div class="col-sm-6">
                    <?= $form->field($formjadwal, 'tanggal')-
>widget(DatePicker::className(),[
                        'clientOptions'=>[
                            'autoclose'=>true,
                            'format'=>'dd-mm-yyyy',
                            'orientation'=>'bottom',
                        ]
                    ])?>
                </div>
                <div class="col-sm-6">
                    <?= $form->field($formjadwal, 'jenis')-
>dropDownList(['Interview HRD'=>'Interview HRD','Interview

```



```

        'data' => [
            'confirm' => 'Pelamar diterima ?',
            'method' => 'post',
        ],
    ]) ?>
    <?= Html::a('Ditolak', ['decline', 'id' => $model->id], [
        'class' => 'btn btn-warning',
        'data' => [
            'confirm' => 'Pelamar ditolak ?',
            'method' => 'post',
        ],
    ]) ?>
    <?php endif; ?>
    <?php elseif(Yii::$app->user->identity->id == $hrd->karyawan): ?>
    <?php if($model->status != 'Interview Pimpinan'): ?>
    <?= Html::a('<i class="fa fa-fw fa-plus"></i> Jadwal Interview',
    ['pelamarjadwal/create', 'id' => $model->id], ['class' => 'btn btn-
    success']) ?>
    <?php endif ?>
    <?= Html::a('<i class="fa fa-fw fa-pencil"></i> Update',
    ['update', 'id' => $model->id], ['class' => 'btn btn-primary']) ?>
    <?= Html::a('<i class="fa fa-fw fa-trash"></i> Delete', ['delete',
    'id' => $model->id], [
        'class' => 'btn btn-danger',
        'data' => [
            'confirm' => 'Are you sure you want to delete this item?',
            'method' => 'post',
        ],
    ]) ?>
    <?php endif ?>
    </div>
    </div>
    <section class="content"><div class="nav-tabs-custom tab-
    success">
    <ul class="nav nav-tabs">
    <li class="active"><a href="#detail" data-toggle="tab">Data
    Diri</a></li>
    <li><a href="#nilai" data-toggle="tab">Nilai &
    Ulasan</a></li>
    <li><a href="#jadwal" data-toggle="tab">Jadwal
    Interview</a></li>
    </ul>
    <div class="tab-content">
    <div class="active tab-pane" id="detail">
    <div class="table-responsive">
    <?= DetailView::widget([
        'model' => $model,
        'attributes' => [

```

```

'nama',
'email',
'no_hp',
'alamat',
'gender',
'agama',
['attribute'=>'tempat_lahir','value'=>$model-
>tempat_lahir.'.date('d/m/Y',strtotime($model->tanggal_lahir))],
'pendidikan',
'status_nikah',
['attribute'=>'posisi','value'=>$model->jobtitle->posisi],
['attribute'=>'departemen','value'=>$model->getdepart-
>departemen],
'status',
],
]) ?>
</div>
</div>
<div class="tab-pane" id="nilai">
<div class="box-body table-responsive no-padding">
<?php $nilai = PelamarNilai::find()-
>where(['pelamar_id'=>$model->id])->one();?>
<?= Html::a('<i class="fa fa-fw fa-pencil"></i> Ubah Ulasan',
['pelamarnilai/update','id'=>$nilai->id,'interview'=>(Yii::$app->user-
>identity->id == $pimpinan->karyawan?'pimpinan':'hrd')], ['class' =>
'btn btn-sm btn-primary']) ?>
<table class="table table-hover">
<tr>
<th width="20%">Etika</th>
<td><?= $nilai->etika ?></td>
</tr>
<tr>
<th>Komunikasi</th>
<td><?= $nilai->komunikasi ?></td>
</tr>
<tr>
<th>Kreativitas</th>
<td><?= $nilai->kreativitas ?></td>
</tr>
<tr>
<th>Skill</th>
<td><?= $nilai->skill ?></td>
</tr>
<tr>
<th>Daya Tangkap</th>
<td><?= $nilai->daya_tangkap ?></td>
</tr>
<tr>

```

```

        <th>Ulasan HRD</th>
        <td><?= $nilai->ulasan_hrd ?></td>
    </tr>
    <tr>
        <th>Ulasan Pimpinan</th>
        <td><?= $nilai->ulasan_pimpinan ?></td>
    </tr>
</table>
</div>
</div>
<div class="tab-pane" id="jadwal">
    <div class="box-body table-responsive no-padding">
        <table class="table table-hover">
            <?php if(Yii::$app->user->identity->profilname == $hrd-
            >karyawan): ?>
                <button class="btn btn-sm btn-success" data-
                toggle="modal" data-target="#jadwal-pelamar">Tambah
                Jadwal</button>
            <?php endif ?>
            <tr>
                <th>Jadwal</th>
                <th>Jenis</th>
                <th>Kehadiran</th>
            </tr>
            <?php foreach ($data as $show ):?>
            <tr>
                <td> <?php echo date("d/m/Y",
                strtotime($show['tanggal'])); ?> </td>
                <td> <?php echo $show['jenis']; ?> </td>
                <td> <?php
                    if($show->jenis=='Interview HRD'){
                        if($ulasan->ulasan_hrd !== ""){
                            echo "Hadir";
                        }
                    }elseif($show->jenis=='Interview Pimpinan'){
                        if($ulasan->ulasan_pimpinan !== ""){
                            echo "Hadir";
                        }
                    }
                }
            ?> </td>
            </tr>
        <?php endforeach ?>
    </table>
</div>
</div>
</div>
</div>
</div>
</section>

```



```

<div class="modal fade" id="jadwal-pelamar"><div class="modal-
dialog modal-lg">
  <div class="modal-content">
    <div class="modal-header">
      <button type="button" class="close" data-dismiss="modal"
aria-label="Close">
        <span aria-hidden="true">&times;</span></button>
      <h4 class="modal-title"><b>Jadwal Interview</b></h4>
    </div>
    <div class="modal-body">
      <?php $form = ActiveForm::begin(); ?>
      <div class="row">
        <div class="col-sm-6">
          <?= $form->field($formjadwal, 'tanggal')-
>widget(DatePicker::className(),[
          'clientOptions'=>[
            'autoclose'=>true,
            'format'=>'dd-mm-yyyy',
            'orientation'=>'bottom',
          ]
        ])?>
        </div>
        <div class="col-sm-6">
          <?= $form->field($formjadwal, 'jenis')-
>dropDownList(['Interview HRD'=>'Interview HRD','Interview
Pimpinan'=>'Interview Pimpinan'], ['prompt'=>'--Jenis Interview--'])
?>
        </div>
      </div>
      <div class="form-group">
        <?= Html::submitButton('Save', ['class' => 'btn btn-
success']) ?>
      </div>
      <?php ActiveForm::end(); ?>
    </div>
  </div>
</div>
</div>

```

8. Halaman Tambah Jadwal *Interview*

```

<?php
namespace app\controllers;
use Yii;
use app\models\Pelamar;

```

```

use app\models\PelamarJadwal;
use app\models\PelamarjadwalSearch;
use yii\web\Controller;
use yii\web\NotFoundHttpException;
use yii\filters\VerbFilter;
use yii\helpers\ArrayHelper;
class PelamarjadwalController extends Controller
{
    public function behaviors()
    {
        return [
            'verbs' => [
                'class' => VerbFilter::className(),
                'actions' => [
                    'delete' => ['POST'],
                ],
            ],
        ];
    }
    public function actionIndex()
    {
        $searchModel = new PelamarjadwalSearch();
        $dataProvider = $searchModel->search(Yii::$app->request->queryParams);

        $pelamar = ArrayHelper::map(Pelamar::find()->all(),'id',
            function($model){
                return $model['nama'];
            });

        return $this->render('index', [
            'pelamar' => $pelamar,
            'searchModel' => $searchModel,
            'dataProvider' => $dataProvider,
        ]);
    }
    public function actionView($id)
    {
        $model = $this->findModel($id);
        return $this->render('view', [
            'model' => $model,
        ]);
    }
    public function actionCreate($id)
    {
        $model = new PelamarJadwal();
        $model2 = $this->findModel2($id);
    }
}

```

```

        if ($model->load(Yii::$app->request->post())) {
            $model->id_pelamar = $id;
            $model->tanggal=Yii::$app->formatter->asDate($model-
>tanggal,'yyyy-MM-dd');
            $model2->status = $model->jenis;
            $model->save();
            $model2->save();
            return $this->redirect(['pelamar/view', 'id' => $id]);
        }

        return $this->render('create', [
            'model' => $model,
        ]);
    }
    public function actionUpdate($id)
    {
        $model = $this->findModel($id);
        $model2 = $this->findModel2($model->id_pelamar);

        if ($model->load(Yii::$app->request->post())) {
            $model->tanggal=Yii::$app->formatter->asDate($model-
>tanggal,'yyyy-MM-dd');
            $model2->status = $model->jenis;
            $model->save();
            $model2->save();
            return $this->redirect(['index']);
        }
        return $this->render('update', [
            'model' => $model,
        ]);
    }
    public function actionDelete($id)
    {
        $this->findModel($id)->delete();

        return $this->redirect(['index']);
    }
    protected function findModel($id)
    {
        if (($model = PelamarJadwal::findOne($id)) !== null) {
            return $model;
        }

        throw new NotFoundHttpException('The requested page does not
exist.');
```

```

    }
    protected function findModel2($id)

```



```

    {
        if (($model = Pelamar::findOne($id)) !== null) {
            return $model;
        }
        throw new NotFoundHttpException('The requested page does not
        exist.');
```

9. Halaman Tambah Ulasan

```

<?php
namespace app\controllers;
use Yii;
use app\models\PelamarNilai;
use yii\data\ActiveDataProvider;
use yii\web\Controller;
use yii\web\NotFoundHttpException;
use yii\filters\VerbFilter;
class PelamarnilaiController extends Controller
{
    public function behaviors()
    {
        return [
            'verbs' => [
                'class' => VerbFilter::className(),
                'actions' => [
                    'delete' => ['POST'],
                ],
            ],
        ];
    }
    public function actionIndex()
    {
        $dataProvider = new ActiveDataProvider([
            'query' => PelamarNilai::find(),
        ]);

        return $this->render('index', [
            'dataProvider' => $dataProvider,
        ]);
    }

    public function actionView($id)
    {
        return $this->render('view', [
            'model' => $this->findModel($id),
        ]);
    }
}
```

```

}
public function actionCreate()
{
    $model = new PelamarNilai();

    if ($model->load(Yii::$app->request->post()) && $model-
>save()) {
        return $this->redirect(['view', 'id' => $model->id]);
    }

    return $this->render('create', [
        'model' => $model,
    ]);
}
public function actionUpdate($id,$interview)
{
    $model = $this->findModel($id);

    if ($model->load(Yii::$app->request->post()) && $model-
>save()) {
        return $this->redirect(['pelamar/view', 'id' => $model-
>pelamar_id]);
    }

    return $this->render('update', [
        'model' => $model,
    ]);
}
public function actionDelete($id)
{
    $this->findModel($id)->delete();

    return $this->redirect(['index']);
}
protected function findModel($id)
{
    if (($model = PelamarNilai::findOne($id)) !== null) {
        return $model;
    }

    throw new NotFoundHttpException('The requested page does not
exist.');
```

10. Halaman Data Karyawan

```

<?php
use app\models\AttendanceData;
use app\models\Holiday;
```

```

use yii\helpers\Html;
use yii\widgets\DetailView;
$this->title = 'Detail '.$model->nama;
\yii\web\YiiAsset::register($this);
?>
<div class="karyawan-view">
    <div class="row">
        <div class="col-sm-9">
            <h1>Detail <strong><i>#<?=$model->nama_pendek
?></i></strong></h1>
        </div>
        <div class="col-sm-3">
            <?php if(Yii::$app->user->identity->type == 'Administrator'):
?>
                <p>
                    <?= Html::a('<i class="fa fa-fw fa-th-list"></i> Data',
['index'], ['class' => 'btn btn-primary']) ?>
                    <?= Html::a('<i class="fa fa-fw fa-pencil"></i> Ubah',
['update', 'id' => $model->id], ['class' => 'btn btn-warning']) ?>
                </p>
            <?php endif ?>
        </div>
    </div>
    <section class="content">
        <div class="row">
            <div class="col-md-4">
                <div class="box box-success">
                    <div class="box-body box-profile">
                        <?php if(!$model->foto_karyawan): ?>
                            
                        <?php else: ?>
                            
                        <?php endif; ?>
                        <h3 class="profile-username text-center"><?=$model-
>nama; ?></h3>
                        <h5 class="text-muted text-center">NIP : <?=$model-
>badge; ?></h5>
                        <ul class="list-group list-group-unbordered">
                            <li class="list-group-item">
                                <b>Jenis Kelamin</b> <font class="pull-right"><?=$
model->gender ?></font>
                            </li>
                            <li class="list-group-item">
                                <b>Agama</b> <font class="pull-right"><?=$model-
>agama ?></font>

```



```

</li>
<li class="list-group-item">
  <b>Kelahiran</b> <font class="pull-right"><?= $model-
>tempat_lahir.' ?>
  <?php if($model->tanggal_lahir!=null): ?>
    <?= date('d/m/Y',strtotime($model->tanggal_lahir)) ?>
  <?php endif; ?>
  </font>
</li>
<li class="list-group-item">
  <b>No.Telp</b> <font class="pull-right"><?= $model-
>no_hp ?></font>
</li>
<li class="list-group-item">
  <b>Alamat Rumah</b><br><font><?= $model-
>alamat_rumah ?></font>
</li>
</ul>
</div>
</div>
</div>
<div class="col-md-8">
  <div class="nav-tabs-custom tab-success">
    <ul class="nav nav-tabs">
      <li class="active"><a href="#detail" data-
toggle="tab">Detail</a></li>
      <!-- <li><a href="#absensi" data-
toggle="tab">Absensi</a></li -->
    </ul>
    <div class="tab-content">
      <div class="active tab-pane" id="detail">
        <ul class="list-group">
          <li class="list-group-item">
            <b>Status</b> <font class="pull-right"><?= $model-
>status_aktif ?></font>
          </li>
          <li class="list-group-item">
            <b>Posisi</b> <font class="pull-right"><?= $model-
>jobtitle->posisi ?></font>
          </li>
          <li class="list-group-item">
            <b>Departemen</b> <font class="pull-right"><?= $model-
>departement->departemen ?></font>
          </li>
          <li class="list-group-item">
            <b>Tanggal Masuk</b> <font class="pull-right">
            <?php if($model->tanggal_masuk!=null): ?>
              <?= date('d/m/Y',strtotime($model->tanggal_masuk)) ?>

```

```

        <?php endif; ?>
        </font>
    </li>
</ul>
<ul class="list-group">
    <li class="list-group-item">
        <b>Pendidikan</b> <font class="pull-right"><?= $model-
>pendidikan ?></font>
    </li>
    <li class="list-group-item">
        <b>Status Nikah</b> <font class="pull-right"><?=
$model->status_kawin ?></font>
    </li>
</ul>
<ul class="list-group">
    <li class="list-group-item">
        <b>No. KTP</b> <font class="pull-right"><?= $model-
>no_ktp ?></font>
    </li>
    <li class="list-group-item">
        <b>Alamat KTP</b> <font class="pull-right"><?= $model-
>alamat_ktp ?></font>
    </li>
</ul>
<ul class="list-group">
    <li class="list-group-item">
        <b>Rekening</b> <font class="pull-right"><?= $model-
>no_rekening.' (.'$model->bank.'.'$model->nama_rekening.'
?></font>
    </li>
</ul>
</div>
<!-- <div class="tab-pane" id="absensi">
    <div class="table-responsive"><table class="table table-
bordered">
    <tr>
        <th width="20%">Tanggal</th>
        <th width="20%">Absensi</th>
        <th width="60%">Catatan</th>
    </tr>
    <tr>
        <td>php echo date('d/m/Y',strtotime($begin)) ?></td>
    </tr>
</div>
</div>

```

