

Lampiran-lampiran :

Source code untuk form Main :

```
<?php require_once('Connections/conn.php'); ?>
<?php
$sesusername=$_SESSION['sesusername'];
$sespswd=$_SESSION['sespswd'];
$seslevel=$_SESSION['seslevel'];
$sesusername2=$_GET['sesusername2'];

if (strlen($_SESSION['sesusername']) == 0) {
    Header("Location: main2.php?page2=home");
    exit;
}
if (strlen($_SESSION['sespswd']) == 0) {
    Header("Location: main2.php?page2=home");
    exit;
}

<?php
include 'pagination1.php';
$page2=$_GET['page2'];

ob_start();

?><!doctype html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <title>PT. HK PERKASA</title>
    <link href='http://fonts.googleapis.com/css?family=Concert+One'
rel='stylesheet' type='text/css'>
    <link
href='http://fonts.googleapis.com/css?family=Source+Sans+Pro'
rel='stylesheet' type='text/css'>
    <link rel="stylesheet" href="styles.css" />
<link rel="stylesheet" href="style.css" />
```

```

    <script type="text/javascript" src="jquery-
1.4.3.min.js"></script>
    <!--menambahkan fancybox-->
    <script type="text/javascript" src="fancybox/jquery.fancybox-
1.3.4.pack.js"></script>
    <!--menambahkan css fancybox-->
    <link href="fancybox/jquery.fancybox-1.3.4.css" type="text/css"
rel="stylesheet"/>
    <script type="text/javascript">
    $(document).ready(function(){
        $(".fancy").fancybox();
    });
    </script>

    <script src="datetimepicker_css.js"></script><style
type="text/css">
<!--
.style1 {color: #FFFFFF}
.style2 {
    font-size: 12px;
    font-weight: bold;
}
#Layer1 {
    /*position:fixed;
left:1220px;
top:5px;
width:342px;
height:25px;
z-index:1;*/
position:fixed;
right:10px;
top:5px;

    height:25px;
    z-index:1;
</style>
<style>

div.fixed {

```

```

    position: fixed;
    bottom: 0px;
    right: 0px;
    width: 300px;
    border: 3px solid #73AD21;
}
#Layer2 {
    position:fixed;
    left:2px;
    top:35px;
    width:100px;
    height:60px;
    z-index:1;
}
#Layer3 {
    position:fixed;
    background-color:#3399FF;
    left:600px;
    top:10px;
    width:180px;
    height:85px;
    padding:2px 2px 2px 2px;
    z-index:1;
}
.style6 {color: #000000}
</style>
</head>    <link rel="stylesheet" href="bootstrap.min.css"/>

<link rel="stylesheet" href="tabel7.css" type="text/css" />
<link href='images/CV JENGGONG MULYA JAYA.png' rel='SHORTCUT ICON'/>
<body>
<div id="Layer2"></div>
    <div id="Layer1"><span class="main style1" ></span></div><div
class="fly">
    <div class="content">
        <table width="100%" border="0" bordercolor="#333333">
<tr>
            <td background="images/zig.png"><div id="myjquerymenu"

```

```

class="jquerycssmenu">
    <p><?php echo $menu; ?>                                </p>
    <p>&nbsp;</p>
</div></td>
</tr>
</table>
<br/>
<br/>
<div class="ribbon style2 style1">
    <a href="logout.php" class="style1">
<span
class="style6">Logout</span></a>                                </div>
</div>
</div> <!-- /.fly -->

<div class="content">
    <h1><span style="height: 500px; overflow: auto;
width: 100%;">
        <?php
            if ($page2) {
                if ($page2=='login') {
                    include 'login.php';
                } else
                    if ($page2=='o_pegawai') {
                        include 'file/o_pegawai.php';
                    }
                    else
                        if ($page2=='add_pegawai') {
                            include
'file/add_pegawai.php';
                        }
                    else
                        if ($page2=='ed_pegawai') {
                            include 'file/ed_pegawai.php';
                        }
                    else
                        if ($page2=='trmasuk') {
                            include 'file/trmasuk.php';
                        }
                    }
            }
        }
    }

```

```
    }
    else
        if ($page2=='trmasuk2') {
            include 'file/trmasuk2.php';
        }

    else
        if ($page2=='ed_kriteria') {
            include
'file/ed_kriteria.php';
        }
    else
        if ($page2=='o_admin') {
            include 'file/o_admin.php';
        }
    else
        if ($page2=='penilaian') {
            include 'file/penilaian.php';
        }
    else
        if ($page2=='ed_admin') {
            include 'file/ed_admin.php';
        }
    else
        if ($page2=='add_admin') {
            include 'file/add_admin.php';
        }
    else
        if ($page2=='o_bagian') {
            include 'file/o_bagian.php';
        }
    else
        if ($page2=='add_bagian') {
            include 'file/add_bagian.php';
        }
    else
        if ($page2=='ed_bagian') {
            include 'file/ed_bagian.php';
        }
    else
```

```
else
    if ($page2=='tb_supplier') {
        include 'file/tb_supplier.php';
    }
else
    if ($page2=='ub_supplier') {
        include 'file/ub_supplier.php';
    }
else
    if ($page2=='home') {
        include 'file/home.php';
    }
else
    if ($page2=='perhitungan_1') {
        include
'file/perhitungan_1.php';
    }
else
    if ($page2=='perhitungan_2') {
        include
'file/perhitungan_2.php';
    }
else
    if ($page2=='perhitungan_3') {
        include
'file/perhitungan_3.php';
    }
else
    if ($page2=='perhitungan_4') {
        include
'file/perhitungan_4.php';
    }
else
    if ($page2=='perhitungan_5') {
        include
'file/perhitungan_5.php';
    }
else
    if ($page2=='perhitungan_6') {
        include
'file/perhitungan_6.php';
    }
}
```

Source code untuk form Tim Konstruksi:

```

        $keyword=$_REQUEST['keyword'];
        $reload =
"main.php?page2=o_konstruksi&pagination=true&keyword=$keyword";
        $sql = "SELECT *, case when status='1' then 'Diangkat'
else 'Belum' end as status2 FROM t_bagian a inner join t_konstruksi
b on(a.id_bagian=b.bagian) where

        b.nip_konstruksi LIKE '%$keyword%' or b.nama_pgw LIKE
'%$keyword%' ORDER BY b.nip_konstruksi DESC";
        $result = mysql_query($sql);
    }else{
//        jika tidak ada pencarian pakai ini
        $reload = "main.php?page2=o_konstruksi&pagination=true";
        $sql = "SELECT *, case when status='1' then 'Diangkat'
else 'Belum' end as status2 FROM t_bagian a inner join t_konstruksi
b on(a.id_bagian=b.bagian)
        ORDER BY b.nip_konstruksi ASC";
        $result = mysql_query($sql);
    }

//pagination config start
    $rpp = 15; // jumlah record per halaman
    $page = intval($_GET["page"]);
    if($page<=0) $page = 1;
    $tcount = mysql_num_rows($result);
    $tpages = ($tcount) ? ceil($tcount/$rpp) : 1; // total pages,
last page number
    $count = 0;
    $i = ($page-1)*$rpp;
    $no_urut = ($page-1)*$rpp;
//pagination config end
    ?>
    <div class="container" style="margin-top: 0px">

    <div class="row">
        <div class="col-lg-8">
            <!--muncul jika ada pencarian (tombol reset
pencarian)-->

            <?php

```

```

        ?>
            <a class="btn btn-default btn-outline"
href="main.php?page2=o_konstruksi"> Reset Pencarian</a>
        <?php
        }
        ?>
    </div>

</div>

    <table width="90%" border="0" class="table">
        <thead>
            <tr>
                <td colspan="4" bgcolor="#FFFFFF" class="style5"
" >Master Konstruksi
                <td colspan="2" bgcolor="#FFFFFF"
align="right">&nbsp;</td>
            </tr>
            <tr>
                <td colspan="4" bgcolor="#FFFFFF" ><form
method="post" action="main.php?page2=add_konstruksi">
                    <button class="btn btn-primary"
type="submit">Tambah</button>
                </form>
                <td colspan="2" bgcolor="#FFFFFF" align="right">

                    <form method="post"
action="main.php?page2=o_konstruksi">
                        <div class="input-group">
                            <input type="text" name="keyword"
class="form-control" placeholder="Search..." value="<?php echo
$_REQUEST['keyword']; ?>">
                                <span class="input-group-btn">
                                    <button class="btn btn-primary"
type="submit">Cari
                                </button>
                            </span>
                        </form>
                    </td>
            </tr></table>

```

```

<table width="90%" border="1" class="table table-bordered">
    <thead>
        <tr>
            <th bgcolor="#333333"><span class="style4
style1 style2">No.</span></th>
            <th bgcolor="#333333"><span
class="style4 style1 style2">NAMA </span></th>
            <th bgcolor="#333333"><span
class="style3">Tempat lahir </span></th>
            <th bgcolor="#333333"><span
class="style3">Tgl lahir </span></th>
            <th bgcolor="#333333"><span
class="style3">Agama</span></th>
            <th bgcolor="#333333"><span
class="style3">Alamat</span></th>
            <th bgcolor="#333333"><span
class="style3">No Telpon </span></th>
            <th colspan="2" bgcolor="#333333"><span
class="style4 style1 style2">Aksi</span></th>
        </tr>
    </thead>
    <tbody>
        <?php
        while(($count<$rpp) && ($i<$tcount)) {
            mysql_data_seek($result,$i);
            $data = mysql_fetch_array($result);
            ?>
            <tr>
                <td width="20">
                    <span class="style4"><?php echo
++$no_urut;?></span>
                <td width="183">
                    <span class="style4"><?php echo $data
['nama_pgw']; ?></span>
                <td width="150"><span class="style4"><?php
echo $data ['tmp_lahir']; ?></span> </td>
                <td width="150"><span class="style4"><?php
echo $data ['tgl_lahir']; ?></span> </td>
                <td width="150"><span class="style4"><?php
echo $data ['agama']; ?></span> </td>
                <td width="150"><span class="style4"><?php

```

```

        <td width="150"><span class="style4"><?php
echo $data ['alamat_P']; ?></span> </td>
        <td width="150">
            <span class="style4"><?php echo $data
['no_tlp']; ?> </span>
                <td width="45" class="text-
center style4">
                    <a
href="main.php?page2=ed_konstruksi&id=<? echo
$data['nip_konstruksi']?>" title="Edit Data">
                        </a></td>
                            <td width="43" class="text-center style4"><div
align="center"><a onClick="return confirm('Anda Yakin Ingin menghapus
Data Ini?');"href="file/del_konstruksi.php?id=<? echo
$data['nip_konstruksi']?>" title="Hapus Data" class="style32 style9
style3 style10 style5"></a></div></td>
                                </tr>
                                    <?php
                                        $i++;
                                        $count++;
                                    }
                                    ?>
                                </tbody>
                            </table>
                        <div>
                            <table width="95%" border="0">
                                <tr>
                                    <td width="600"><?php echo paginate_one($reload, $page, $tpages);
?></td>
                                    <td><div align="left">Total Data : <? echo $tcount;?></div></td>
                                </tr>
                            </table>
                        </div>
                    </div>
                </div>
            </body>
        </html>

<!--harviacode.com-->

```

Source code untuk form Perhitungan TOPSIS :

```

<?php

error_reporting(0); // tambahkan untuk menghilangkan notice... hehe

?>
<?
?>
<!doctype html>
<html>
  <head>
    <title>Perhitungan</title>

    <link rel="stylesheet" href="bootstrap.min.css"/>

<link rel="stylesheet" href="tabel5.css" type="text/css" />
    <style type="text/css">
<!--
.style4 {font-size: 12px; font-family: Georgia, "Times New Roman",
Times, serif; }
.style5 {
    font-size: 24px;
    font-weight: bold;
}
.style13 {color: #FF0000}
.style14 {font-size: 14px}
-->
    </style>
</head>
<script src="datetimepicker_css.js"></script>

  <body>
    <p>
      <?php
//      includekan fungsi paginasi

//      koneksi ke database

//      mengatur variabel reload dan sql
      if(isset($_REQUEST['keyword']) && $_REQUEST['keyword']<>""){

```

```

disubmit dan tidak kosong)
//      pakai ini
        $keyword=$_REQUEST['keyword'];
        $reload =
"main.php?page2=perhitungan_1&pagination=true&keyword=$keyword";
        $sql = "SELECT * FROM l_kuadrat a inner join t_supplier b
on(a.id_supplier=b.id_supplier) where

        id_periode LIKE '%$keyword%' ORDER BY id_barang
asc";
        $result = mysql_query($sql);
    }else{
//      jika tidak ada pencarian pakai ini
        $reload = "main.php?page2=perhitungan_1&pagination=true";
        $sql = "SELECT * FROM l_kuadrat a inner join t_supplier
b on(a.id_supplier=b.id_supplier) ORDER BY id_barang asc";
        $result = mysql_query($sql);
    }

//pagination config start
    $rpp = 15; // jumlah record per halaman
    $page = intval($_GET["page"]);
    if($page<=0) $page = 1;
    $tcount = mysql_num_rows($result);
    $tpages = ($tcount) ? ceil($tcount/$rpp) : 1; // total pages,
last page number
    $count = 0;
    $i = ($page-1)*$rpp;
    $no_urut = ($page-1)*$rpp;
//pagination config end
    ?>
<div class="container" style="margin-top: 50px">
</p>
<div class="row">
    <div class="col-lg-8">
        <!--muncul jika ada pencarian (tombol reset
pencarian)-->

        <?php
            if($_REQUEST['keyword']<>""){
                ?>
                    <a class="btn btn-default btn-outline"
href="main.php?page2=perhitungan_1"> Reset Pencarian</a>

```



```

style14">3. Perhitungan Pembagi </a>
        <td colspan="2" bgcolor="#FFFFFF"
align="right"><div align="left" class="style14"> <a
href="main.php?page2=perhitungan_7" class="btn btn-primary">7.
Perhitungan S + dan S - </a></div></td>
    </tr>
    <tr>
        <td colspan="4" bgcolor="#FFFFFF" class="style5"
><span class="style14"><a href="main.php?page2=perhitungan_4"
class="btn btn-primary">4. Perhitungan Matriks Normalisasi </a></span>
        <td colspan="2" bgcolor="#FFFFFF"
align="right"><div align="left"><a
href="main.php?page2=perhitungan_8" class="btn btn-primary">8.
Perhitungan Vi </a> </div></td>
    </tr>
    <tr>
        <td colspan="4" bgcolor="#FFFFFF" class="style5"
>
        <td colspan="2" bgcolor="#FFFFFF"
align="right"><div align="left"><a href="main.php?page2=laporan "
class="btn btn-primary">9. Laporan Hasil Rekomendasi </a></div></td>
    </tr>
    <tr>
        <td colspan="4" bgcolor="#FFFFFF" ><p>&nbsp;</p>
        <p><span class="style5 style13">1. Data
Perhitungan TOPSIS </span>Periode : <?php echo $_REQUEST['keyword'];
?></p>
        <td colspan="2" bgcolor="#FFFFFF" align="right">
        <form method="post"
action="main.php?page2=perhitungan_1">
            Periode : <div class="input-group">
                <input type="text" name="keyword" class="form-
control" placeholder="Cari Periode..." value="<?php echo
$_REQUEST['keyword']; ?>">
                <span class="input-group-btn">
                    <button class="btn btn-primary"
type="submit">Cari
                </span>
    </td>

```